

— CMD —
SPA PRODUCTS
CATALOG

WE ARE HERE TO HELP!

AWARD-WINNING CMP CUSTOMER SUPPORT, AT YOUR SERVICE

Find the help you need online 24/7 at C-M-P.com/Support; send a message, request a call-back & live chat.



SALES / PRODUCT INFO

MONDAY – FRIDAY: 8:00AM – 5:00PM (EST)

CMSPaTeam@C-M-P.com

C-M-P.com/Find-A-Representative

CUSTOMER SERVICE

MONDAY – FRIDAY: 8:00AM – 6:00PM (EST)

1-800-733-9060 Option 3

FAX: 1-770-632-7115

ORDERS: CMSPaTeam@C-M-P.com

ACCOUNTS PAYABLE: AP@C-M-P.com

TECHNICAL SUPPORT

MONDAY – FRIDAY: 8:00AM – 5:00PM (EST)

Get Help Fast By Visiting C-M-P.com/Support

1-800-733-9060 - Option 3

MARKETING

To request CMP Marketing resources, contact your GEM spa sales rep.

Product News & Education:
C-M-P.com/Resource-Center

Subscribe:
YouTube.com/EMPPoolSpa

Follow:
[@cmppoolspa](https://twitter.com/cmppoolspa)

Catalog on the Web:
C-M-P.com/Catalog

CORPORATE HEADQUARTERS

2077 Convention Center Concourse, Suite 300
Atlanta, GA 30337

TOLL FREE: 1-800-733-9060

LOCAL: 1-770-632-7112

FAX: 1-770-632-7115

CMP WEST DISTRIBUTION

5100 WESTERN WAY, PERRIS, CA 92571

CMP AUSTRALIA & NEW ZEALAND

CSN GLOBAL PTY LTD

sales@CSNGlobal.com.au

ONLINE: CSNGLOBAL.COM.AU

CMP EUROPE DISTRIBUTION

VILLWEZDOM 12, 1327 AM ALMERE, NL

info@cmp@C-M-P.com

TABLE OF CONTENTS

Welcome 2

CMP Brands 4

Catalog Information 5

Color Reference 6

CMP Design Platforms 7

SQR™ 13

DEL SANITIZERS 27

DEL AOP® SPA 28

DEL OZONE® SPA 30

OZONATOR ACCESSORIES 32

SPA JET COLLECTIONS 33

PRO-LOC® JETS 34

PRO-LOC® JET BODIES 64

TWIST-LOC CLUSTER JETS 67

JUMBO JETS 68

EURO JETS 70

CLUSTER JETS 72

AIR INJECTORS 74

SWIM & WHIRLPOOL JETS 76

CONTROL VALVES 79

HALO™ COLLECTION 80

LEAF™ COLLECTION 81

FIVE SPOKE™ COLLECTION 82

WAVE™ COLLECTION 87

CROWN™ COLLECTION 85

DIAMOND™ COLLECTION 86

AIR X® 90

AQUA EFFECTS™ WATER FEATURES 93

POP-UP WATER FEATURES 95

LED LAMINARS & FOUNTAINS 96

WATERFALLS 97

LIQUID AROMA INJECTOR 100

LED COLOR CRYSTAL™ 102

OPTIX™ SPA LIGHTING 103

OPTIX MINI LIGHTS 104

LED CUPHOLDERS 106

INTERIOR LIGHTING 108

FILTRATION & CIRCULATION 111

SKIMMERS & FILTERS 112

REPLACEMENT FILTER ELEMENTS 121

VGB SUCTIONS 122

SPA PUMP WET ENDS 123

ACCESSORIES & TOOLS 125

DRAIN SYSTEMS 126

ACCESSORY ITEMS 130

TOOLS & AUXILIARY 132

WHITE GOODS & PLUMBING 133

WATER & AIR MANIFOLDS 134

PLUMBING & FITTINGS 138

VALVES 143

Technical Resources 148

Part Number Index 153

Terms & Conditions 159

Limited Warranty 161

DEL:AOP SPA DEL:Ozone SPA

DEL SANITIZERS: STARTING ON PAGE 27

spectrum.

SPECTRUM DESIGN PLATFORM: PAGE 2



SQR SYSTEM: PAGE 14

PRO-LOC

ADVANCED JET INSTALLATION: PAGE 34

AIR: X

AIRNETIC THERAPY SYSTEM: PAGE 30

aqua effects

WATER FEATURES & SPECIAL EFFECTS: PAGE 93



LED LIGHTING PROGRAM: PAGE 103

The CMP logo, design "lockup" and tagline "everything matters" are registered trademarks of Custom Molded Products LLC. All CMP Spa Products logos and trademarks are property of CMP. SQR™, AIR:™, Spectrum™, Pro-Loc™, Jetpools Advanced™, Optix™ and Aquaffects™ are trademarks and/or registered trademarks of CMP.

The absence of a trademark, trade name or service mark from the above list does not constitute a waiver of our intellectual property rights concerning that trademark, trade name or service mark. All custom graphics, signs, logos and words listed above are trade names, trademarks or service marks of Custom Molded Products in the United States and/or other countries.

The trademarks and names of other companies and products mentioned herein are the property of their respective owners.

CATALOG INFORMATION

ABBREVIATION GUIDE

S = SOCKET

SP = SPIGOT

WTR = WATER

RB = RIBBED BARB

SB = SMOOTH BARB

SS = STAINLESS STEEL

Assembly = ASSEMBLY

GPM = GALLONS PER MINUTE

WP = WHIRLPOOL

P/N = PART NUMBER

G. GRAY = GRAPHITE GRAY

BOX AND BAG QUANTITIES

Box Quantities are listed for most items. If a bag quantity is also available, it will be indicated as "box/bag," such as "24/6" where "24" is the box quantity and "6" is the bag quantity.

Currently CMP does not apply a surcharge for broken carton orders. Please help us maintain this policy by ordering in full carton quantities. **Thank you for your cooperation.**

FOR MORE INFORMATION

Terms & Conditions pg. 259

Fluidra Limited Warranty pg. 161

All illustrations, photographs, product details and specifications in this catalog are current as of available information at the time of printing.

To access the digital version of this catalog, you may view or download online at C-M-P.com/catalog



Many CMP Products are now available as part of the SQR System. Look for this icon throughout the catalog for SQR System options.

COLOR REFERENCE

The standard CMP numbering scheme for designating the color of plastic products is indicated within the part number as follows:

A B C D E - F G **H** - I J K

The standard colors for spa products are determined by the "H" digit using the guide below:

- 0 = White
- 1 = Medium Gray
- 2 = Stainless Steel
- 4 = Black
- 6 = Light Gray
- 7 = Graphite Gray / Silver
- 9 = Custom / Classic Gray

EXAMPLE: 23500-001-000 (1 = MEDIUM GRAY)

Please always specify the product color by both name and number when placing orders.

NON - STANDARD COLORS

Non-standard colors for spa products are determined by the combination of the "G" and the "H" digits. The "K" digit of "9" indicates Non-Standard, and the "G" digit specifies color. Non-standard colors can include Tan, Clear, Light Blue, Dark Blue, etc. For details on ordering specific non-standard colors, call or email CS@C-M-P.com.

CUSTOM COLORS

Additional colors are available upon request. Custom colors can be provided. Please call for details. A minimum order will be required.

FITTINGS

Unless otherwise specified fitting bodies and other undershirt components are molded in white or gray.

METAL FINISHES

CMP uses polished stainless steel in metal finish components. Additional metal finishes are available upon request.

CMP PLATFORM-BASED DESIGN

INNOVATIVE PLATFORMS THAT ADVANCE SPA DESIGN

We aren't just building products; we are building total design platforms.

The spa industry is vibrant and innovative, full of talented designers and passionate teams. That's why we want to do more than sell you a product. We want to sell you platforms that encourage innovation, rethink older systems and improve your entire process.

With every design and system from CMP, we are setting you up for success by paying attention to the small things. That's what makes the difference.

And when the difference is in the details, everything matters.*

WHAT IS A DESIGN PLATFORM?

What do we mean when we say "design platform?" A platform can include many different elements, all with the goal of simplifying installation, reducing tooling costs and encouraging design innovations. A design platform can include one or more of the following elements:

LOW-COST CUSTOMIZATION

Products like Spectrum Jets are designed with innovative modular components that allow for completely unique designs with minimal tooling costs.

BRAND OPPORTUNITIES

Branding can include things as simple as a logo insert to color accents built into the design. Many products are designed intentionally with sub-components that can be molded in a custom color to complement your brand.

TOTAL SYSTEM THINKING

CMP products include multiple common system elements that streamline installation, including standardized hole saw sizes, industry-standard LED compatibility and unified installation methods.

SPECTRUM™ JET DESIGN PLATFORM



TOTAL SPA JET DESIGN PLATFORM

The Spectrum platform gives you a flexible system for custom jet designs with a combination of inserts, materials, snaps and stamps. Each of the above jet concepts use the Spectrum system. In partnership with CMP Industrial Design experts, this platform-centric thinking keeps tooling costs low and allows for rapid market deployment.



THE SPECTRUM JET CAP

The heart of any Spectrum jet design is in the two piece jet cap. One stainless steel tool and simple plastic tool are all that is required to create the huge variety of designs available with Spectrum. Logos and stamped textures can be added to further customize the overall look of the spa jet.



BREAKING THE "CIRCLE"

With Concourse and Snap insert styles, Spectrum can break outside the traditional "donut" jet shape. Inserts can extend beyond, above and over the stainless steel cap component to create dynamic and exciting shapes.

PRO-LOC



COMPLETE JET THERAPY SYSTEM

The Spectrum Platform is 100% compatible with every CMP jet style. Use Spectrum designs with SQR and Pro-Loc systems. Create Spectrum jets that are directional, bearingless, VTX and any other CMP therapy nozzle style.

SPECTRUM™ JET DESIGN PLATFORM



A. RACETRACK INSERT

In this original Spectrum design, the plastic insert sits below and extends through the stainless steel escutcheon.

B. CONCOURSE INSERT

In a variation on the original "racetrack" style, the plastic insert extends outside the ring of the escutcheon.

C. SNAP INSERT

The latest option in Spectrum platform styles. In a reversal, the plastic sits on top of the stainless steel escutcheon. This opens up a huge variety of brand design options.

D. NOZZLE/EYEBALL

Eyeballs are available in clear for LED lighting, or in a variety of plastic colors to complement the overall design. Stainless steel or plastic nozzle rings can be inserted into directional and roto styles.

E. FLANGE

The plastic flange can be molded in a color to match and complement the design, completing a unique jet design.

SPECTRUM™ HALO ACCENT PLATFORM

**A. DESIGN INSERT**

The Halo design insert can be produced in your choice of molded color or high polished stainless steel.

B. NOZZLE RING

Just as with Spectrum Stainless, the nozzle ring can be matched to the design insert, or molded in a contrasting color for your design.

C. NOZZLE/EYEBALL

Accent Stainless & Accent Duo-Tone are available in every nozzle style. As with all CMP jets, nozzles can be plastic or clear for LED.

D. FLANGE

The CMP radial flange texture elevates the entire look of these Spectrum jets. Coordinate and contrast your color choice with the design insert for the perfect look.

INNOVATION THROUGH PLATFORM THINKING

Accent Stainless and Accent Duo-Tone variations provide even more choices for spa OEMs. The Halo design elements and nozzle rings can be emphasized using color and material to create a unique look and feel that complements any hot tub composition. The design variations also provide spa manufacturers with a variety of price points that do not limit design or aesthetics.



PRODUCTS DESIGNED TO BE CUSTOMIZED

SINGLE ELEMENT CUSTOMIZATION

In select products, a single design element can be completely customized without effecting the overall component. By only customizing the single component you get a unique design that will can match and complement the complete tub layout composition.



Topside curved handles with custom logo



Diva LED Cupholder with design insert

BRAND OPPORTUNITIES

These products are designed with logo and/or color inserts. These inserts can be molded to match any spa brand, creating a custom look within an otherwise stock component.



Fusion weir with logo insert and customizable color inserts



Filter well with customizable logo insert



Aeroyal with logo insert control and customizable handle color



Cascade waterfall with customizable design insert

TOTAL SYSTEM THINKING



COMPLETE PRODUCT FAMILIES

For manufacturers that use more "off the shelf" products, you can still get a completed look and feel in the hot tub design. CMP Halo, Wave, Crown and Diamond styles are carried throughout the product line for a universal stocked product style. Complete families include jets, valves, air controls, LED lighting and water features.

SHARED HOLE SAW AND NUT SIZES

Many CMP products use standardized hole sizes and nuts. This reduces the number of components that have to be stocked, and minimizes the number of tools required on the manufacturing floor. Standardized components also have years of market use, which promote higher levels of quality and confidence.



OPTIX STANDARDIZED LED AND NUT SIZES

Optix LED spa components are designed around universal, common installation methods. Each LED product is engineered for use with industry standard LED lights. Multiple Optix fittings use a standardized nut for installation. The common features in the product design simplify the installation process. This also allows CMP to offer standardized platform components for OEMs using custom LED designs.

GASKET DRIVEN SEALS

CMP products are engineered to use gaskets to seal instead of requiring silicone to seal during installation. Why add an extra step of sealing an installed component on the floor? These included gaskets create a faster and cleaner installation process.

SQR™ SYSTEM

ABOUT SQR PRODUCTS 14

SQR JETS 16

SQR VALVES 20

SQR WATER FEATURES & LIGHTING 21

SQR SPA FILTERS 23

SQR ACCESSORIES 25

FORWARD THINKING ENGINEERING

SQR applies basic laws of physics to create a superior seal, while addressing the issues created by typical torque compression systems.

The patented body and grommet gasket design combination is absolutely the most effective method of spa component installation.

SIMPLE

NO BACKSIDE GRINDING



Surface grinding is loud, dangerous, dirty and potentially hazardous. SQR™ seals effectively with no backside grinding.

NO NUTS, COMP RINGS OR GASKETS

Scores of parts complicate the work area, increasing prep time and costs. Fewer components simplifies the process.

NO EXPENSIVE SEALANTS

Sealants are messy, expensive and difficult to apply. It is impossible to apply sealants with 100% consistency.




QUICK

TYPICAL SYSTEMS = MULTIPLE STEPS

To ensure a proper and consistent seal, standard parts require sealant, gaskets, comp rings, nuts and must then be tightened to an exact compression specification. Prepping and installing all of these components takes up time and poorly utilizes space.

AGILE STYLE MANUFACTURING

Each step in the process is simplified, which translates into rapid turnaround. Drilling occurs in a single hole-cutting step. Component installation only requires installing the patented SQR™ grommet and patented SQR™ body.



RELIABLE

SIMPLICITY = CONSISTENCY


By requiring fewer components and reducing the need for surface prep, SQR™ creates a repeatable installation & increased quality.

RADIAL SEAL ENGINEERING

Radial seals are standard technology in many industries. This installation technique is more dependable than comp seals.

PROVEN RESULTS

SQR™ technology has been tested in the spa industry for ten years, and used in regular production by multiple OEMs.




SQR™ PRO-LOC™ JET BODIES


PRO-LOC

PRODUCT FEATURES


- Clear or White SQR System Bodies
- SQR Grommet Sold Separately




200 SERIES



300 SERIES



400 SERIES



500 SERIES

ORDERING GUIDE

REF	200 SERIES	300 SERIES	400 SERIES	500 SERIES	DESCRIPTION
SQR PRO-LOC JET BODIES					
A	29222-090-000	29232-090-000	29242-090-000	29252-090-000	WHITE, 3/4" RB × 1/8" RB
—	29223-290-000	29233-290-000	29243-290-000	29253-290-000	WHITE, 3/4" SB × 3/8" SB
—	—	—	—	29250-090-000	WHITE, 1.5" S WTR × 0.5" S AIR (W-POOL)
—	—	—	—	29250-190-000	WHITE, 1" S WTR × 0.5" S AIR (W-POOL)
B	29222-299-000	29232-299-000	29242-299-000	29252-299-000	CLEAR/LED, 3/4" SB × 1/8" SB
—	29223-099-000	29233-099-000	29243-099-000	29253-099-000	CLEAR/LED, 3/4" RB × 3/8" RB
C	29222-299-040	29232-299-040	29242-299-040	29252-299-040	SQR JET BODY GROMMET, GRAY

©2018 BY ONE CORP. U.S. PATENTS OR PENDING. OTHER APPLICABLE, SEE U.S. PATENT OFFICE FOR DETAILS.

SQR™ SYSTEM PRODUCTS

SQR TWIST-LOC CLUSTER JET

Twist-Loc Cluster Jets are designed for easier installation. The single-piece face design has a cleaner installed appearance.

PRODUCT FEATURES

- Halo Jet Design
- Twist-Loc Jet Installation
- 2" Jet Body
- Clear / LED Available
- SQR Grommet Sold Separately
- More Info Page 67



ORDERING GUIDE

REF	CNP P/N	DESCRIPTION	COLOR	PLUMBING SIZE
TWIST-LOC® CLUSTER JETS				
A	29211-011-000	TWIST-LOC CLUSTER JET	SS/GRAPHITE GRAY HALO, SILVER NOZZLE	—
B	29211-011-100	TWIST-LOC CLUSTER JET +	SS/GRAPHITE GRAY HALO, CLEAR NOZZLE	—
C	29210-299-000	TWIST-LOC JET BODY	CLEAR / LED	1/4" SB x 3/8" SB
—	29210-099-000	TWIST-LOC JET BODY	CLEAR / LED	1/4" RB x 3/8" RB
—	29210-290-000	TWIST-LOC JET BODY	WHITE	1/4" SB x 3/8" SB
—	29210-090-000	TWIST-LOC JET BODY	WHITE	1/4" RB x 3/8" RB
—	29222-288-040	2" SQR GROMMET	GRAY	—

SQR™ SYSTEM PRODUCTS

SQR JET INTERNALS
FOR 200 SERIES SE

PRODUCT FEATURES

- Available in Two Jet Sizes
- Clear / LED Available
- Extended Flange Hides SQR Grommet



ORDERING GUIDE

CMP P/N	JET STYLE	SERIES	JET SIZE	NOZZLE COLOR	NOZZLE - BPG	BOX / BAG
200-SERIES SPECIAL EDITION SQR JET INTERNALS						
29520-312-000	DIRECTIONAL	200	3"	BLACK	—	400/50
29520-112-000	DIRECTIONAL	200	2-3/16"	BLACK	—	400/50
29520-312-400	DIRECTIONAL	200	3"	GRAPHITE GRAY	—	400/50
29520-332-400	ROTATIONAL	200	3"	GRAPHITE GRAY	—	400/50
29520-112-400	DIRECTIONAL	200	2-3/16"	GRAPHITE GRAY	—	400/50
29520-111-000	DIRECTIONAL	200	2-3/16"	CLEAR / LED	—	400/50
29520-311-000	DIRECTIONAL	200	3"	CLEAR / LED	—	400/50

SQR HOT WATER RETURN FITTING

PRODUCT FEATURES

- Available in Three Colors
- 1" Slip
- Compliant with EU Entrapment Regulations




ORDERING GUIDE

CMP P/N	DESCRIPTION	COLOR
SQR HOT WATER RETURN FITTING		
21001-304-000	SQR HOT WATER HEATER RETURN FITTING, 1" SLIP	BLACK
21001-307-000	SQR HOT WATER HEATER RETURN FITTING, 1" SLIP	GRAPHITE GRAY
21001-309-000	SQR HOT WATER HEATER RETURN FITTING, 1" SLIP	CLASSIC GRAY
29232-209-040	SQR GROMMET FOR HOT WATER HEATER RETURN FITTING	GRAY

SQR ECONO AIR INJECTOR

PRODUCT FEATURES

- Stainless Steel
- 3/8" Smooth Air Barb
- SQR Grommet Sold Separately



ORDERING GUIDE

REF	QTY/PR	DESCRIPTION	COLOR	PLUMBING SIZE
SQR ECONO AIR INJECTOR				
A	23028-292-000	SQR ECONO AIR INJECTOR, STRAIGHT BARB	STAINLESS STEEL	1/8" SB AIR
SQR ECONO AIR INJECTOR, MULTIPORT				
B	23028-302-000	SQR ECONO AIR INJECTOR, 90 DEG ELBOW	STAINLESS STEEL	1/8" SB AIR
—	23028-307-000	SQR ECONO AIR INJECTOR, 90 DEG ELBOW	GRAPHITE GRAY	1/8" SB AIR
—	23028-309-000	SQR ECONO AIR INJECTOR, 90 DEG ELBOW	CLASSIC GRAY	1/8" SB AIR
SQR ECONO AIR INJECTOR, SINGLE PORT				
—	23028-392-000	SQR ECONO AIR INJECTOR, 90 DEG ELBOW	STAINLESS STEEL	1/8" SB AIR
—	23028-397-000	SQR ECONO AIR INJECTOR, 90 DEG ELBOW	GRAPHITE GRAY	1/8" SB AIR
—	23028-399-000	SQR ECONO AIR INJECTOR, 90 DEG ELBOW	CLASSIC GRAY	1/8" SB AIR
—	23028-294-040	SQR ECONO AIR INJECTOR GROMMET	GRAY	—

SQR SWIRL OZONE WALL FITTINGS

PRODUCT FEATURES

- Swirl Style Design
- Ribbed or Smooth Barb
- Three Color Options
- Compliant with EU Entrapment Regulations



SWIRL OZONE WALL FITTINGS				
C	23400-224-100	SQR SWIRL OZONE WALL FITTING	BLACK	3/4" RIBBED BARB
—	23400-224-000	SQR SWIRL OZONE WALL FITTING	BLACK	3/4" SMOOTH BARB
D	23400-227-000	SQR SWIRL OZONE WALL FITTING	GRAPHITE GRAY	3/4" SMOOTH BARB
—	23400-227-100	SQR SWIRL OZONE WALL FITTING	GRAPHITE GRAY	3/4" RIBBED BARB
—	23400-229-000	SQR SWIRL OZONE WALL FITTING	CLASSIC GRAY	3/4" SMOOTH BARB
—	23400-229-100	SQR SWIRL OZONE WALL FITTING	CLASSIC GRAY	3/4" RIBBED BARB
—	23400-289-040	SQR OZONE WALL FITTING GROMMET	GRAY	—

SQR™ TOPSIDE VALVES

PRODUCT FEATURES

- Grommet Doubles as LED Light Emitter
- Slotted Decorative Accent Cover for LED Lighting
- SQR Control Valve Grommet Sold Separately
- Halo Insert & Accent Cover Match Cap
- "Full-Cover" Handle Option Completely Covers the Valve Cap
- Halo, Arc, Crown, Wave & "S" Handle Styles
- More Info on CMP Valves Page 79



ORDERING GUIDE

CMP P/N	DESCRIPTION	HANDLE STYLE	CONTROL CAP COLOR / TEXTURE	HANDLE COLOR
SQR TOPSIDE CONTROL VALVES				
25159-101-000	1" SQR AIR CONTROL VALVE	HALO	GRAPHITE GRAY / SMOOTH	SILVER
25159-103-000	1" SQR AIR CONTROL VALVE	HALO	BLACK / SMOOTH	SILVER
25159-457-000	1" SQR AIR CONTROL VALVE	HALO	GRAPHITE GRAY / TEXTURED	SILVER
25159-400-000	1" SQR AIR CONTROL VALVE NEW	ARC	WHITE	GRAY
25190-867-000	1" SQR AIR CONTROL VALVE	CROWN	GRAPHITE GRAY / TEXTURED	SILVER
25190-707-000	1" SQR AIR CONTROL VALVE	WAVE	GRAPHITE GRAY / SMOOTH	SILVER
25193-107-000	1" SQR AIR CONTROL VALVE	S-HANDLE	GRAPHITE GRAY / SMOOTH	SILVER
25193-307-000	1" SQR AIR CONTROL VALVE	S-HANDLE	GRAPHITE GRAY / TEXTURED	SILVER
25158-101-000	2" SQR DIVERter VALVE	HALO	GRAPHITE GRAY / SMOOTH	SILVER
25158-113-000	2" SQR DIVERter VALVE	HALO	BLACK / SMOOTH	SILVER
25258-101-000	2" SQR VERTICAL DIVERter VALVE	HALO (FULL COVER)	GRAPHITE GRAY / SMOOTH	SILVER
25258-113-000	2" SQR VERTICAL DIVERter VALVE	HALO (FULL COVER)	BLACK / SMOOTH	BLACK
25258-119-100	2" SQR VERTICAL DIVERter VALVE	HALO (FULL COVER)	BLACK / SMOOTH	SILVER
25142-107-000	2" SQR DIVERter VALVE	S-HANDLE	GRAPHITE GRAY / SMOOTH	SILVER
25158-111-000	SQR ON/OFF VALVE, 1" S	HALO	GRAPHITE GRAY / SMOOTH	SILVER
25258-111-000	SQR ON/OFF VALVE, 1" S	HALO (FULL COVER)	GRAPHITE GRAY / SMOOTH	SILVER
25258-113-000	SQR ON/OFF VALVE, 1" S	HALO (FULL COVER)	BLACK / SMOOTH	BLACK
25158-101-000	SQR ON/OFF VALVE, 3/4" S	HALO	GRAPHITE GRAY / SMOOTH	SILVER
25158-103-000	SQR ON/OFF VALVE, 3/4" S	HALO	BLACK / SMOOTH	SILVER
25158-517-000	SQR ON/OFF VALVE, 3/4" S	S-HANDLE	GRAPHITE GRAY / SMOOTH	SILVER
25152-101-000	SQR 1" 3-WAY DIVERter VALVE	HALO	GRAPHITE GRAY / SMOOTH	SILVER

CMP P/N	DESCRIPTION	COLOR
SQR TOPSIDE CONTROL VALVE ACCESSORIES		
25187-000-020	SQR LED GROMMET, 1" AIR CONTROL	TRANSLUCENT
25148-000-020	SQR LED GROMMET, 2" DIVERter	TRANSLUCENT
25126-000-020	SQR LED GROMMET, ON/OFF VALVE FOR AQUA EFFECTS LED BUBBLER-STREAM	TRANSLUCENT
25159-007-035	SQR AIR CONTROL GROMMET COVER	GRAPHITE GRAY
25119-004-035	SQR AIR CONTROL GROMMET COVER	BLACK
25136-007-035	SQR ON/OFF WALL FITTING SLOTTED	GRAPHITE GRAY
25136-004-035	SQR ON/OFF WALL FITTING SLOTTED	BLACK
25156-400-000	1" SQR ON/OFF WALL FITTING	WHITE
25158-007-035	SQR 2" DIVERter WALL FITTING	GRAPHITE GRAY
25119-004-035	SQR 2" DIVERter WALL FITTING	BLACK
50036-000-100	1/4" ON/OFF BODY & O-RINGS	—
50030-000-100	1" ON/OFF BODY & O-RINGS	—
50033-000-100	1" DIVERter VALVE BODY & O-RINGS	—
50048-000-100	2" DIVERter VALVE BODY & O-RINGS	—
28072-000-100	2" HORIZONTAL DIVERter BODY & O-RINGS	—

SQR™ SYSTEM PRODUCTS

SQR AQUA EFFECTS™ WATER FEATURES

PRODUCT FEATURES

- Select Styles Available
- 2" Grommet Fits LED Laminar
- 3" Grommet Fits "Pop-Ups"
- SQR Grommet Sold Separately



SQR OPTIX™ DECO CUPHOLDER

The Patented CMP Deco Cupholder is the most stylish LED cupholder on the market. The customizable insert design is protected by being installed under the cupholder lens.

PRODUCT FEATURES

- Halo Series Deco Accent Insert
- Wave or Beveled Ring Design
- SQR Grommet Sold Separately
- More Info Page 106



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	COLOR
SQR AQUA EFFECTS LED LAMINARS			
A	25269-802-700	SQR LED LAMINAR, SPECTRUM HALO-SERIES	SS / GRAPHITE GRAY
—	25269-404-000	SQR LED LAMINAR, DIAMOND-SERIES	EE / BLACK
—	25269-802-400	SQR LED LAMINAR, SPECTRUM HALO-SERIES	SS / BLACK
—	29222-288-040	2" SQR GROMMET	GRAY
SQR AQUA EFFECTS LED POP-UP WATER FEATURES			
B	25267-428-710	SQR AQUA EFFECTS LED FAN	SILVER / GRAPHITE GRAY
—	25267-327-710	SQR AQUA EFFECTS LED BUBBLER	GRAPHITE GRAY
—	25267-328-710	SQR AQUA EFFECTS LED BUBBLER	SILVER / GRAPHITE GRAY
—	25267-528-710	SQR AQUA EFFECTS LED STREAM	SILVER / GRAPHITE GRAY
C	29212-288-040	3" SQR GROMMET	GRAY
SQR OPTIX DECO CUPHOLDER			
D	25241-307-800	SQR LED DECO CUPHOLDER, BEVELED RING	GRAPHITE GRAY RING & HALO-INSERT
—	25241-308-700	SQR LED DECO CUPHOLDER, BEVELED RING	SILVER RING / G. GRAY HALO INSERT
—	25241-327-800	SQR LED DECO CUPHOLDER, WAVE RING	GRAPHITE GRAY RING & HALO-INSERT
—	25241-314-800	SQR LED DECO CUPHOLDER, WAVE RING	BLACK RING / SILVER HALO INSERT
—	25241-307-020	SQR CUPHOLDER GROMMET	GRAY

DESIGNED BY SQR SYSTEMS, LLC. PHOTOGRAPHY BY SQR SYSTEMS. APPLICATIONS: SEE SQR.COM/PRODUCTS FOR DETAILS.

SQR™ LIGHTING

SQR OPTIX™ LED SPOT LIGHTS

PRODUCT FEATURES

- Clear or "Frosted" Spot
- 1" Faceted Light Design
- SQR Grommet Sold Separately
- Now Available in Mini



SQR OPTIX™ SPA LIGHTS

2" SPA LIGHT

- Prismatic Pyramid Lens Enhances & Improves LED Color Mixing
- Small, Compact Light Footprint
- Compatible with LED Bulbs
- Also Available in Buttress Thread Style



3" AND 5" SPA LIGHTS

- White or Gray Grommet Options
- SQR Grommet Sold Separately
- Stainless Steel Escutcheon Option
- Complete Kits Include Lens, Reflector, Bulb and Wire Harness with AMP Connector

ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	COLOR / MATERIAL
SQR LED SPOT FITTINGS			
A	25237-289-000	1" SQR LED SPOT FITTING, FACETED	WHITE PC
B	25237-299-000	1" SQR LED SPOT FITTING, FACETED	CLEAR PVC (BLUE TINT)
—	25038-298-040	SQR GROMMET, LED SPOT FITTING	GRAY
C	25234-200-000	SQR MINI LED SPOT FITTING, FACETED	CLEAR
—	25234-299-040	SQR MINI SWIRL LED SPOT FITTING GROMMET	CLEAR
D	25234-300-000	SQR LED MINI LED SPOT FITTING, TEXTURES (NOT AVAILABLE IN US)	CLEAR
SQR SPA LIGHTS			
E	25247-200-000	2" SQR REAR ACCESS SPA LIGHT WITH REFLECTOR HOUSING	CLEAR
—	25247-299-040	2" SQR REAR ACCESS SPA LIGHT GROMMET	GRAY
F	25241-330-000	2" SQR SPA LIGHT (LENS, REFLECTOR)	CLEAR
F	25241-350-000	3" SQR SPA LIGHT (LENS, REFLECTOR)	CLEAR
—	25241-330-100	3" SQR SPA LIGHT KIT (LENS, REFLECTOR, BULB, HARNESS)	CLEAR
—	25241-339-010	3" SQR SPA LIGHT LENS ONLY	CLEAR
—	25241-330-020	3" SQR SPA LIGHT REFLECTOR ONLY	CLEAR
—	25042-330-040	3" SQR SPA LIGHT GROMMET	GRAY
—	25042-330-020	3" SQR SPA LIGHT GROMMET	TRANSLUCENT
—	25241-350-100	5" SQR SPA LIGHT KIT (LENS, REFLECTOR, BULB, HARNESS)	CLEAR
—	25241-352-000	5" SQR SPA LIGHT (LENS, REFLECTOR)	CLEAR / S. STEEL
—	25241-350-010	5" SQR SPA LIGHT LENS ONLY	CLEAR
—	25241-350-020	5" SQR SPA LIGHT REFLECTOR ONLY	WHITE
—	25241-352-100	5" SQR SPA LIGHT KIT (LENS, REFLECTOR, BULB, HARNESS)	CLEAR / S. STEEL
—	25241-350-060	5" SQR SPA LIGHT GROMMET ONLY	GRAY

For lighting accessories see page 110

SQR™ SPA FILTERS

PRODUCT FEATURES

- Graphite Gray or Black Topside & Weir
- Floating Vane Weir Filter and Elite Filter Series Options
- SQR Grommet Sold Separately
- For Filter Details See Page J22



ORDERING GUIDE

REF	CNFP/N	DESCRIPTION	COLOR	FILTER AREA	BODY HEIGHT	FILTER ELEMENT (page J22)	BOX/BAG
SQR FILTERS							
A	35453-904-000G	SQR FLOATING VANE WEIR FILTER	BLACK	30.5Q FT	19-1/2"	N	6
A	35481-904-000G	SQR FLOATING VANE WEIR FILTER	BLACK	35.5Q FT	16-1/2"	G	—
—	35453-907-000G	SQR FLOATING VANE WEIR FILTER	GRAPHITE-GRAY	30.5Q FT	19-1/2"	N	6
—	35481-907-000G	SQR FLOATING VANE WEIR FILTER	GRAPHITE-GRAY	35.5Q FT	16-1/2"	G	6
B	35453-907-000G	SQR ELITE FILTER WITH VANE WEIR	GRAPHITE-GRAY	30.5Q FT	19-1/2"	J	—
—	35453-904-000G	SQR ELITE FILTER WITH VANE WEIR	BLACK	30.5Q FT	19-1/2"	J	—
C	35453-704-000G	SQR HI-FLO ELITE FILTER WITH TELE WEIR	BLACK	30.5Q FT	18"	J	6
C	35453-707-000G	SQR HI-FLO ELITE FILTER WITH TELE WEIR	GRAPHITE-GRAY	30.5Q FT	18"	J	—
—	35453-907-020	SQR GROMMET FOR FILTER BODY	GRAY	—	—	—	48/6

FILTER ELEMENT CHART PAGE J22 ELEMENTS SOLD SEPARATELY

SQR™ VGB CERTIFIED SUCTIONS


PRODUCT FEATURES

- Plastic or Stainless Steel Cover
- UL Listed, Compliant to ANSI/APSP-36 2017 & CPSC Requirements
- Grommet Sold Separately



TECHNICAL GUIDE

- Open Area is 12.36in²
- 3-31/32" Hole Size
- Single or Multiple Suction Use
- 170 GPM (Plastic)
- 172 GPM (Stainless Steel)



ORDERING GUIDE

CMP P/N	DESCRIPTION	COLOR
SQR VGB SPA SUCTIONS		
25200-102-000	172 GPM SQR VGB SUCTION ASSEMBLY, 2.5" SOCKET	STAINLESS STEEL
25201-104-000	170 GPM SQR VGB SUCTION ASSEMBLY, 2.5" SOCKET	BLACK
25201-107-000	170 GPM SQR VGB SUCTION ASSEMBLY, 2.5" SOCKET	GRAPHITE GRAY
25201-109-000	170 GPM SQR VGB SUCTION ASSEMBLY, 2.5" SOCKET	CLASSIC GRAY
25200-302-000	172 GPM SQR VGB SUCTION ASSEMBLY, 2" SOCKET	STAINLESS STEEL
25201-304-000	170 GPM SQR VGB SUCTION ASSEMBLY, 2" SOCKET	BLACK
25201-307-000	170 GPM SQR VGB SUCTION ASSEMBLY, 2" SOCKET	GRAPHITE GRAY
25201-309-000	170 GPM SQR VGB SUCTION ASSEMBLY, 2" SOCKET	CLASSIC GRAY
SQR SUCTION COMPONENTS		
25201-104-250	170 GPM SQR SUCTION WALL FITTING & COVER SCREW, 2.5" SOCKET	BLACK
25201-107-250	170 GPM SQR SUCTION WALL FITTING & COVER SCREW, 2.5" SOCKET	GRAPHITE GRAY
25201-109-250	170 GPM SQR SUCTION WALL FITTING & COVER SCREW, 2.5" SOCKET	CLASSIC GRAY
25201-104-450	170 GPM SQR SUCTION WALL FITTING & COVER SCREW, 2" SOCKET	BLACK
25201-107-450	170 GPM SQR SUCTION WALL FITTING & COVER SCREW, 2" SOCKET	GRAPHITE GRAY
25201-109-450	170 GPM SQR SUCTION WALL FITTING & COVER SCREW, 2" SOCKET	CLASSIC GRAY
25201-104-100	170 GPM SQR VGB SUCTION COVER ONLY	BLACK
25201-107-100	170 GPM SQR VGB SUCTION COVER ONLY	GRAPHITE GRAY
25201-109-100	170 GPM SQR VGB SUCTION COVER ONLY	CLASSIC GRAY
25252-299-040	SQR SUCTION GROMMET	GRAY

All CMP suction are listed and tested in strict accordance to the requirements of ANSI/APSP-36 2017, the current standard of reference for the Virginia Graeme Baker Act, and compliant to the latest Consumer Product Safety Commission (CPSC) requirements.



SQR™ SYSTEM PRODUCTS

SQR TOOLS & ACCESSORIES

- Specialized Tools for the Best Possible Installation
- No Calibration or Tool Maintenance Required
- Custom Hole Saws and Installation Lubricant
- Patent Pending Puller and Setter Tools



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	SIZE	APPLICATION
SQR TOOLS & ACCESSORIES				
A	20202-999-999	200 SERIES SETTER TOOL	—	200 SERIES SQR BODY
B	30202-999-999	300-500 SERIES SETTER TOOL	—	300, 400, 500 SERIES SQR BODIES
—	22210-000-001	SQR LUBRICANT SPRAY BOTTLE	1 QT	ALL SQR PRODUCTS
—	22212-000-005	SQR LUBRICANT PAIL	5 GAL	ALL SQR PRODUCTS
—	20202-999-998	SQR JET BODY HOLE SAW GEN 2	1-27/32"	200 SERIES SQR JET BODY, SQR SPA LAMINAR
—	25252-999-999	SQR BUCKHEAD HOLE SAW	3-5/8"	SQR FILTER
—	25240-999-999	SQR HOLE SAW	2"	SQR SPA LIGHT
—	20330-999-999	SQR JET BODY HOLE SAW	2-11/32"	300 SERIES SQR JET BODY, SQR AIR CONTROL
—	23020-999-999	SQR LED/AIR HOLE SAW	43/64"	SQR LED SPOT AND SQR AIR INJECTOR
—	20340-999-999	SQR JET BODY HOLE SAW	2-27/32"	400 SERIES SQR JET BODY, SQR 2" LIGHT
—	20202-999-998	SQR JET BODY 3/2" LIGHT HOLE SAW	3-31/32"	500 SERIES SQR JET BODY, 3" LIGHT, SUCTION
—	25150-999-999	SQR VALVE HOLE SAW	2-11/32"	SQR ON/OFF VALVE
—	25150-999-999	SQR VALVE HOLE SAW	2-23/32"	SQR 2" DIVERTER VALVE
—	25240-999-999	SQR CUP HOLDER HOLE SAW	2-31/32"	SQR CUP HOLDER
—	35455-999-999	SQR FILTER HOLE SAW	7-17/64"	SQR FILTER BODIES
—	23400-299-999	SQR SWIRL OZONE WALL HOLE SAW	1-3/8"	SQR SWIRL OZONE WALL FITTING
—	35453-000-000	SQR FILTER REPAIR LIGASNET	—	SQR FILTER BODY
—	25252-100-100	SQR BUCKHEAD FITTING ADAPTER	—	SQR FILTER
—	25200-899-999	SQR SUCTION INSTALLATION TOOL	—	SQR SUCTION WALL FITTING
C	25150-299-999	SQR ON/OFF GO/NO-GO GAUGE	3/4" & 1"	SQR ON/OFF VALVE
—	25150-299-999	SQR DIVERTER GO/NO-GO GAUGE	2"	SQR DIVERTER VALVE
—	25250-299-999	SQR BUCKHEAD GO/NO-GO GAUGE	—	SQR FILTER
—	26220-299-999	SQR 200 SERIES GO/NO-GO GAUGE	2"	200 SERIES SQR JET BODY, SPA LAMINAR, 2" LIGHT
—	29230-299-999	SQR 300 SERIES GO/NO-GO GAUGE	2"	300 SERIES SQR JET BODY, AIR CONTROL
—	29240-299-999	SQR 400 SERIES GO/NO-GO GAUGE	4"	400 SERIES SQR JET BODY, SQR 2" LIGHT
—	29250-299-999	SQR 500 SERIES GO/NO-GO GAUGE	5"	500 SERIES WHIRLPOOL SQR BODY, 3" LIGHT, SUCTION
—	35453-299-999	SQR FILTER GO/NO-GO GAUGE	—	SQR TOP MOUNT SWM FILTER

© 2023 SQR SYSTEMS, LLC. PATENT PENDING APPLICATIONS FOR SQR SYSTEMS. FOR DETAILS.




DEL SANITIZERS

DEL AOP® SPA 28

DEL OZONE® SPA 30

OZONATOR ACCESSORIES 32

DEL AOP® SANITIZERS



DEL AOP SPA

POWERFUL SANITIZER, INNOVATIVE DESIGN

AOP is a powerful sanitizer, and when combined, even more powerful than using Ozone or Chlorine alone. Hydroxyl radicals ($\cdot\text{OH}$) are one of the most powerful oxidation agents available, quickly destroying contaminants that can occur in water.


PRODUCT DETAILS

- Powerful AOP Hydroxyl Radicals for spas up to 2,500 Gallons
- Built-in fault detection and lamp life timer software
- Front-side LED UV & Ozone Status Lights
- True All-In-One Design: Simple Two-Port Plumbing Installation
- Built-in Venturi Injector
- Water Resistant to IPX5
- Ribbed Barb Water Connections
- 100mg/hr Ozone Output, 254nm UV-C
- 120V or 240V
- cRUus, CE Certified, TÜV



ADVANCED DESIGN

DEL AOP Spa is the most advanced AOP system for hot tubs and swim spas. The built-in venturi injector system provides superior water/ ozone/ UV mixing for even greater water quality. It will also save you space, time and money in production costs. Simply plumb one tube in and one tube out. No separate injector plumbing required.



ORDERING GUIDE

CMP P/N	DESCRIPTION	POWER RATING
11004-001-809	DEL AOP SPA, VENTURI, CORD WITH AMP PLUG	240V, 50-60 Hz
9-1473-01	CHECK VALVE REPLACEMENT KIT	
9-1452-01	AIR INLET FOR DEL AOP SPA	

DEL AOP SPA PREVIOUSLY SOLD AS AQUADOM®.


COVERED BY ONE OR MORE U.S. PATENTS OR PENDING APPLICATIONS. SEE U.S. PATENT OFFICE FOR DETAILS.

DEL AOP® SPECIFICATIONS



THE SCIENCE OF AOP

When germicidal UV light (UV-C) and ozone react, the result is the production of hydroxyl radicals. This reaction is known as Advanced Oxidation Process, or AOP.



HOW FAST IS A HYDROXYL RADICAL?

CHLORINE
HOURS

OZONE
MINUTES

AOP
MILLISECONDS

SPECIFICATIONS

APPLICATION	UP TO 2,500 GALLONS
INTEGRATED/ DISCRETE OZONATOR	85 MG/HR
VOLTAGE	120 or 240 VAC, 50-60 HZ
WATTS	27 WATTS, 300MA
PLUMBING	1/2"IN INLET/OUTLET PORT
MAX FLOW	22 GPM
RECOMMENDED FLOW	7-9 GPM
MOUNTING	WALL MOUNT
DIMENSIONS	8.25" H x 11.25" W x 8" D
WEIGHT	3.5 LBS
UV-C LAMP	LOW PRESSURE/HIGH OUTPUT UV-C GERMICIDAL
CERTIFICATIONS	IRL/UL CE, TUV

DEL OZONE® SANITIZERS



DEL:OzoneSPA

COMPACT OZONE FOR SPAS WITH ADJUSTABLE OUTPUT

The addition of ozone is much more powerful than using chlorine and other sanitizers alone. In ozone systems, the ozone molecules react with dissolved waterborne contaminants in a series of strong oxidation reactions. (The only residential sanitizer more powerful than ozone is ADP)

Del Ozone Spa is a high-end, modern ozone product for spas. The unit is compact, completely self-contained and easy to install.

PRODUCT DETAILS

- Ozone Sanitizer for Spas up to 2,500 Gallons
- Extreme Compact Size: Only 2.6" x 3.3", 0.6lbs
- Universal 120/240V, 50/60Hz
- Adjustable Ozone Output, 50mg/hr Standard
- Solid State Electronics
- cRUus, TUV, ICE



ORDERING GUIDE

CMP P/N	DESCRIPTION	POWER RATING
S1002-002-101	DEL OZONE SPA, AMP PLUG, 1/8" x 3/8" CHECK VALVE	UNIVERSAL 120/240V, 50-60HZ
S1002-012-101	DEL OZONE SPA, PIGGY BACK PLUG, 1/8" x 1/4" CHECK VALVE	UNIVERSAL 120/240V, 50-60HZ
S1002-022-101	DEL OZONE SPA, MINI JET PLUG, 1/8" x 1/4" CHECK VALVE	UNIVERSAL 120/240V, 50-60HZ
S1002-082-101	DEL OZONE SPA, 240 INLINE PLUG, 1/8" x 1/4" CHECK VALVE	UNIVERSAL 120/240V, 50-60HZ
S1002-142-101	DEL OZONE SPA, FLYING LEAD, 1/8" x 1/4" CHECK VALVE	UNIVERSAL 120/240V, 50-60HZ
S1001-001-101	DEL OZONE SPA, AMP PLUG AND 1/8" x 1/4" CHECK VALVE	240V, 50-60HZ
S1001-021-101	DEL OZONE SPA, MINI JET PLUG, 1/8" x 1/4" CHECK VALVE	240V, 50-60HZ
S1001-081-101	DEL OZONE SPA, 240 INLINE PLUG, 1/8" x 1/4" CHECK VALVE	240V, 50-60HZ
S1001-141-101	DEL OZONE SPA, FLYING LEAD, 1/8" x 1/4" CHECK VALVE	240V, 50-60HZ
S1002-002-101	DEL OZONE SPA, AMP PLUG, 1/8" x 3/8" CHECK VALVE	UNIVERSAL 120/240V, 50-60HZ

DEL OZONE SPA PREVIOUSLY SOLD AS OZOLUBE

COVERED BY ONE OR MORE U.S. PATENTS OR PENDING APPLICATIONS. SEE U.S. PATENT OFFICE FOR DETAILS.


DEL OZONE® INSTALLATION & SPECIFICATIONS

OZONE CREATES SAFER, CLEANER, CLEARER WATER

Ozone systems provide cleaner, clear and safer water for your spa, using less chemicals.

- Oxidizes Contaminants
- Penetrates Biofilm Buildup
- Micro-Clarifies Spa Water
- Reduces Chemical Demand

THE SCIENCE OF OZONE



SPECIFICATIONS

APPLICATION	UP TO 2,500 GALLONS
OZONE OUTPUT (NOMINAL)	50 MG/HR
CELL QUANTITY	1
STANDARD AIR FLOW	15 SCFH
VOLTAGE	120/240 VAC UNIVERSAL
WATTS	38 WATTS
MOUNTING	WALL
DIMENSIONS	2.6" H" x 3.3" W" x 1.3" D
WEIGHT	0.6 LBS
CERTIFICATIONS	cRUUS, TUV, CE

OZONATOR/INJECTOR ACCESSORIES



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BOX
OZONATOR ACCESSORIES			
A	23400-307-000	1-5/8" DIE FACE FITTING, 1" SB (W/ NUT & GASKET)	1000/50
A	23400-317-000	1-5/8" DIE FACE FITTING, 1" SB (W/COMP RING)	1000/50
B	23400-007-000	SMOOTH FACE FITTING, 7/16" PORT, 3/4" RB (W/ NUT & GASKET)	1000/50
—	23400-007-100	OZONE FITTING, 7/16" PORT, 3/4" SB (W/ NUT & GASKET)	1000/50
C	23400-107-000	1-5/8" DIE FACE FITTING, 3/4" RB (W/ NUT & GASKET), 3/8" ORIFICE	1000/50
—	23400-017-100	OZONE BEULON 1" SLIP, 1" ORIFICE, GRAPHITE GRAY	1000/50
D	23400-214-000	SWIRL OZONE FITTING, 1-5/8" PORT, 3/4" SB (W/ NUT & GASKET), BLACK	1000/50
—	23400-214-100	SWIRL OZONE FITTING, 1-5/8" PORT, 3/4" RB (W/ NUT & GASKET), BLACK	1000/50
—	23400-217-000	SWIRL OZONE FITTING, 1-5/8" PORT, 3/4" SB (W/ NUT & GASKET), GRAPHITE GRAY	1000/50
—	23400-217-100	SWIRL OZONE FITTING, 1-5/8" PORT, 3/4" RB (W/ NUT & GASKET), GRAPHITE GRAY	1000/50
—	23400-219-000	SWIRL OZONE FITTING, 1-5/8" PORT, 3/4" SB (W/ NUT & GASKET), CLASSIC GRAY	1000/50
—	23400-219-100	SWIRL OZONE FITTING, 1-5/8" PORT, 3/4" RB (W/ NUT & GASKET), CLASSIC GRAY	1000/50
E	23006-009-000	OZONE MIXER (PRE-MIXES OZONE WITH WATER)	500
F	23006-030-000	VENTURI TEE, TWO 3/4" RB + 1/4" SB	500/25
F	23006-100-000	VENTURI TEE, TWO 3/4" RB + 1/4" SB/T SPIGOT	500
F	23006-300-000	PVC BODY VENTURI TEE, TWO 3/4" SB + 1/4" SB	500
—	23400-099-999	OZONE WALL FITTING NUT WRENCH	EACH



SPA JET COLLECTIONS

PRO-LOC™ JETS 34

PRO-LOC™ JET BODIES 64

TWIST-LOC CLUSTER JETS 67

JUMBO JETS 68

EURO JETS 70

CLUSTER JETS 72

AIR INJECTORS 74

SWIM & WHIRLPOOL JETS 76

PRO-LOC™ JET SYSTEM



A TWIST ON JET PERFORMANCE

PATENTED LOCKING SYSTEM

The innovative Pro-Loc mechanism ensures positive engagement between insert and body for optimal performance. The CMP Pro-Loc design also allows for easy installation and removal of jet inserts.

HIGH PERFORMANCE POLYPROPYLENE DIFFUSER

The polypropylene diffuser design is highly chemical resistant. The Pro-Loc attachment design also improves insert strength and durability.

VITON O-RING SEAL

All Pro-Loc jets feature a Viton O-ring that improves vacuum and air draw by as much as 46% when compared to standard style bodies. The O-ring seal also enhances the rotational feel of the jet insert.



COVERING PATENT ORANGE U.S. PATENTS 6,845,817; 6,845,818; 6,845,819; 6,845,820; 6,845,821; 6,845,822; 6,845,823; 6,845,824; 6,845,825; 6,845,826; 6,845,827; 6,845,828; 6,845,829; 6,845,830; 6,845,831; 6,845,832; 6,845,833; 6,845,834; 6,845,835; 6,845,836; 6,845,837; 6,845,838; 6,845,839; 6,845,840; 6,845,841; 6,845,842; 6,845,843; 6,845,844; 6,845,845; 6,845,846; 6,845,847; 6,845,848; 6,845,849; 6,845,850; 6,845,851; 6,845,852; 6,845,853; 6,845,854; 6,845,855; 6,845,856; 6,845,857; 6,845,858; 6,845,859; 6,845,860; 6,845,861; 6,845,862; 6,845,863; 6,845,864; 6,845,865; 6,845,866; 6,845,867; 6,845,868; 6,845,869; 6,845,870; 6,845,871; 6,845,872; 6,845,873; 6,845,874; 6,845,875; 6,845,876; 6,845,877; 6,845,878; 6,845,879; 6,845,880; 6,845,881; 6,845,882; 6,845,883; 6,845,884; 6,845,885; 6,845,886; 6,845,887; 6,845,888; 6,845,889; 6,845,890; 6,845,891; 6,845,892; 6,845,893; 6,845,894; 6,845,895; 6,845,896; 6,845,897; 6,845,898; 6,845,899; 6,845,900; 6,845,901; 6,845,902; 6,845,903; 6,845,904; 6,845,905; 6,845,906; 6,845,907; 6,845,908; 6,845,909; 6,845,910; 6,845,911; 6,845,912; 6,845,913; 6,845,914; 6,845,915; 6,845,916; 6,845,917; 6,845,918; 6,845,919; 6,845,920; 6,845,921; 6,845,922; 6,845,923; 6,845,924; 6,845,925; 6,845,926; 6,845,927; 6,845,928; 6,845,929; 6,845,930; 6,845,931; 6,845,932; 6,845,933; 6,845,934; 6,845,935; 6,845,936; 6,845,937; 6,845,938; 6,845,939; 6,845,940; 6,845,941; 6,845,942; 6,845,943; 6,845,944; 6,845,945; 6,845,946; 6,845,947; 6,845,948; 6,845,949; 6,845,950; 6,845,951; 6,845,952; 6,845,953; 6,845,954; 6,845,955; 6,845,956; 6,845,957; 6,845,958; 6,845,959; 6,845,960; 6,845,961; 6,845,962; 6,845,963; 6,845,964; 6,845,965; 6,845,966; 6,845,967; 6,845,968; 6,845,969; 6,845,970; 6,845,971; 6,845,972; 6,845,973; 6,845,974; 6,845,975; 6,845,976; 6,845,977; 6,845,978; 6,845,979; 6,845,980; 6,845,981; 6,845,982; 6,845,983; 6,845,984; 6,845,985; 6,845,986; 6,845,987; 6,845,988; 6,845,989; 6,845,990; 6,845,991; 6,845,992; 6,845,993; 6,845,994; 6,845,995; 6,845,996; 6,845,997; 6,845,998; 6,845,999; 6,846,000; 6,846,001; 6,846,002; 6,846,003; 6,846,004; 6,846,005; 6,846,006; 6,846,007; 6,846,008; 6,846,009; 6,846,010; 6,846,011; 6,846,012; 6,846,013; 6,846,014; 6,846,015; 6,846,016; 6,846,017; 6,846,018; 6,846,019; 6,846,020; 6,846,021; 6,846,022; 6,846,023; 6,846,024; 6,846,025; 6,846,026; 6,846,027; 6,846,028; 6,846,029; 6,846,030; 6,846,031; 6,846,032; 6,846,033; 6,846,034; 6,846,035; 6,846,036; 6,846,037; 6,846,038; 6,846,039; 6,846,040; 6,846,041; 6,846,042; 6,846,043; 6,846,044; 6,846,045; 6,846,046; 6,846,047; 6,846,048; 6,846,049; 6,846,050; 6,846,051; 6,846,052; 6,846,053; 6,846,054; 6,846,055; 6,846,056; 6,846,057; 6,846,058; 6,846,059; 6,846,060; 6,846,061; 6,846,062; 6,846,063; 6,846,064; 6,846,065; 6,846,066; 6,846,067; 6,846,068; 6,846,069; 6,846,070; 6,846,071; 6,846,072; 6,846,073; 6,846,074; 6,846,075; 6,846,076; 6,846,077; 6,846,078; 6,846,079; 6,846,080; 6,846,081; 6,846,082; 6,846,083; 6,846,084; 6,846,085; 6,846,086; 6,846,087; 6,846,088; 6,846,089; 6,846,090; 6,846,091; 6,846,092; 6,846,093; 6,846,094; 6,846,095; 6,846,096; 6,846,097; 6,846,098; 6,846,099; 6,846,100; 6,846,101; 6,846,102; 6,846,103; 6,846,104; 6,846,105; 6,846,106; 6,846,107; 6,846,108; 6,846,109; 6,846,110; 6,846,111; 6,846,112; 6,846,113; 6,846,114; 6,846,115; 6,846,116; 6,846,117; 6,846,118; 6,846,119; 6,846,120; 6,846,121; 6,846,122; 6,846,123; 6,846,124; 6,846,125; 6,846,126; 6,846,127; 6,846,128; 6,846,129; 6,846,130; 6,846,131; 6,846,132; 6,846,133; 6,846,134; 6,846,135; 6,846,136; 6,846,137; 6,846,138; 6,846,139; 6,846,140; 6,846,141; 6,846,142; 6,846,143; 6,846,144; 6,846,145; 6,846,146; 6,846,147; 6,846,148; 6,846,149; 6,846,150; 6,846,151; 6,846,152; 6,846,153; 6,846,154; 6,846,155; 6,846,156; 6,846,157; 6,846,158; 6,846,159; 6,846,160; 6,846,161; 6,846,162; 6,846,163; 6,846,164; 6,846,165; 6,846,166; 6,846,167; 6,846,168; 6,846,169; 6,846,170; 6,846,171; 6,846,172; 6,846,173; 6,846,174; 6,846,175; 6,846,176; 6,846,177; 6,846,178; 6,846,179; 6,846,180; 6,846,181; 6,846,182; 6,846,183; 6,846,184; 6,846,185; 6,846,186; 6,846,187; 6,846,188; 6,846,189; 6,846,190; 6,846,191; 6,846,192; 6,846,193; 6,846,194; 6,846,195; 6,846,196; 6,846,197; 6,846,198; 6,846,199; 6,846,200; 6,846,201; 6,846,202; 6,846,203; 6,846,204; 6,846,205; 6,846,206; 6,846,207; 6,846,208; 6,846,209; 6,846,210; 6,846,211; 6,846,212; 6,846,213; 6,846,214; 6,846,215; 6,846,216; 6,846,217; 6,846,218; 6,846,219; 6,846,220; 6,846,221; 6,846,222; 6,846,223; 6,846,224; 6,846,225; 6,846,226; 6,846,227; 6,846,228; 6,846,229; 6,846,230; 6,846,231; 6,846,232; 6,846,233; 6,846,234; 6,846,235; 6,846,236; 6,846,237; 6,846,238; 6,846,239; 6,846,240; 6,846,241; 6,846,242; 6,846,243; 6,846,244; 6,846,245; 6,846,246; 6,846,247; 6,846,248; 6,846,249; 6,846,250; 6,846,251; 6,846,252; 6,846,253; 6,846,254; 6,846,255; 6,846,256; 6,846,257; 6,846,258; 6,846,259; 6,846,260; 6,846,261; 6,846,262; 6,846,263; 6,846,264; 6,846,265; 6,846,266; 6,846,267; 6,846,268; 6,846,269; 6,846,270; 6,846,271; 6,846,272; 6,846,273; 6,846,274; 6,846,275; 6,846,276; 6,846,277; 6,846,278; 6,846,279; 6,846,280; 6,846,281; 6,846,282; 6,846,283; 6,846,284; 6,846,285; 6,846,286; 6,846,287; 6,846,288; 6,846,289; 6,846,290; 6,846,291; 6,846,292; 6,846,293; 6,846,294; 6,846,295; 6,846,296; 6,846,297; 6,846,298; 6,846,299; 6,846,300; 6,846,301; 6,846,302; 6,846,303; 6,846,304; 6,846,305; 6,846,306; 6,846,307; 6,846,308; 6,846,309; 6,846,310; 6,846,311; 6,846,312; 6,846,313; 6,846,314; 6,846,315; 6,846,316; 6,846,317; 6,846,318; 6,846,319; 6,846,320; 6,846,321; 6,846,322; 6,846,323; 6,846,324; 6,846,325; 6,846,326; 6,846,327; 6,846,328; 6,846,329; 6,846,330; 6,846,331; 6,846,332; 6,846,333; 6,846,334; 6,846,335; 6,846,336; 6,846,337; 6,846,338; 6,846,339; 6,846,340; 6,846,341; 6,846,342; 6,846,343; 6,846,344; 6,846,345; 6,846,346; 6,846,347; 6,846,348; 6,846,349; 6,846,350; 6,846,351; 6,846,352; 6,846,353; 6,846,354; 6,846,355; 6,846,356; 6,846,357; 6,846,358; 6,846,359; 6,846,360; 6,846,361; 6,846,362; 6,846,363; 6,846,364; 6,846,365; 6,846,366; 6,846,367; 6,846,368; 6,846,369; 6,846,370; 6,846,371; 6,846,372; 6,846,373; 6,846,374; 6,846,375; 6,846,376; 6,846,377; 6,846,378; 6,846,379; 6,846,380; 6,846,381; 6,846,382; 6,846,383; 6,846,384; 6,846,385; 6,846,386; 6,846,387; 6,846,388; 6,846,389; 6,846,390; 6,846,391; 6,846,392; 6,846,393; 6,846,394; 6,846,395; 6,846,396; 6,846,397; 6,846,398; 6,846,399; 6,846,400; 6,846,401; 6,846,402; 6,846,403; 6,846,404; 6,846,405; 6,846,406; 6,846,407; 6,846,408; 6,846,409; 6,846,410; 6,846,411; 6,846,412; 6,846,413; 6,846,414; 6,846,415; 6,846,416; 6,846,417; 6,846,418; 6,846,419; 6,846,420; 6,846,421; 6,846,422; 6,846,423; 6,846,424; 6,846,425; 6,846,426; 6,846,427; 6,846,428; 6,846,429; 6,846,430; 6,846,431; 6,846,432; 6,846,433; 6,846,434; 6,846,435; 6,846,436; 6,846,437; 6,846,438; 6,846,439; 6,846,440; 6,846,441; 6,846,442; 6,846,443; 6,846,444; 6,846,445; 6,846,446; 6,846,447; 6,846,448; 6,846,449; 6,846,450; 6,846,451; 6,846,452; 6,846,453; 6,846,454; 6,846,455; 6,846,456; 6,846,457; 6,846,458; 6,846,459; 6,846,460; 6,846,461; 6,846,462; 6,846,463; 6,846,464; 6,846,465; 6,846,466; 6,846,467; 6,846,468; 6,846,469; 6,846,470; 6,846,471; 6,846,472; 6,846,473; 6,846,474; 6,846,475; 6,846,476; 6,846,477; 6,846,478; 6,846,479; 6,846,480; 6,846,481; 6,846,482; 6,846,483; 6,846,484; 6,846,485; 6,846,486; 6,846,487; 6,846,488; 6,846,489; 6,846,490; 6,846,491; 6,846,492; 6,846,493; 6,846,494; 6,846,495; 6,846,496; 6,846,497; 6,846,498; 6,846,499; 6,846,500; 6,846,501; 6,846,502; 6,846,503; 6,846,504; 6,846,505; 6,846,506; 6,846,507; 6,846,508; 6,846,509; 6,846,510; 6,846,511; 6,846,512; 6,846,513; 6,846,514; 6,846,515; 6,846,516; 6,846,517; 6,846,518; 6,846,519; 6,846,520; 6,846,521; 6,846,522; 6,846,523; 6,846,524; 6,846,525; 6,846,526; 6,846,527; 6,846,528; 6,846,529; 6,846,530; 6,846,531; 6,846,532; 6,846,533; 6,846,534; 6,846,535; 6,846,536; 6,846,537; 6,846,538; 6,846,539; 6,846,540; 6,846,541; 6,846,542; 6,846,543; 6,846,544; 6,846,545; 6,846,546; 6,846,547; 6,846,548; 6,846,549; 6,846,550; 6,846,551; 6,846,552; 6,846,553; 6,846,554; 6,846,555; 6,846,556; 6,846,557; 6,846,558; 6,846,559; 6,846,560; 6,846,561; 6,846,562; 6,846,563; 6,846,564; 6,846,565; 6,846,566; 6,846,567; 6,846,568; 6,846,569; 6,846,570; 6,846,571; 6,846,572; 6,846,573; 6,846,574; 6,846,575; 6,846,576; 6,846,577; 6,846,578; 6,846,579; 6,846,580; 6,846,581; 6,846,582; 6,846,583; 6,846,584; 6,846,585; 6,846,586; 6,846,587; 6,846,588; 6,846,589; 6,846,590; 6,846,591; 6,846,592; 6,846,593; 6,846,594; 6,846,595; 6,846,596; 6,846,597; 6,846,598; 6,846,599; 6,846,600; 6,846,601; 6,846,602; 6,846,603; 6,846,604; 6,846,605; 6,846,606; 6,846,607; 6,846,608; 6,846,609; 6,846,610; 6,846,611; 6,846,612; 6,846,613; 6,846,614; 6,846,615; 6,846,616; 6,846,617; 6,846,618; 6,846,619; 6,846,620; 6,846,621; 6,846,622; 6,846,623; 6,846,624; 6,846,625; 6,846,626; 6,846,627; 6,846,628; 6,846,629; 6,846,630; 6,846,631; 6,846,632; 6,846,633; 6,846,634; 6,846,635; 6,846,636; 6,846,637; 6,846,638; 6,846,639; 6,846,640; 6,846,641; 6,846,642; 6,846,643; 6,846,644; 6,846,645; 6,846,646; 6,846,647; 6,846,648; 6,846,649; 6,846,650; 6,846,651; 6,846,652; 6,846,653; 6,846,654; 6,846,655; 6,846,656; 6,846,657; 6,846,658; 6,846,659; 6,846,660; 6,846,661; 6,846,662; 6,846,663; 6,846,664; 6,846,665; 6,846,666; 6,846,667; 6,846,668; 6,846,669; 6,846,670; 6,846,671; 6,846,672; 6,846,673; 6,846,674; 6,846,675; 6,846,676; 6,846,677; 6,846,678; 6,846,679; 6,846,680; 6,846,681; 6,846,682; 6,846,683; 6,846,684; 6,846,685; 6,846,686; 6,846,687; 6,846,688; 6,846,689; 6,846,690; 6,846,691; 6,846,692; 6,846,693; 6,846,694; 6,846,695; 6,846,696; 6,846,697; 6,846,698; 6,846,699; 6,846,700; 6,846,701; 6,846,702; 6,846,703; 6,846,704; 6,846,705; 6,846,706; 6,846,707; 6,846,708; 6,846,709; 6,846,710; 6,846,711; 6,846,712; 6,846,713; 6,846,714; 6,846,715; 6,846,716; 6,846,717; 6,846,718; 6,846,719; 6,846,720; 6,846,721; 6,846,722; 6,846,723; 6,846,724; 6,846,725; 6,846,726; 6,846,727; 6,846,728; 6,846,729; 6,846,730; 6,846,731; 6,846,732; 6,846,733; 6,846,734; 6,846,735; 6,846,736; 6,846,737; 6,846,738; 6,846,739; 6,846,740; 6,846,741; 6,846,742; 6,846,743; 6,846,744; 6,846,745; 6,846,746; 6,846,747; 6,846,748; 6,846,749; 6,846,750; 6,846,751; 6,846,752; 6,846,753; 6,846,754; 6,846,755; 6,846,756; 6,846,757; 6,846,758; 6,846,759; 6,846,760; 6,846,761; 6,846,762; 6,846,763; 6,846,764; 6,846,765; 6,846,766; 6,846,767; 6,846,768; 6,846,769; 6,846,770; 6,846,771; 6,846,772; 6,846,773; 6,846,774; 6,846,775; 6,846,776; 6,846,777; 6,846,778; 6,846,779; 6,846,780; 6,846,781; 6,846,782; 6,846,783; 6,846,784; 6,846,785; 6,846,786; 6,846,787; 6,846,788; 6,846,789; 6,846,790; 6,846,791; 6,846,792; 6,846,793; 6,846,794; 6,846,795; 6,846,796; 6,846,797; 6,846,798; 6,846,799; 6,846,800; 6,846,801; 6,846,802; 6,846,803; 6,846,804; 6,846,805; 6,846,806; 6,846,807; 6,846,808; 6,846,809; 6,846,810; 6,846,811; 6,846,812; 6,846,813; 6,846,814; 6,846,815; 6,846,816; 6,846,817; 6,846,818; 6,846,819; 6,846,820; 6,846,821; 6,846,822; 6,846,823; 6,846,824; 6,846,825; 6,846,826; 6,846,827; 6,846,828; 6,846,829; 6,846,830; 6,846,831; 6,846,832; 6,846,833; 6,846,834; 6,846,835; 6,846,836; 6,846,837; 6,846,838; 6,846,839; 6,846,840; 6,846,841; 6,846,842; 6,846,843; 6,846,844; 6,846,845; 6,846,846; 6,846,847; 6,846,848; 6,846,849; 6,846,850; 6,846,851; 6,846,852; 6,846,853; 6,846,854; 6,846,855; 6,846,856; 6,846,857; 6,846,858; 6,846,859; 6,846,860; 6,846,861; 6,846,862; 6,846,863; 6,846,864; 6,846,865; 6,846,866; 6,846,867; 6,846,868; 6,846,869; 6,846,870; 6,846,871; 6,846,872; 6,846,873; 6,846,874; 6,846,875; 6,846,876; 6,846,8



HALO STAINLESS STEEL
PAGE 32



HALO ACCENT
PAGE 41



HALO ACCENT DIA TONE
PAGE 41



PRIME STAINLESS STEEL
PAGE 44



LEAF ACCENT
PAGE 47



FIVE SPOKE GRAPHITE GRAY
PAGE 49



FIVE SPOKE STAINLESS STEEL
PAGE 49



WAVE GRAPHITE GRAY
PAGE 51



WAVE ACCENT
PAGE 51



CROWN GRAPHITE GRAY
PAGE 53



CROWN ACCENT
PAGE 53



DIAMOND TEXTURED
PAGE 62

HALO™ JETS THERAPY OPTIONS

PRO-LOC

300 SERIES
DIRECTIONAL300 SERIES
MASSAGE300 SERIES
VTA300 SERIES
BEARINGLESS JET NOZZLE300 SERIES
DIRECTIONAL300 SERIES
MASSAGE300 SERIES
VTA300 SERIES
SINGLE ROTO300 SERIES
DOUBLE ROTO300 SERIES
BEARINGLESS SINGLE ROTO300 SERIES
BEARINGLESS DOUBLE ROTO300 SERIES
QUAD ROTO300 SERIES
DIRECTIONAL400 SERIES
MASSAGE400 SERIES
VTA400 SERIES
SINGLE ROTO400 SERIES
DOUBLE ROTO

QUAD ROTO IS COVERED BY ONE OF MANY U.S. PATENT APPLICATIONS. SEE OUR WEBSITE FOR DETAILS.

HALO™ JETS THERAPY OPTIONS

PRO-LOC



400 SERIES
BEARINGLESS SINGLE ROTOR



500 SERIES
BEARINGLESS DOUBLE ROTOR



600 SERIES
QUAD ROTOR



700 SERIES
DIRECT (FINAL)



700 SERIES
MASSAGE / 18-POINT ROTOMASSAGE



800 SERIES
VTX



900 SERIES
SINGLE ROTOR



900 SERIES
DOUBLE ROTOR



950 SERIES
ROTORLESS



950 SERIES
1-PORT ROTOMASSAGE



950 SERIES
BEARINGLESS SINGLE ROTOR



950 SERIES
BEARINGLESS DOUBLE ROTOR



950 SERIES
QUAD ROTOR

STAINLESS STEEL COLLECTION

PRODUCT FEATURES

- High Polish Stainless Steel
- Two-Tone Color Design
- Graphite Gray or Clear Nozzles
- Superior "Fit and Finish"
- Pro-Loc™ Jet System
- 2-3/16" Size for SCR
- 200 Series SE Styles



ORDERING GUIDE

CMP P/N	JET STYLE	SERIES	JET SIZE	NOZZLE COLOR	NOZZLE RING	RPK / GAS
HALO STAINLESS STEEL PRO-LOC JET INTERNALS						
29520-011-500	DIRECTIONAL	200	2"	GRAPHITE GRAY	—	400/50
29520-011-700	DIRECTIONAL	300	2"	CLEAR / LED	—	400/50
29520-111-500	DIRECTIONAL	200	2-3/16"	GRAPHITE GRAY	—	400/50
29520-111-500	3" SPECIAL EDITION DIRECTIONAL	200	3"	GRAPHITE GRAY	—	400/50
29520-611-300	100% SHUT OFF DIRECTIONAL	300	2"	GRAPHITE GRAY	—	400/50
29520-611-700	100% SHUT OFF DIRECTIONAL	300	2"	CLEAR / LED	—	400/50
29520-041-500	MASSAGE	200	2"	GRAPHITE GRAY	—	400/50
29520-041-700	MASSAGE	300	2"	CLEAR / LED	—	400/50
29520-141-500	MASSAGE	300	2-3/16"	GRAPHITE GRAY	—	400/50
29520-341-500	MASSAGE	200	3-5/16"	GRAPHITE GRAY	—	400/50
29520-021-500	BEARINGLESS ROTO	200	2"	GRAPHITE GRAY	—	400/50
29520-021-700	BEARINGLESS ROTO	300	2"	CLEAR / LED	—	400/50
29520-121-500	BEARINGLESS ROTO	300	2-3/16"	GRAPHITE GRAY	—	400/50
29520-321-500	BEARINGLESS ROTO	200	3"	GRAPHITE GRAY	—	400/50
29530-111-550	DIRECTIONAL	300	3"	GRAPHITE GRAY	SILVER	240/40
29530-111-500	DIRECTIONAL	300	3"	GRAPHITE GRAY	STAINLESS	240/40
29530-111-700	DIRECTIONAL	300	3"	CLEAR / LED	SILVER	240/40
29530-111-750	DIRECTIONAL	300	3"	CLEAR / LED	STAINLESS	240/40
29530-011-550	DIRECTIONAL	300	3-5/16"	GRAPHITE GRAY	SILVER	240/40
29530-011-500	DIRECTIONAL	300	3-5/16"	GRAPHITE GRAY	STAINLESS	240/40
29530-011-700	DIRECTIONAL	300	3-5/16"	GRAPHITE GRAY	SILVER	240/40
29530-011-750	DIRECTIONAL	300	3-5/16"	GRAPHITE GRAY	STAINLESS	240/40
29530-141-500	MASSAGE	300	3"	GRAPHITE GRAY	—	240/40
29530-141-700	MASSAGE	300	3"	CLEAR / LED	—	240/40
29530-041-500	MASSAGE	300	3-5/16"	GRAPHITE GRAY	—	240/40
29530-041-700	MASSAGE	300	3-5/16"	CLEAR / LED	—	240/40
29530-111-520	VTX	300	3"	GRAPHITE GRAY	—	240/40
29530-111-720	VTX	300	3"	CLEAR / LED	—	240/40

FOR EXAMPLES OF ALL THERAPY NOZZLE STYLES SEE PAGE 67

CMP #/N	JET STYLE	SERIES	JET SIZE	NOZZLE COLOR	NOZZLE RING	BOX / BAG
HALO STAINLESS STEEL PRO-LOC JET INTERNALS						
29530-011-520	VTX	300	3-5/16"	GRAPHITE GRAY	—	240/40
29530-011-720	VTX	300	3-5/16"	CLEAR / LED	—	240/40
29530-121-500	SINGLE ROTO	300	3"	GRAPHITE GRAY	SPECIAL ORDER	240/40
29530-121-700	SINGLE ROTO	300	3"	CLEAR / LED	SPECIAL ORDER	240/40
29530-021-500	SINGLE ROTO	300	3-5/16"	GRAPHITE GRAY	SPECIAL ORDER	240/40
29530-021-700	SINGLE ROTO	300	3-5/16"	CLEAR / LED	SPECIAL ORDER	240/40
29530-131-500	DOUBLE ROTO	300	3"	GRAPHITE GRAY	SPECIAL ORDER	240/40
29530-131-700	DOUBLE ROTO	300	3"	CLEAR / LED	SPECIAL ORDER	240/40
29530-031-500	DOUBLE ROTO	300	3-5/16"	GRAPHITE GRAY	SPECIAL ORDER	240/40
29530-031-700	DOUBLE ROTO	300	3-5/16"	CLEAR / LED	SPECIAL ORDER	240/40
29530-181-500	BEARINGLESS ROTO	300	3"	GRAPHITE GRAY	—	240/40
29530-181-700	BEARINGLESS ROTO	300	3"	CLEAR / LED	—	240/40
29530-081-500	BEARINGLESS ROTO	300	3-5/16"	GRAPHITE GRAY	—	240/40
29530-081-700	BEARINGLESS ROTO	300	3-5/16"	CLEAR / LED	—	240/40
29530-191-500	BEARINGLESS DOUBLE ROTO	300	3"	GRAPHITE GRAY	—	240/40
29530-191-700	BEARINGLESS DOUBLE ROTO	300	3"	CLEAR / LED	—	240/40
29530-091-500	BEARINGLESS DOUBLE ROTO	300	3-5/16"	GRAPHITE GRAY	—	240/40
29530-091-700	BEARINGLESS DOUBLE ROTO	300	3-5/16"	CLEAR / LED	—	240/40
29530-101-500	QUAD ROTO	300	3"	GRAPHITE GRAY	—	240/40
29540-111-550	DIRECTIONAL	400	4"	GRAPHITE GRAY	SILVER	120/40
29540-111-500	DIRECTIONAL	400	4"	GRAPHITE GRAY	STAINLESS	120/40
29540-111-700	DIRECTIONAL	400	4"	CLEAR / LED	SILVER	120/40
29540-111-750	DIRECTIONAL	400	4"	CLEAR / LED	STAINLESS	120/40
29540-011-550	DIRECTIONAL	400	4-1/2"	GRAPHITE GRAY	SILVER	120/40
29540-011-500	DIRECTIONAL	400	4-1/2"	GRAPHITE GRAY	STAINLESS	120/40
29540-011-700	DIRECTIONAL	400	4-1/2"	CLEAR / LED	SILVER	120/40
29540-011-750	DIRECTIONAL	400	4-1/2"	CLEAR / LED	STAINLESS	120/40
29540-141-500	MASSAGE	400	4"	GRAPHITE GRAY	—	120/40
29540-141-700	MASSAGE	400	4"	CLEAR / LED	—	120/40
29540-041-500	MASSAGE	400	4-1/2"	GRAPHITE GRAY	—	120/40
29540-041-700	MASSAGE	400	4-1/2"	CLEAR / LED	—	120/40
29540-111-520	VTX	400	4"	GRAPHITE GRAY	—	120/40
29540-111-720	VTX	400	4"	CLEAR / LED	—	120/40
29540-011-520	VTX	400	4-1/2"	GRAPHITE GRAY	—	120/40
29540-011-720	VTX	400	4-1/2"	CLEAR / LED	—	120/40
29540-121-500	SINGLE ROTO	400	4"	GRAPHITE GRAY	SPECIAL ORDER	120/40
29540-121-700	SINGLE ROTO	400	4"	CLEAR / LED	SPECIAL ORDER	120/40
29540-021-500	SINGLE ROTO	400	4-1/2"	GRAPHITE GRAY	SPECIAL ORDER	120/40
29540-021-700	SINGLE ROTO	400	4-1/2"	CLEAR / LED	SPECIAL ORDER	120/40
29540-131-500	DOUBLE ROTO	400	4"	GRAPHITE GRAY	SPECIAL ORDER	120/40
29540-131-700	DOUBLE ROTO	400	4"	CLEAR / LED	SPECIAL ORDER	120/40
29540-031-500	DOUBLE ROTO	400	4-1/2"	GRAPHITE GRAY	SPECIAL ORDER	120/40
29540-031-700	DOUBLE ROTO	400	4-1/2"	CLEAR / LED	SPECIAL ORDER	120/40

HALO™ STAINLESS

PRO-LOC

CMP P/N	JET STYLE	SERIES	JET SIZE	NOZZLE COLOR	NOZZLE RING	BOX / BAG
HALO STAINLESS STEEL PRO-LOC JET INTERNALS						
29540-181-500	BEARINGLESS ROTO	400	4"	GRAPHITE GRAY	—	120/40
29540-181-700	BEARINGLESS ROTO	400	4"	CLEAR / LED	—	120/40
29540-081-500	BEARINGLESS ROTO	400	4-1/2"	GRAPHITE GRAY	—	120/40
29540-081-700	BEARINGLESS ROTO	400	4-1/2"	CLEAR / LED	—	120/40
29540-101-500	BEARINGLESS DOUBLE ROTO	400	4"	GRAPHITE GRAY	—	120/40
29540-101-700	BEARINGLESS DOUBLE ROTO	400	4"	CLEAR / LED	—	120/40
29540-001-500	BEARINGLESS DOUBLE ROTO	400	4-1/2"	GRAPHITE GRAY	—	120/40
29540-001-700	BEARINGLESS DOUBLE ROTO	400	4-1/2"	CLEAR / LED	—	120/40
29540-101-500	QUAD ROTO	400	4-1/2"	GRAPHITE GRAY	—	120/40
29550-011-550	DIRECTIONAL	500	5"	GRAPHITE GRAY	SILVER	60/20
29550-011-500	DIRECTIONAL	500	5"	GRAPHITE GRAY	STAINLESS	60/20
29550-011-710	DIRECTIONAL	500	5"	CLEAR / LED	SILVER	60/20
29550-011-750	DIRECTIONAL	500	5"	CLEAR / LED	STAINLESS	60/20
29560-011-500	6" DIRECTIONAL	500	6"	GRAPHITE GRAY	SILVER	60/20
29550-041-500	MASSAGE	500	5"	GRAPHITE GRAY	—	60/20
29550-041-700	MASSAGE	500	5"	CLEAR / LED	—	60/20
29550-071-500	14 PORT ROTOMASSAGE	500	5"	GRAPHITE GRAY	—	60/20
29550-071-700	14 PORT ROTOMASSAGE	500	5"	CLEAR / LED	—	60/20
29550-051-500	7-PORT ROTOMASSAGE	500	5"	GRAPHITE GRAY	—	60/20
29550-051-700	7-PORT ROTOMASSAGE	500	5"	CLEAR / LED	—	60/20
29550-011-520	VTX	500	5"	GRAPHITE GRAY	—	60/20
29550-011-720	VTX	500	5"	CLEAR / LED	—	60/20
29550-021-500	SINGLE ROTO	500	5"	GRAPHITE GRAY	SPECIAL ORDER	60/20
29550-021-700	SINGLE ROTO	500	5"	CLEAR / LED	SPECIAL ORDER	60/20
29550-081-500	DOUBLE ROTO	500	5"	GRAPHITE GRAY	SPECIAL ORDER	60/20
29550-081-700	DOUBLE ROTO	500	5"	CLEAR / LED	SPECIAL ORDER	60/20
29550-061-500	ROTOPULSE	500	5"	GRAPHITE GRAY	—	60/20
29550-061-700	ROTOPULSE	500	5"	CLEAR / LED	—	60/20
29550-081-500	BEARINGLESS ROTO	500	5"	GRAPHITE GRAY	—	60/20
29550-081-700	BEARINGLESS ROTO	500	5"	CLEAR / LED	—	60/20
29550-001-500	BEARINGLESS DOUBLE ROTO	500	5"	GRAPHITE GRAY	—	60/20
29550-001-700	BEARINGLESS DOUBLE ROTO	500	5"	CLEAR / LED	—	60/20
29550-101-500	QUAD ROTO	500	5"	GRAPHITE GRAY	—	60/20

FOR EXAMPLES OF ALL THERAPY NOZZLE STYLES SEE PAGE 36

IMPORTANT INFORMATION

STAINLESS STEEL ROTO NOZZLE RINGS

Single and double roto Spectrum jets are now available with nozzle rings as a Special Order option.

STAINLESS STEEL STYLE OPTIONS

Spectrum Stainless Steel jets are all stocked with Graphite Gray Halo and Silver Flanges. Nozzles are available in Graphite Gray or Clear.



WHIRLPOOL COLLECTION

PRODUCT FEATURES

- High Flow Whirlpool Jet Style
- Three Orifice Size Options
- Adjustable or Non-Adjustable
- Six Inch Size Option
- Gray or Clear Nozzles
- Fits Whirlpool Series Body pg. 65



ORDERING GUIDE

CMP P/N	JET STYLE	SERIES	JET SIZE	NOZZLE COLOR	ORIFICE SIZE	BOX / BAG
HALO STAINLESS STEEL WHIRLPOOL PRO-LOC JET INTERNALS						
29550-501-500	ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	1" ORIFICE	60/20
29550-501-550	ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	1/2" ORIFICE	60/20
29550-501-575	ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	3/4" ORIFICE	60/20
29550-501-700	ADJUSTABLE WHIRLPOOL	WP	5"	CLEAR / LED	1" ORIFICE	60/20
29550-501-750	ADJUSTABLE WHIRLPOOL	WP	5"	CLEAR / LED	1/2" ORIFICE	60/20
29550-501-775	ADJUSTABLE WHIRLPOOL	WP	5"	CLEAR / LED	3/4" ORIFICE	60/20
29560-501-500	6" ADJUSTABLE WHIRLPOOL	WP	6"	GRAPHITE GRAY	1" ORIFICE	60/20
29550-511-500	NON-ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	1" ORIFICE	60/20
29550-511-550	NON-ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	1/2" ORIFICE	60/20
29550-511-575	NON-ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	3/4" ORIFICE	60/20
29550-511-700	NON-ADJUSTABLE WHIRLPOOL	WP	5"	CLEAR / LED	1" ORIFICE	60/20
29550-511-750	NON-ADJUSTABLE WHIRLPOOL	WP	5"	CLEAR / LED	1/2" ORIFICE	60/20
29550-511-775	NON-ADJUSTABLE WHIRLPOOL	WP	5"	CLEAR / LED	3/4" ORIFICE	60/20



ALSO USE WITH THE WHIRLPOOL DIVERTER JET (PAGE 77)

ACCENT STAINLESS COLLECTION

PRODUCT FEATURES

- Exclusive Radial Texture
- High Polish Stainless Steel Halo Insert Design
- Pro-Loc™ Jet System
- Complete Program: Matching Halo Controls and Accessories



ORDERING GUIDE

CMP P/N	JET STYLE	THREE	JET SIZE	NOZZLE COLOR	NOZZLE RING	HCN / BAG
HALO ACCENT STAINLESS PRO-LOC JET INTERNALS						
29420-011-600	DIRECTIONAL	200	2"	SILVER	—	400/50
29420-011-200	100% SHUT-OFF DIRECTIONAL	200	2"	SILVER	—	400/50
29420-041-600	MASSAGE	200	2"	SILVER	—	400/50
29420-021-600	BEARINGLESS ROTO	200	2"	SILVER	—	400/50
29430-111-600	DIRECTIONAL	300	3"	SILVER	STAINLESS	240/40
29430-011-600	DIRECTIONAL	300	3-5/16"	SILVER	STAINLESS	240/40
29430-141-600	MASSAGE	300	3"	SILVER	—	240/40
29430-041-600	MASSAGE	300	3-5/16"	SILVER	—	240/40
29430-121-600	SINGLE ROTO	300	3"	SILVER	SPECIAL ORDER	240/40
29430-021-600	SINGLE ROTO	300	3-5/16"	SILVER	SPECIAL ORDER	240/40
29430-131-600	DOUBLE ROTO	300	3"	SILVER	SPECIAL ORDER	240/40
29430-031-600	DOUBLE ROTO	300	3-5/16"	SILVER	SPECIAL ORDER	240/40
29430-181-600	BEARINGLESS ROTO	300	3"	SILVER	—	240/40
29430-081-600	BEARINGLESS ROTO	300	3-5/16"	SILVER	—	240/40
29430-191-600	BEARINGLESS DOUBLE ROTO	300	3"	SILVER	—	240/40
29430-091-600	BEARINGLESS DOUBLE ROTO	300	3-5/16"	SILVER	—	240/40
29440-111-600	DIRECTIONAL	400	4"	SILVER	STAINLESS	120/40
29440-011-600	DIRECTIONAL	400	4-1/2"	SILVER	STAINLESS	120/40
29440-141-600	MASSAGE	400	4"	SILVER	—	120/40
29440-041-600	MASSAGE	400	4-1/2"	SILVER	—	120/40
29440-121-600	SINGLE ROTO	400	4"	SILVER	SPECIAL ORDER	120/40
29440-021-600	SINGLE ROTO	400	4-1/2"	SILVER	SPECIAL ORDER	120/40
29440-131-600	DOUBLE ROTO	400	4"	SILVER	SPECIAL ORDER	120/40
29440-031-600	DOUBLE ROTO	400	4-1/2"	SILVER	SPECIAL ORDER	120/40
29440-181-600	BEARINGLESS ROTO	400	4"	SILVER	—	120/40
29440-081-600	BEARINGLESS ROTO	400	4-1/2"	SILVER	—	120/40
29440-191-600	BEARINGLESS DOUBLE ROTO	400	4"	SILVER	—	120/40
29440-091-600	BEARINGLESS DOUBLE ROTO	400	4-1/2"	SILVER	—	120/40
29450-011-600	DIRECTIONAL	500	5"	SILVER	STAINLESS	60/20
29450-041-600	MASSAGE	500	5"	SILVER	—	60/20
29450-051-600	7-PORT ROYALSSAGE	500	5"	SILVER	—	60/20
29450-011-620	VTX	500	5"	SILVER	—	60/20
29450-021-600	SINGLE ROTO	500	5"	SILVER	SPECIAL ORDER	60/20
29450-031-600	DOUBLE ROTO	500	5"	SILVER	SPECIAL ORDER	60/20
29450-061-600	ROTOPULSE	500	5"	SILVER	—	60/20
29450-081-600	BEARINGLESS ROTO	500	5"	SILVER	—	60/20
29450-091-600	BEARINGLESS DOUBLE ROTO	500	5"	SILVER	—	60/20

ACCENT DUO-TONE COLLECTION

PRODUCT FEATURES

- Exclusive Radial Texture
- Two Tone Graphite and Silver Color Combination
- Pro-Loc® Jet System
- Complete Program: Matching Halo Controls and Accessories



ORDERING GUIDE

CMP P/N	JET STYLE	SERIES	JET SIZE	NOZZLE COLOR	NOZZLE RING	BOX / BAG
HALO ACCENT DUO-TONE PRO-LOC JET INTERNALS						
29420-011-100	DIRECTIONAL	200	2"	SILVER	—	400/50
29420-111-100	DIRECTIONAL	200	2-3/16"	SILVER	—	400/50
29420-311-100	DIRECTIONAL	200	3"	SILVER	—	400/50
29420-041-100	MASSAGE	200	2"	SILVER	—	400/50
29420-021-100	BEARINGLESS ROTO	200	2"	SILVER	—	400/50
29430-111-100	DIRECTIONAL	300	3"	SILVER	SILVER	240/40
29430-141-100	MASSAGE	300	3"	SILVER	—	240/40
29430-041-100	MASSAGE	300	3-3/16"	SILVER	—	240/40
29430-121-100	SINGLE ROTO	300	3"	SILVER	SPECIAL ORDER	240/40
29430-021-100	SINGLE ROTO	300	3-3/16"	SILVER	SPECIAL ORDER	240/40
29430-101-100	DOUBLE ROTO	300	3"	SILVER	SPECIAL ORDER	240/40
29430-031-100	DOUBLE ROTO	300	3-3/16"	SILVER	SPECIAL ORDER	240/40
29430-181-100	BEARINGLESS ROTO	300	3"	SILVER	—	240/40
29430-081-100	BEARINGLESS ROTO	300	3-3/16"	SILVER	—	240/40
29430-191-100	BEARINGLESS DOUBLE ROTO	300	3"	SILVER	—	240/40
29430-091-100	BEARINGLESS DOUBLE ROTO	300	3-3/16"	SILVER	—	240/40
29440-111-100	DIRECTIONAL	400	4"	SILVER	SILVER	120/40
29440-011-100	DIRECTIONAL	400	4-1/2"	SILVER	SILVER	120/40
29440-141-100	MASSAGE	400	4"	SILVER	—	120/40
29440-041-100	MASSAGE	400	4-1/2"	SILVER	—	120/40
29440-121-100	SINGLE ROTO	400	4"	SILVER	SPECIAL ORDER	120/40
29440-021-100	SINGLE ROTO	400	4-1/2"	SILVER	SPECIAL ORDER	120/40
29440-101-100	DOUBLE ROTO	400	4"	SILVER	SPECIAL ORDER	120/40
29440-031-100	DOUBLE ROTO	400	4-1/2"	SILVER	SPECIAL ORDER	120/40
29440-181-100	BEARINGLESS ROTO	400	4"	SILVER	—	120/40
29440-081-100	BEARINGLESS ROTO	400	4-1/2"	SILVER	—	120/40
29440-191-100	BEARINGLESS DOUBLE ROTO	400	4"	SILVER	—	120/40
29440-091-100	BEARINGLESS DOUBLE ROTO	400	4-1/2"	SILVER	—	120/40
29450-011-100	DIRECTIONAL	500	5"	SILVER	SILVER	60/20
29450-041-100	MASSAGE	500	5"	SILVER	—	60/20
29450-051-100	7-PORT ROTOMASSAGE	500	5"	SILVER	—	60/20
29450-021-100	SINGLE ROTO	500	5"	SILVER	SPECIAL ORDER	60/20
29450-031-100	DOUBLE ROTO	500	5"	SILVER	SPECIAL ORDER	60/20
29450-061-100	ROTOPULSE	500	5"	SILVER	—	60/20
29450-081-100	BEARINGLESS ROTO	500	5"	SILVER	—	60/20
29450-091-100	BEARINGLESS DOUBLE ROTO	500	5"	SILVER	—	60/20

PRIME COLLECTION


PRODUCT FEATURES

- Elegant, Classic Style
- High Polish Stainless Steel Finish
- Pro-Loc™ Jet System



ORDERING GUIDE

CMP P/N	JET STYLE	SERIES	JET SIZE	NOZZLE COLOR	NOZZLE RING	BOX / BAG
PRIME PRO-LOC JET INTERNALS						
29523-012-100	DIRECTIONAL	200	2"	GRAPHITE	—	400/50
29833-119-000	3" DIRECTIONAL	200	3"	GRAPHITE	STAINLESS	400/50
29833-019-000	DIRECTIONAL	200	3-5/16"	GRAPHITE	STAINLESS	400/50
29523-042-100	MASSAGE	200	2"	GRAPHITE	—	400/50
29833-149-000	3" SPECIAL EDITION MASSAGE	200	3"	GRAPHITE	STAINLESS	400/50
29833-049-000	MASSAGE	200	3-5/16"	GRAPHITE	—	400/50
29523-022-100	BEARINGLESS ROTO	200	2"	GRAPHITE	—	400/50
29833-129-000	3" BEARINGLESS ROTO	200	3"	GRAPHITE	STAINLESS	400/50
29833-029-000	BEARINGLESS ROTO	200	3-5/16"	GRAPHITE	—	400/50
29533-112-100	DIRECTIONAL	300	3"	GRAPHITE	STAINLESS	240/40
29533-012-100	DIRECTIONAL	300	3-5/16"	GRAPHITE	STAINLESS	240/40
29533-142-100	MASSAGE	300	3"	GRAPHITE	—	240/40
29533-042-100	MASSAGE	300	3-5/16"	GRAPHITE	—	240/40
29533-102-100	DOUBLE ROTO	300	3"	GRAPHITE	SPECIAL ORDER	240/40
29533-002-100	BEARINGLESS DOUBLE ROTO	300	3-5/16"	GRAPHITE	—	240/40
29543-112-100	DIRECTIONAL	400	4"	GRAPHITE	STAINLESS	120/40
29543-012-100	DIRECTIONAL	400	4-1/2"	GRAPHITE	STAINLESS	120/40
29543-142-100	MASSAGE	400	4"	GRAPHITE	—	120/40
29543-042-100	MASSAGE	400	4-1/2"	GRAPHITE	—	120/40
29543-102-100	BEARINGLESS DOUBLE ROTO	400	4"	GRAPHITE	—	120/40
29543-002-100	BEARINGLESS DOUBLE ROTO	400	4-1/2"	GRAPHITE	—	120/40
29553-072-100	DIRECTIONAL	500	5"	GRAPHITE	STAINLESS	60/20
29553-012-100	6" DIRECTIONAL	500	6"	GRAPHITE	STAINLESS	60/20
29553-042-100	MASSAGE	500	5"	GRAPHITE	—	60/20
29553-042-100	6" MASSAGE	500	5"	GRAPHITE	—	60/20
29553-052-100	3-PORT ROTOMASSAGE	500	5"	GRAPHITE	—	60/20
29553-022-100	SINGLE ROTO	500	5"	GRAPHITE	STAINLESS	60/20
29553-022-100	6" SINGLE ROTO	500	6"	GRAPHITE	STAINLESS	60/20
29553-062-100	ROTOPULSE	500	5"	GRAPHITE	—	60/20
29553-002-100	BEARINGLESS DOUBLE ROTO	500	5"	GRAPHITE	—	60/20
29563-002-100	6" BEARINGLESS DOUBLE ROTO	500	6"	GRAPHITE	—	60/20
29553-502-100	ADJUSTABLE WHIRLPOOL JET	WP	5"	GRAPHITE	—	60/20



LEAF™ JETS THERAPY OPTIONS

PRO-LOC


200 SERIES
DIRECTIONAL



200 SERIES
STAINLESS SINGLE ROTO



300 SERIES
DIRECTIONAL



300 SERIES
SINGLE ROTO



300 SERIES
QUAD ROTO



400 SERIES
DIRECTIONAL



400 SERIES
SINGLE ROTO



400 SERIES
QUAD ROTO



500 SERIES
DIRECTIONAL



600 SERIES
MASSAGE



600 SERIES
SINGLE ROTO



500 SERIES
QUAD ROTO



WHIRLPOOL
ADJUSTABLE

COVERED BY ONE OR MORE U.S. PATENTS OR PATENT PENDING APPLICATIONS. SEE CMP.COM/WHIRLPOOL FOR DETAILS.

LEAF COLLECTION

PRODUCT FEATURES

- Stylish Jet with Exciting Layers of Motion
- Stainless Steel with Graphite Gray
- Pro-Loc™ Jet System



ORDERING GUIDE

EMP. #/IN.	JET STYLE	SERIES	JET SIZE	NOZZLE COLOR	NOZZLE RING	BOX / BAG
LEAF PRO-LOC JET INTERNALS						
29527-011-500	DIRECTIONAL	200	2-1/4"	GRAPHITE GRAY	STAINLESS	400/50
29527-001-500	CLUSTER DIRECTIONAL	200	2-1/4"	GRAPHITE GRAY	STAINLESS	400/50
29527-021-500	BEARINGLESS SINGLE-ROTO	200	2-1/4"	GRAPHITE GRAY	STAINLESS	400/50
29537-111-500	DIRECTIONAL	300	3-1/4"	GRAPHITE GRAY	STAINLESS	240/40
29537-011-500	DIRECTIONAL	400	3-3/5"	GRAPHITE GRAY	STAINLESS	240/40
29537-121-500	SINGLE-ROTO	300	3-1/4"	GRAPHITE GRAY	STAINLESS	240/40
29537-101-500	QUAD-ROTO	300	3-1/4"	GRAPHITE GRAY	STAINLESS	240/40
29537-001-500	QUAD-ROTO	300	3-3/5"	GRAPHITE GRAY	STAINLESS	240/40
29547-111-500	DIRECTIONAL	400	4-1/4"	GRAPHITE GRAY	STAINLESS	120/40
29547-011-500	DIRECTIONAL	400	4-3/5"	GRAPHITE GRAY	STAINLESS	120/40
29547-121-500	SINGLE-ROTO	400	4-1/4"	GRAPHITE GRAY	STAINLESS	120/40
29547-021-500	SINGLE-ROTO	400	4-3/5"	GRAPHITE GRAY	STAINLESS	120/40
29547-101-500	QUAD-ROTO	400	4-1/4"	GRAPHITE GRAY	STAINLESS	120/40
29547-001-500	QUAD-ROTO	400	4-3/5"	GRAPHITE GRAY	STAINLESS	120/40
29557-011-500	DIRECTIONAL	500	5-1/8"	GRAPHITE GRAY	STAINLESS	60/20
29557-041-500	MASSAGE	500	5-1/4"	GRAPHITE GRAY	STAINLESS	60/20
29557-021-500	SINGLE-ROTO	500	5-1/4"	GRAPHITE GRAY	STAINLESS	60/20
29557-001-500	QUAD-ROTO	500	5-1/4"	GRAPHITE GRAY	STAINLESS	60/20
29557-501-500	ADJUSTABLE WHIRLPOOL JET	WT	5-1/4"	GRAPHITE GRAY	STAINLESS	60/20



FIVE SPOKE™ JETS THERAPY OPTIONS

PRO-LOC

200 SERIES
DIRECTIONAL300 SERIES
DIRECTIONAL400 SERIES
SINGLE ROTO400 SERIES
DIRECTIONAL400 SERIES
SINGLE ROTO500 SERIES
DIRECTIONAL500 SERIES
SINGLE ROTO500 SERIES
ROTO PULSE

FIVE SPOKE COLLECTION

PRODUCT FEATURES

- Dynamic Style, Ringed in Stainless Steel Finish
- Graphite Gray Plastic Option Available
- Pro-Loc™ Jet System



ORDERING GUIDE

OMP #/N	JET STYLE	SERIES	JET SIZE	NOZZLE COLOR	NOZZLE FINIS	BOX / BAG
FIVE SPOKE STAINLESS STEEL PRO-LOC JET INTERNALS						
29527-012-700	DIRECTIONAL	200	2"	GRAPHITE GRAY	STAINLESS	400/50
29537-012-700	DIRECTIONAL	300	3-5/16"	GRAPHITE GRAY	STAINLESS	240/40
29537-022-700	SINGLE ROTO	600	3-5/16"	GRAPHITE GRAY	STAINLESS	240/40
29537-031-700	SINGLE ROTO	900	3-5/16"	GRAPHITE GRAY	STAINLESS	240/40
29547-012-700	DIRECTIONAL	400	4-1/2"	GRAPHITE GRAY	STAINLESS	120/40
29547-022-700	SINGLE ROTO	400	4-1/2"	GRAPHITE GRAY	STAINLESS	120/40
29557-012-700	RIBBED DIRECTIONAL	600	3"	GRAPHITE GRAY	STAINLESS	60/20
29557-023-700	SINGLE ROTO	600	3"	GRAPHITE GRAY	STAINLESS	60/20
29557-062-700	ROTOPULSE	500	3"	GRAPHITE GRAY	STAINLESS	60/20
FIVE SPOKE GRAPHITE GRAY PRO-LOC JET INTERNALS						
29537-017-000	DIRECTIONAL	300	3-5/16"	GRAPHITE GRAY	—	240/40
29537-027-000	SINGLE ROTO	300	3-5/16"	GRAPHITE GRAY	—	240/40
29547-017-000	DIRECTIONAL	400	4-1/2"	GRAPHITE GRAY	—	120/40
29557-067-000	ROTOPULSE	500	3"	GRAPHITE GRAY	—	60/20



WAVE™ JETS THERAPY OPTIONS

PRO-LOC

200 SERIES
DIRECT FLOW300 SERIES
MASSAGE200 SERIES
BEARINGLESS ROTOR300 SERIES
DIRECTIONAL300 SERIES
MASSAGE300 SERIES
VTK300 SERIES
SINGLE ROTOR300 SERIES
DOUBLE ROTOR300 SERIES
BEARINGLESS SINGLE ROTOR300 SERIES
BEARINGLESS DOUBLE ROTOR400 SERIES
DIRECTIONAL400 SERIES
MASSAGE400 SERIES
VTK400 SERIES
SINGLE ROTOR

WAVE™ JETS THERAPY OPTIONS

PRO-LOC



400 SERIES
DOUBLE ROTO



400 SERIES
BEARINGLESS SINGLE ROTO



400 SERIES
BEARINGLESS DOUBLE ROTO



500 SERIES
DIRECTIONAL



500 SERIES
MASSAGE / 14-PORT ROTOSAGE



500 SERIES
VTX



500 SERIES
SINGLE ROTO



500 SERIES
DOUBLE ROTO



500 SERIES
ROTOPULSE



500 SERIES
5-PORT ROTOSAGE



500 SERIES
BEARINGLESS SINGLE ROTO



500 SERIES
BEARINGLESS DOUBLE ROTO



WHIRLPOOL
ADJUSTABLE/NON-ADJUSTABLE

WAVE GRAPHITE COLLECTION

PRODUCT FEATURES

- Popular Wave Design
- Graphite Gray Nozzles
- Complete Jet Collection
- Matching Wave and "S" Style Topside Control




CMP P/N	JET STYLE	SERIES	JET SIZE	BOX / BAG
WAVE GRAPHITE GRAY PRO-LOC JET INTERNALS				
29125-017-000	DIRECTIONAL	200	2"	400/50
29125-017-000	100% SHUT OFF DIRECTIONAL	200	2"	400/50
29125-027-000	BEARINGLESS ROTO	200	2"	400/50
29125-047-000	MASSAGE	200	2"	400/50
29135-117-000	DIRECTIONAL	300	3"	240/40
29135-017-000	DIRECTIONAL	300	3-5/16"	240/40
29135-147-000	MASSAGE	300	3"	240/40
29135-047-000	MASSAGE	300	3-5/16"	240/40
29135-117-720	VTK	300	3"	240/40
29135-017-720	VTK	300	3-5/16"	240/40
29135-127-000	SINGLE ROTO	300	3"	240/40
29135-027-000	SINGLE ROTO	300	3-5/16"	240/40
29135-137-000	DOUBLE ROTO	300	3"	240/40
29135-037-000	DOUBLE ROTO	300	3-5/16"	240/40
29135-187-000	BEARINGLESS ROTO	300	3"	240/40
29135-087-000	BEARINGLESS ROTO	300	3-5/16"	240/40
29135-191-000	BEARINGLESS DOUBLE ROTO	300	3"	240/40
29135-091-000	BEARINGLESS DOUBLE ROTO	300	3-5/16"	240/40
29145-117-000	DIRECTIONAL	400	4"	120/40
29145-017-000	DIRECTIONAL	400	4-3/8"	120/40
29145-147-000	MASSAGE	400	4"	120/40
29145-047-000	MASSAGE	400	4-3/8"	120/40
29145-117-720	VTK	400	4"	120/40
29145-017-720	VTK	400	4-3/8"	120/40
29145-127-000	SINGLE ROTO	400	4"	120/40
29145-027-000	SINGLE ROTO	400	4-3/8"	120/40
29145-137-000	DOUBLE ROTO	400	4"	120/40
29145-037-000	DOUBLE ROTO	400	4-3/8"	120/40
29145-187-000	BEARINGLESS ROTO	400	4"	120/40
29145-087-000	BEARINGLESS ROTO	400	4-3/8"	120/40
29145-197-000	BEARINGLESS DOUBLE ROTO	400	4"	120/40
29145-097-000	BEARINGLESS DOUBLE ROTO	400	4-3/8"	120/40
29155-017-000	DIRECTIONAL	500	5"	60/20
29155-047-000	MASSAGE	500	5"	60/20
29155-077-000	14 PORT ROTOMASSAGE	500	5"	60/20
29155-057-000	7-PORT ROTOMASSAGE	500	5"	60/20
29155-017-720	VTK	500	5"	60/20
29155-027-000	SINGLE ROTO	500	5"	60/20
29155-037-000	DOUBLE ROTO	500	5"	60/20
29155-067-000	ROTOFLUSE	500	5"	60/20
29155-087-000	BEARINGLESS ROTO	500	5"	60/20
29155-097-000	BEARINGLESS DOUBLE ROTO	500	5"	60/20

WAVE SS ACCENT
COLLECTION

PRODUCT FEATURES

- Stylish Stainless Steel Wave Design Accent
- Clear/LED Nozzles Option
- Matching Wave and "S" Style Topside Control



EMP/IN	JET STYLE	SERIES	JET SIZE	NOZZLE COLOR	BOX / BAG
WAVE STAINLESS STEEL PRO-LOC JET INTERNALS					
29125-012-700	DIRECTIONAL	200	2"	GRAPHITE GRAY	400/50
29125-012-999	DIRECTIONAL	200	2"	CLEAR / LED	400/50
29125-012-700	100% SHUT OFF DIRECTIONAL	200	2"	GRAPHITE GRAY	400/50
29125-012-999	100% SHUT OFF DIRECTIONAL	200	2"	CLEAR / LED	400/50
29125-022-700	BEARINGLESS ROTO	200	2"	GRAPHITE GRAY	400/50
29125-022-999	BEARINGLESS ROTO	200	2"	CLEAR / LED	400/50
29125-042-700	MASSAGE	200	2"	GRAPHITE GRAY	400/50
29125-042-999	MASSAGE	200	2"	CLEAR / LED	400/50
29135-112-700	DIRECTIONAL	300	3"	GRAPHITE GRAY	240/40
29135-112-999	DIRECTIONAL	300	3"	CLEAR / LED	240/40
29135-012-700	DIRECTIONAL	300	3-5/16"	GRAPHITE GRAY	240/40
29135-012-999	DIRECTIONAL	300	3-5/16"	CLEAR / LED	240/40
29135-142-700	MASSAGE	300	3"	GRAPHITE GRAY	240/40
29135-142-999	MASSAGE	300	3"	CLEAR / LED	240/40
29135-042-700	MASSAGE	300	3-5/16"	GRAPHITE GRAY	240/40
29135-042-999	MASSAGE	300	3-5/16"	CLEAR / LED	240/40
29135-112-700	VTX	300	3"	GRAPHITE GRAY	240/40
29135-112-999	VTX	300	3"	CLEAR / LED	240/40
29135-012-720	VTX	300	3-5/16"	GRAPHITE GRAY	240/40
29135-012-929	VTX	300	3-5/16"	CLEAR / LED	240/40
29135-122-700	SINGLE ROTO	300	3"	GRAPHITE GRAY	240/40
29135-122-999	SINGLE ROTO	300	3"	CLEAR / LED	240/40
29135-022-700	SINGLE ROTO	300	3-5/16"	GRAPHITE GRAY	240/40
29135-022-999	SINGLE ROTO	300	3-5/16"	CLEAR / LED	240/40
29135-132-700	DOUBLE ROTO	300	3"	GRAPHITE GRAY	240/40
29135-132-999	DOUBLE ROTO	300	3"	CLEAR / LED	240/40
29135-032-700	DOUBLE ROTO	300	3-5/16"	GRAPHITE GRAY	240/40
29135-032-999	DOUBLE ROTO	300	3-5/16"	CLEAR / LED	240/40
29135-182-700	BEARINGLESS ROTO	300	3"	GRAPHITE GRAY	240/40
29135-182-999	BEARINGLESS ROTO	300	3"	CLEAR / LED	240/40
29135-082-700	BEARINGLESS ROTO	300	3-5/16"	GRAPHITE GRAY	240/40
29135-082-999	BEARINGLESS ROTO	300	3-5/16"	CLEAR / LED	240/40
29135-192-700	BEARINGLESS DOUBLE ROTO	300	3"	GRAPHITE GRAY	240/40
29135-192-999	BEARINGLESS DOUBLE ROTO	300	3"	CLEAR / LED	240/40
29135-092-700	BEARINGLESS DOUBLE ROTO	300	3-5/16"	GRAPHITE GRAY	240/40
29135-092-999	BEARINGLESS DOUBLE ROTO	300	3-5/16"	CLEAR / LED	240/40

CONTINUED NEXT PAGE

WAVE™ JETS | STAINLESS ACCENT

PRO-LOC

CMP P/N JET STYLE SERIES JET SIZE NOZZLE COLOR BOX / BAG

WAVE STAINLESS STEEL PRO-LOC JET INTERNALS

29145-112-700	DIRECTIONAL	400	4"	GRAPHITE GRAY	120/40
29145-112-999	DIRECTIONAL	400	4"	CLEAR / LED	120/40
29145-012-700	DIRECTIONAL	400	4-3/8"	GRAPHITE GRAY	120/40
29145-012-999	DIRECTIONAL	400	4-3/8"	CLEAR / LED	120/40
29145-142-700	MASSAGE	400	4"	GRAPHITE GRAY	120/40
29145-142-999	MASSAGE	400	4"	CLEAR / LED	120/40
29145-042-700	MASSAGE	400	4-3/8"	GRAPHITE GRAY	120/40
29145-042-999	MASSAGE	400	4-3/8"	CLEAR / LED	120/40
29145-112-700	VTX	400	4"	GRAPHITE GRAY	120/40
29145-112-929	VTX	400	4"	CLEAR / LED	120/40
29145-012-720	VTX	400	4-3/8"	GRAPHITE GRAY	120/40
29145-012-929	VTX	400	4-3/8"	CLEAR / LED	120/40
29145-122-700	SINGLE ROTO	400	4"	GRAPHITE GRAY	120/40
29145-122-999	SINGLE ROTO	400	4"	CLEAR / LED	120/40
29145-022-700	SINGLE ROTO	400	4-3/8"	GRAPHITE GRAY	120/40
29145-022-999	SINGLE ROTO	400	4-3/8"	CLEAR / LED	120/40
29145-132-700	DOUBLE ROTO	400	4"	GRAPHITE GRAY	120/40
29145-132-999	DOUBLE ROTO	400	4"	CLEAR / LED	120/40
29145-032-700	DOUBLE ROTO	400	4-3/8"	GRAPHITE GRAY	120/40
29145-032-999	DOUBLE ROTO	400	4-3/8"	CLEAR / LED	120/40
29145-182-700	BEARINGLESS ROTO	400	4"	GRAPHITE GRAY	120/40
29145-182-999	BEARINGLESS ROTO	400	4"	CLEAR / LED	120/40
29145-082-700	BEARINGLESS ROTO	400	4-3/8"	GRAPHITE GRAY	120/40
29145-082-999	BEARINGLESS ROTO	400	4-3/8"	CLEAR / LED	120/40
29145-192-700	BEARINGLESS DOUBLE ROTO	400	4"	GRAPHITE GRAY	120/40
29145-192-999	BEARINGLESS DOUBLE ROTO	400	4"	CLEAR / LED	120/40
29145-092-700	BEARINGLESS DOUBLE ROTO	400	4-3/8"	GRAPHITE GRAY	120/40
29145-092-999	BEARINGLESS DOUBLE ROTO	400	4-3/8"	CLEAR / LED	120/40
29155-012-700	DIRECTIONAL	300	3"	GRAPHITE GRAY	120/40
29155-012-999	DIRECTIONAL	300	3"	CLEAR / LED	120/40
29155-042-700	MASSAGE	300	3"	GRAPHITE GRAY	60/20
29155-042-999	MASSAGE	300	3"	CLEAR / LED	60/20
29155-072-700	14 PORT ROTOSSAGE	300	3"	GRAPHITE GRAY	60/20
29155-072-999	14 PORT ROTOSSAGE	300	3"	CLEAR / LED	60/20
29155-052-700	7-PORT ROTOSSAGE	300	3"	GRAPHITE GRAY	60/20
29155-052-999	7-PORT ROTOSSAGE	300	3"	CLEAR / LED	60/20
29155-012-720	VTX	300	3"	GRAPHITE GRAY	60/20
29155-012-929	VTX	300	3"	CLEAR / LED	60/20
29155-022-700	SINGLE ROTO	300	3"	GRAPHITE GRAY	60/20
29155-022-999	SINGLE ROTO	300	3"	CLEAR / LED	60/20
29155-032-700	DOUBLE ROTO	300	3"	GRAPHITE GRAY	60/20
29155-032-999	DOUBLE ROTO	300	3"	CLEAR / LED	60/20
29155-062-720	ROTOPULSE	300	3"	GRAPHITE GRAY	60/20
29155-062-999	ROTOPULSE	300	3"	CLEAR / LED	60/20
29155-082-700	BEARINGLESS ROTO	300	3"	GRAPHITE GRAY	60/20
29155-082-999	BEARINGLESS ROTO	300	3"	CLEAR / LED	60/20
29155-092-700	BEARINGLESS DOUBLE ROTO	300	3"	GRAPHITE GRAY	60/20
29155-092-999	BEARINGLESS DOUBLE ROTO	300	3"	CLEAR / LED	60/20

WAVE WHIRLPOOL COLLECTION

PRODUCT FEATURES

- High Flow Whirlpool Jet Style
- Three Orifice Size Options
- Fits Whirlpool Series Body pg 65
- Adjustable or Non-Adjustable
- Graphite Gray or SS Flange
- Graphite Gray or Clear Directional Nozzle



ORDERING GUIDE

REF	CMP PN	JET STYLE	SERIES	JET SIZE	NOZZLE COLOR	ORIFICE SIZE	BOX / BAG
WAVE GRAPHITE GRAY PRO-LOC JET INTERNALS							
A	29250-317-000	ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	1" ORIFICE	60/20
A	29250-317-050	ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	1/2" ORIFICE	60/20
A	29250-317-075	ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	3/4" ORIFICE	60/20
A	29253-317-000	NON-ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	1" ORIFICE	60/20
A	29253-317-050	NON-ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	1/2" ORIFICE	60/20
A	29253-317-075	NON-ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	3/4" ORIFICE	60/20
WAVE STAINLESS STEEL PRO-LOC JET INTERNALS							
B	29520-312-700	ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	1" ORIFICE	60/20
B	29520-312-990	ADJUSTABLE WHIRLPOOL	WP	5"	CLEAR / LED	1" ORIFICE	60/20
B	29520-312-750	ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	1/2" ORIFICE	60/20
B	29520-312-950	ADJUSTABLE WHIRLPOOL	WP	5"	CLEAR / LED	1/2" ORIFICE	60/20
B	29520-312-775	ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	3/4" ORIFICE	60/20
B	29520-312-975	ADJUSTABLE WHIRLPOOL	WP	5"	CLEAR / LED	3/4" ORIFICE	60/20
B	29523-312-700	NON-ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	1" ORIFICE	60/20
B	29523-312-990	NON-ADJUSTABLE WHIRLPOOL	WP	5"	CLEAR / LED	1" ORIFICE	60/20
B	29523-312-750	NON-ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	1/2" ORIFICE	60/20
B	29523-312-950	NON-ADJUSTABLE WHIRLPOOL	WP	5"	CLEAR / LED	1/2" ORIFICE	60/20
B	29523-312-775	NON-ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	3/4" ORIFICE	60/20
B	29523-312-975	NON-ADJUSTABLE WHIRLPOOL	WP	5"	CLEAR / LED	3/4" ORIFICE	60/20

CROWN™ JETS THERAPY OPTIONS

PRO-LOC


200 SERIES
DIRECT FLOW



300 SERIES
MASSAGE



200 SERIES
BEARINGLESS ROTOR



300 SERIES
DIRECTIONAL



300 SERIES
MASSAGE



300 SERIES
VTK



300 SERIES
SINGLE ROTOR



300 SERIES
DOUBLE ROTOR



300 SERIES
BEARINGLESS SINGLE ROTOR



300 SERIES
BEARINGLESS DOUBLE ROTOR



300 SERIES
DIRECTIONAL



400 SERIES
MASSAGE



400 SERIES
VTK



400 SERIES
SINGLE ROTOR

CROWN™ JETS THERAPY OPTIONS

PRO-LOC



400 SERIES
DOUBLE ROTO



405 SERIES
BEARINGLESS SINGLE ROTO



450 SERIES
BEARINGLESS DOUBLE ROTO



500 SERIES
DIRECTIONAL



550 SERIES
MASSAGE / 14-PORT ROTOMASSAGE



600 SERIES
VTX



600 SERIES
SINGLE ROTO



700 SERIES
DOUBLE ROTO



800 SERIES
ROTOPULSE



900 SERIES
FULLARCH



910 SERIES
BEARINGLESS SINGLE ROTO



950 SERIES
BEARINGLESS DOUBLE ROTO



WHIRLPOOL
ADJUSTABLE/NON-ADJUSTABLE

CROWN GRAPHITE COLLECTION

PRODUCT FEATURES

- Sporty Crown Design
- Graphite Gray Nozzles
- Complete Jet Collection
- Matching Crown Topside Controls




CHART PART	JET STYLE	SERIES	JET SIZE	BOX / BAG
CROWN GRAPHITE GRAY PRO-LOC JET INTERNALS				
29126-017-000	DIRECTIONAL	100	2-1/4"	400/50
29126-017-000	100% SHUT-OFF DIRECTIONAL	200	2-1/4"	400/50
29126-047-000	MASSAGE	200	2-1/4"	400/50
29126-027-000	BEARINGLESS ROTO	100	2-1/4"	400/50
29136-017-000	DIRECTIONAL	200	3-1/2"	240/40
29146-017-000	DIRECTIONAL	300	3-1/2"	240/40
29126-047-000	MASSAGE	300	3-1/4"	240/40
29146-047-000	MASSAGE	200	3-3/5"	240/40
29146-017-720	VTX	100	3-3/5"	240/40
29136-027-000	SINGLE ROTO	200	3-1/4"	240/40
29146-027-000	SINGLE ROTO	300	3-3/5"	240/40
29136-037-000	DOUBLE ROTO	300	3-1/4"	240/40
29146-037-000	DOUBLE ROTO	100	3-3/5"	240/40
29136-087-000	BEARINGLESS ROTO	200	3-1/4"	240/40
29146-087-000	BEARINGLESS ROTO	300	3-1/5"	240/40
29136-097-000	BEARINGLESS DOUBLE ROTO	300	3-1/4"	240/40
29146-097-000	BEARINGLESS DOUBLE ROTO	200	3-3/5"	240/40
29146-117-000	DIRECTIONAL	400	4-1/4"	120/40
29146-147-000	MASSAGE	400	4-1/4"	120/40
29146-117-720	VTX	400	4-1/4"	120/40
29146-127-000	SINGLE ROTO	400	4-1/4"	120/40
29146-137-000	DOUBLE ROTO	400	4-1/4"	120/40
29146-187-000	BEARINGLESS ROTO	400	4-1/4"	120/40
29146-197-000	BEARINGLESS DOUBLE ROTO	400	4-1/4"	120/40
29156-017-000	DIRECTIONAL	500	5-1/4"	60/20
29156-047-000	MASSAGE	500	5-1/4"	60/20
29156-057-000	7-PORT ROTOMASSAGE	500	5-1/4"	60/20
29156-017-720	VTX	500	5-1/4"	60/20
29156-027-000	SINGLE ROTO	500	5-1/4"	60/20
29156-037-000	DOUBLE ROTO	500	5-1/4"	60/20
29156-077-000	PULSATOR	500	5-1/4"	60/20
29156-067-000	ROTO PULSE	500	5-1/4"	60/20
29156-087-000	BEARINGLESS ROTO	500	5-1/4"	60/20
29156-097-000	BEARINGLESS DOUBLE ROTO	500	5-1/4"	60/20

CROWN SS ACCENT
COLLECTION

PRODUCT FEATURES

- Exciting Stainless Steel Crown Design Accent
- Clear/LED Nozzles Option
- Matching Crown Topside Controls



CMP/IN	JET STYLE	SERIES	JET SIZE	NOZZLE COLOR	BOX / BAG
CROWN STAINLESS STEEL PRO-LOC JET INTERNALS					
29126-012-700	DIRECTIONAL	200	2"	GRAPHITE GRAY	400/50
29126-012-999	DIRECTIONAL	200	2"	CLEAR / LED	400/50
29126-012-700	100% SHUT OFF DIRECTIONAL	200	2"	GRAPHITE GRAY	400/50
29126-012-999	100% SHUT OFF DIRECTIONAL	200	2"	CLEAR / LED	400/50
29126-042-700	MASSAGE	200	2"	GRAPHITE GRAY	400/50
29126-042-999	MASSAGE	200	2"	CLEAR / LED	400/50
29126-022-700	BEARINGLESS ROTO	200	2"	GRAPHITE GRAY	400/50
29126-022-999	BEARINGLESS ROTO	200	2"	CLEAR / LED	400/50
29136-012-700	DIRECTIONAL	300	3-1/4"	GRAPHITE GRAY	240/80
29136-012-999	DIRECTIONAL	300	3-1/4"	CLEAR / LED	240/80
29136-042-700	MASSAGE	300	3-1/4"	GRAPHITE GRAY	240/80
29136-042-999	MASSAGE	300	3-1/4"	CLEAR / LED	240/80
29136-022-700	SINGLE ROTO	300	3-1/4"	GRAPHITE GRAY	240/40
29136-022-999	SINGLE ROTO	300	3-1/4"	CLEAR / LED	240/80
29136-032-700	DOUBLE ROTO	300	3-1/4"	GRAPHITE GRAY	240/80
29136-032-999	DOUBLE ROTO	300	3-1/4"	CLEAR / LED	240/80
29136-082-700	BEARINGLESS ROTO	300	3-1/4"	GRAPHITE GRAY	240/40
29136-082-999	BEARINGLESS ROTO	300	3-1/4"	CLEAR / LED	240/40
29136-092-700	BEARINGLESS DOUBLE ROTO	300	3-1/4"	GRAPHITE GRAY	240/80
29136-092-999	BEARINGLESS DOUBLE ROTO	300	3-1/4"	CLEAR / LED	240/80
29146-012-700	DIRECTIONAL	400	3-3/5"	GRAPHITE GRAY	240/80
29146-012-999	DIRECTIONAL	400	3-3/5"	CLEAR / LED	240/80
29146-042-700	MASSAGE	400	3-3/5"	GRAPHITE GRAY	240/80
29146-042-999	MASSAGE	400	3-3/5"	CLEAR / LED	240/80
29146-012-700	VTK	400	3-3/5"	GRAPHITE GRAY	240/80
29146-012-929	VTK	400	3-3/5"	CLEAR / LED	240/80
29146-022-700	SINGLE ROTO	400	3-3/5"	GRAPHITE GRAY	240/40
29146-022-999	SINGLE ROTO	400	3-3/5"	CLEAR / LED	240/40
29146-032-700	DOUBLE ROTO	400	3-3/5"	GRAPHITE GRAY	240/80
29146-032-999	DOUBLE ROTO	400	3-3/5"	CLEAR / LED	240/80
29146-082-700	BEARINGLESS ROTO	400	3-3/5"	GRAPHITE GRAY	240/80
29146-082-999	BEARINGLESS ROTO	400	3-3/5"	CLEAR / LED	240/80
29146-092-700	BEARINGLESS DOUBLE ROTO	400	3-3/5"	GRAPHITE GRAY	240/40
29146-092-999	BEARINGLESS DOUBLE ROTO	400	3-3/5"	CLEAR / LED	240/80

CONTINUED NEXT PAGE

CROWN™ JETS | STAINLESS ACCENT

PRO-LOC

CMP P/N	JET STYLE	SERIES	JET SIZE	NOZZLE COLOR	BOX / BAG
CROWN STAINLESS STEEL PRO-LOC JET INTERNALS					
29346-112-700	DIRECTIONAL	400	4-1/4"	GRAPHITE GRAY	120/40
29346-112-999	DIRECTIONAL	400	4-1/4"	CLEAR / LED	120/40
29346-140-700	MASSAGE	400	4-1/4"	GRAPHITE GRAY	120/40
29346-140-999	MASSAGE	400	4-1/4"	CLEAR / LED	120/40
29346-112-720	VTE	400	4-1/4"	GRAPHITE GRAY	120/40
29346-112-929	VTE	400	4-1/4"	CLEAR / LED	120/40
29346-122-700	SINGLE ROTO	400	4-1/4"	GRAPHITE GRAY	120/40
29346-122-999	SINGLE ROTO	400	4-1/4"	CLEAR / LED	120/40
29346-132-700	DOUBLE ROTO	400	4-1/4"	GRAPHITE GRAY	120/40
29346-132-999	DOUBLE ROTO	400	4-1/4"	CLEAR / LED	120/40
29346-182-700	BEARINGLESS ROTO	400	4-1/4"	GRAPHITE GRAY	120/40
29346-182-999	BEARINGLESS ROTO	400	4-1/4"	CLEAR / LED	120/40
29346-192-700	BEARINGLESS DOUBLE ROTO	400	4-1/4"	GRAPHITE GRAY	120/40
29346-192-999	BEARINGLESS DOUBLE ROTO	400	4-1/4"	CLEAR / LED	120/40
29156-012-700	DIRECTIONAL	300	5-1/4"	GRAPHITE GRAY	120/40
29156-012-999	DIRECTIONAL	300	5-1/4"	CLEAR / LED	120/40
29156-042-700	MASSAGE	300	5-1/4"	GRAPHITE GRAY	60/20
29156-042-999	MASSAGE	300	5-1/4"	CLEAR / LED	60/20
29156-052-700	T-PORT ROTOMASSAGE	300	5-1/4"	GRAPHITE GRAY	60/20
29156-052-999	T-PORT ROTOMASSAGE	300	5-1/4"	CLEAR / LED	60/20
29156-012-720	VTE	300	5-1/4"	GRAPHITE GRAY	60/20
29156-012-929	VTE	300	5-1/4"	CLEAR / LED	60/20
29156-020-700	SINGLE ROTO	300	5-1/4"	GRAPHITE GRAY	60/20
29156-020-999	SINGLE ROTO	300	5-1/4"	CLEAR / LED	60/20
29156-082-700	DOUBLE ROTO	300	5-1/4"	GRAPHITE GRAY	60/20
29156-082-999	DOUBLE ROTO	300	5-1/4"	CLEAR / LED	60/20
29156-072-700	PULSATOR	300	5-1/4"	GRAPHITE GRAY	60/20
29156-072-999	PULSATOR	300	5-1/4"	CLEAR / LED	60/20
29156-062-700	ROTO PULSE	300	5-1/4"	GRAPHITE GRAY	60/20
29156-062-999	ROTO PULSE	300	5-1/4"	CLEAR / LED	60/20
29156-080-700	BEARINGLESS ROTO	300	5-1/4"	GRAPHITE GRAY	60/20
29156-080-999	BEARINGLESS ROTO	300	5-1/4"	CLEAR / LED	60/20
29156-092-700	BEARINGLESS DOUBLE ROTO	300	5-1/4"	GRAPHITE GRAY	60/20
29156-092-999	BEARINGLESS DOUBLE ROTO	300	5-1/4"	CLEAR / LED	60/20



CROWN WHIRLPOOL
COLLECTION

PRODUCT FEATURES

- High Flow Whirlpool Jet Style
- Three Orifice Size Options
- Fits Whirlpool Series Body pg 65
- Adjustable or Non-Adjustable
- Graphite Gray or Clear Directional Nozzle
- Graphite Gray or SS Accent



ORDERING GUIDE

REL	CMP / FN	JET STYLE	SERIES	JET SIZE	NOZZLE COLOR	ORIFICE SIZE	BOX / BAG
CROWN GRAPHITE GRAY PRO-LOC JET INTERNALS							
A	29250-417-000	ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	1" ORIFICE	60/20
A	29250-417-050	ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	1/2" ORIFICE	60/20
A	29250-417-075	ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	3/4" ORIFICE	60/20
A	29253-417-000	NON-ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	1" ORIFICE	60/20
A	29253-417-050	NON-ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	1/2" ORIFICE	60/20
A	29253-417-075	NON-ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	3/4" ORIFICE	60/20
CROWN STAINLESS STEEL PRO-LOC JET INTERNALS							
B	29250-412-700	ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	1" ORIFICE	60/20
B	29250-412-999	ADJUSTABLE WHIRLPOOL	WP	5"	CLEAR / LED	1" ORIFICE	60/20
B	29250-412-710	ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	1/2" ORIFICE	60/20
B	29250-412-950	ADJUSTABLE WHIRLPOOL	WP	5"	CLEAR / LED	1/2" ORIFICE	60/20
B	29250-412-775	ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	3/4" ORIFICE	60/20
B	29250-412-975	ADJUSTABLE WHIRLPOOL	WP	5"	CLEAR / LED	3/4" ORIFICE	60/20
B	29253-412-700	NON-ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	1" ORIFICE	60/20
B	29253-412-999	NON-ADJUSTABLE WHIRLPOOL	WP	5"	CLEAR / LED	1" ORIFICE	60/20
B	29253-412-750	NON-ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	1/2" ORIFICE	60/20
B	29253-412-950	NON-ADJUSTABLE WHIRLPOOL	WP	5"	CLEAR / LED	1/2" ORIFICE	60/20
B	29253-412-775	NON-ADJUSTABLE WHIRLPOOL	WP	5"	GRAPHITE GRAY	3/4" ORIFICE	60/20
B	29253-412-975	NON-ADJUSTABLE WHIRLPOOL	WP	5"	CLEAR / LED	3/4" ORIFICE	60/20

DIAMOND PLASTIC COLLECTION

PRODUCT FEATURES

- Traditional Scalloped Jet Design
- Graphite Gray or Classic Gray
- Matching Diamond Topside Control Valves



3" SERIES	4" SERIES	4-5/8" SERIES	6" SERIES	JET STYLE	FLANGE STYLE	NOZZLE COLOR
DIAMOND TEXTURED PLASTIC PRO-LOC JET INTERNALS						
29122-117-000	—	—	—	NON-ADJ. DIR.	GRAPHITE GRAY	GRAPHITE GRAY
29122-119-000	—	—	—	NON-ADJ. DIR.	CLASSIC GRAY	CLASSIC GRAY
29122-437-000	—	—	—	100% WHIRL DIR. DIR.	GRAPHITE GRAY	GRAPHITE GRAY
29122-307-000	—	—	—	NO NOZZLE / DIR.	GRAPHITE GRAY	GRAPHITE GRAY
29122-109-000	—	—	—	NO NOZZLE / DIR.	CLASSIC GRAY	CLASSIC GRAY
29122-117-000	29132-117-000	29132-817-000	29142-117-000	DIRECTIONAL	GRAPHITE GRAY	GRAPHITE GRAY
29122-119-000	29132-119-000	29132-819-000	29142-119-000	DIRECTIONAL	CLASSIC GRAY	CLASSIC GRAY
29122-257-000	—	—	—	SEAMLESS BOND	GRAPHITE GRAY	GRAPHITE GRAY
29122-259-000	—	—	—	SEAMLESS BOND	CLASSIC GRAY	CLASSIC GRAY
—	29132-147-000	29132-847-000	29142-237-000	MASSAGE	GRAPHITE GRAY	GRAPHITE GRAY
—	29132-149-000	29132-849-000	29142-239-000	MASSAGE	CLASSIC GRAY	CLASSIC GRAY
—	29132-117-000	29132-817-000	29142-217-000	SINGLE ROTO	GRAPHITE GRAY	GRAPHITE GRAY
—	29132-119-000	29132-819-000	29142-219-000	SINGLE ROTO	CLASSIC GRAY	CLASSIC GRAY
—	29132-127-000	29132-827-000	29142-217-000	DOUBLE ROTO	GRAPHITE GRAY	GRAPHITE GRAY
—	29132-129-000	29132-829-000	29142-219-000	DOUBLE ROTO	CLASSIC GRAY	CLASSIC GRAY
4" SERIES	4-5/8" SERIES	6" SERIES	JET STYLE	FLANGE STYLE	NOZZLE COLOR	
DIAMOND TEXTURED PLASTIC PRO-LOC JET INTERNALS						
29142-437-000	29142-117-000	29152-117-000	DIRECTIONAL	GRAPHITE GRAY	GRAPHITE GRAY	
29142-439-000	29142-119-000	29152-119-000	DIRECTIONAL	CLASSIC GRAY	CLASSIC GRAY	
29142-407-000	—	29152-817-000	MASSAGE	GRAPHITE GRAY	GRAPHITE GRAY	
29142-409-000	—	29152-819-000	MASSAGE	CLASSIC GRAY	CLASSIC GRAY	
—	—	29152-217-000	14-PORT ROTOSSAGE	GRAPHITE GRAY	GRAPHITE GRAY	
—	—	29152-219-000	14-PORT ROTOSSAGE	CLASSIC GRAY	CLASSIC GRAY	
—	—	29152-147-000	7-PORT ROTOSSAGE	GRAPHITE GRAY	GRAPHITE GRAY	
—	—	29152-149-000	7-PORT ROTOSSAGE	CLASSIC GRAY	CLASSIC GRAY	
—	—	29152-217-000	PULSATOR	GRAPHITE GRAY	GRAPHITE GRAY	
—	—	29152-219-000	PULSATOR	CLASSIC GRAY	CLASSIC GRAY	
29142-417-000	29142-117-000	29152-217-000	SINGLE ROTO	GRAPHITE GRAY	GRAPHITE GRAY	
29142-419-000	29142-119-000	29152-219-000	SINGLE ROTO	CLASSIC GRAY	CLASSIC GRAY	
29142-427-000	29142-217-000	29152-217-000	DOUBLE ROTO	GRAPHITE GRAY	GRAPHITE GRAY	
29142-429-000	29142-219-000	29152-219-000	DOUBLE ROTO	CLASSIC GRAY	CLASSIC GRAY	
—	—	29252-117-000	1" ADJ. WHIRLPOOL	GRAPHITE GRAY	GRAPHITE GRAY	
—	—	29252-119-000	1" ADJ. WHIRLPOOL	CLASSIC GRAY	CLASSIC GRAY	
—	—	29252-117-000	3/4" ADJ. WHIRLPOOL	GRAPHITE GRAY	GRAPHITE GRAY	
—	—	29252-119-000	3/4" ADJ. WHIRLPOOL	CLASSIC GRAY	CLASSIC GRAY	
—	—	29252-117-000	1/2" ADJ. WHIRLPOOL	GRAPHITE GRAY	GRAPHITE GRAY	
—	—	29252-119-000	1/2" ADJ. WHIRLPOOL	CLASSIC GRAY	CLASSIC GRAY	
—	—	29252-117-000	1" NON-ADJ. WHIRLPOOL	GRAPHITE GRAY	GRAPHITE GRAY	
—	—	29252-119-000	1" NON-ADJ. WHIRLPOOL	CLASSIC GRAY	CLASSIC GRAY	
—	—	29252-117-000	3/4" NON-ADJ. WHIRLPOOL	GRAPHITE GRAY	GRAPHITE GRAY	
—	—	29252-119-000	3/4" NON-ADJ. WHIRLPOOL	CLASSIC GRAY	CLASSIC GRAY	
—	—	29252-117-000	1/2" NON-ADJ. WHIRLPOOL	GRAPHITE GRAY	GRAPHITE GRAY	
—	—	29252-119-000	1/2" NON-ADJ. WHIRLPOOL	CLASSIC GRAY	CLASSIC GRAY	

DIAMOND SS COLLECTION

PRODUCT FEATURES

- Traditional Scaloped Jet Design
- Stainless Steel Escutcheon
- Matching Diamond Topside Control Valves



2" 300 SERIES	2" 400 SERIES	3-5/8" 300 SERIES	3-5/8" 400 SERIES	JET STYLE	FLANGE STYLE	NOZZLE COLOR
DIAMOND STAINLESS STEEL PRO-LOC JET INTERNALS						
28132-112-000	—	—	—	NON-ADJ DIR	STAINLESS STEEL	GRAPHITE GRAY
28132-112-900	—	—	—	NON-ADJ DIR	STAINLESS STEEL	CLASSIC GRAY
28132-612-000	—	—	—	100% SHUT OFF DIR	STAINLESS STEEL	GRAPHITE GRAY
28132-102-000	—	—	—	NO NOZZLE / DIR	STAINLESS STEEL	GRAPHITE GRAY
28132-102-900	—	—	—	NO NOZZLE / DIR	STAINLESS STEEL	CLASSIC GRAY
28132-112-000	28132-212-000	28132-812-000	28142-112-000	DIRECTIONAL	STAINLESS STEEL	GRAPHITE GRAY
28132-612-000	28132-212-900	28132-812-900	28142-112-900	DIRECTIONAL	STAINLESS STEEL	CLASSIC GRAY
28132-212-000	—	—	—	BEARINGLESS ROTO	STAINLESS STEEL	GRAPHITE GRAY
28132-212-900	—	—	—	BEARINGLESS ROTO	STAINLESS STEEL	CLASSIC GRAY
—	28132-142-000	28132-842-000	28142-212-000	MASSAGE	STAINLESS STEEL	GRAPHITE GRAY
—	28132-142-900	28132-842-900	28142-212-900	MASSAGE	STAINLESS STEEL	CLASSIC GRAY
—	28132-312-000	28132-812-000	28142-312-000	SINGLE ROTO	STAINLESS STEEL	GRAPHITE GRAY
—	28132-312-900	28132-812-900	28142-312-900	SINGLE ROTO	STAINLESS STEEL	CLASSIC GRAY
—	28132-312-000	28132-812-000	28142-312-000	DOUBLE ROTO	STAINLESS STEEL	GRAPHITE GRAY
—	28132-312-900	28132-812-900	28142-312-900	DOUBLE ROTO	STAINLESS STEEL	CLASSIC GRAY

4" 400 SERIES	4" 5/8" 400 SERIES	5" 5/8" 500 SERIES	JET STYLE	FLANGE STYLE	NOZZLE COLOR
DIAMOND STAINLESS STEEL PRO-LOC JET INTERNALS					
28142-412-000	28142-112-000	28152-112-000	DIRECTIONAL	STAINLESS STEEL	GRAPHITE GRAY
28142-412-900	28142-112-900	28152-112-900	DIRECTIONAL	STAINLESS STEEL	CLASSIC GRAY
28142-412-000	—	28152-812-000	MASSAGE	STAINLESS STEEL	GRAPHITE GRAY
28142-412-900	—	28152-812-900	MASSAGE	STAINLESS STEEL	CLASSIC GRAY
—	—	28152-712-000	14-PORT ROTO/MASS	STAINLESS STEEL	GRAPHITE GRAY
—	—	28152-712-900	14-PORT ROTO/MASS	STAINLESS STEEL	CLASSIC GRAY
—	—	28152-142-000	7-PORT ROTO/MASS	STAINLESS STEEL	GRAPHITE GRAY
—	—	28152-142-900	7-PORT ROTO/MASS	STAINLESS STEEL	CLASSIC GRAY
—	—	28152-212-000	PULSATON	STAINLESS STEEL	GRAPHITE GRAY
—	—	28152-212-900	PULSATON	STAINLESS STEEL	CLASSIC GRAY
28142-412-000	28142-122-000	28152-212-000	SINGLE ROTO	STAINLESS STEEL	GRAPHITE GRAY
28142-412-900	28142-122-900	28152-212-900	SINGLE ROTO	STAINLESS STEEL	CLASSIC GRAY
28142-412-000	28142-222-000	28152-312-000	DOUBLE ROTO	STAINLESS STEEL	GRAPHITE GRAY
28142-412-900	28142-222-900	28152-312-900	DOUBLE ROTO	STAINLESS STEEL	CLASSIC GRAY
—	—	28202-112-000	1" ADJ WHIRLPOOL	STAINLESS STEEL	GRAPHITE GRAY
—	—	28202-112-900	1" ADJ WHIRLPOOL	STAINLESS STEEL	CLASSIC GRAY
—	—	28202-112-000	3/4" ADJ WHIRLPOOL	STAINLESS STEEL	GRAPHITE GRAY
—	—	28202-112-900	3/4" ADJ WHIRLPOOL	STAINLESS STEEL	CLASSIC GRAY
—	—	28202-112-000	1" NON-ADJ WHIRLPOOL	STAINLESS STEEL	GRAPHITE GRAY
—	—	28202-112-900	1" NON-ADJ WHIRLPOOL	STAINLESS STEEL	CLASSIC GRAY
—	—	28202-112-000	3/4" NON-ADJ WHIRLPOOL	STAINLESS STEEL	GRAPHITE GRAY
—	—	28202-112-900	3/4" NON-ADJ WHIRLPOOL	STAINLESS STEEL	CLASSIC GRAY
—	—	28202-112-000	1/2" NON-ADJ WHIRLPOOL	STAINLESS STEEL	GRAPHITE GRAY
—	—	28202-112-900	1/2" NON-ADJ WHIRLPOOL	STAINLESS STEEL	CLASSIC GRAY

PRO-LOC™ JET BODIES

PRO-LOC

STANDARD JET BODIES

- Available with Check Valves
- Nut Included (unless noted), Bagged Separately



200 SERIES



300 SERIES



400 SERIES



500 SERIES

200 SERIES

300 SERIES

400 SERIES

500 SERIES

DESCRIPTION

GASKET STYLE

PRO-LOC JET BODIES

29222-000-000	29232-000-000	29242-000-000	29252-000-000	3/4" RB x 3/8" RB AIR	CLEAR "L"
29222-000-400	—	29242-000-500	—	3/8" RB x 3/8" RB AIR	NO GASKET
29222-100-000	29232-100-000	—	—	3/4" RB WATER ONLY	NO GASKET
29222-200-000	29232-200-000	29242-200-000	29252-200-000	3/4" SB x 3/8" SB AIR	NO GASKET
29222-200-200	29232-200-200	29242-200-200	29252-200-200	3/4" SB x 3/8" SB AIR	CLEAR "L"
29222-200-300	29232-200-300	29242-200-300	29252-200-300	3/4" SB x 3/8" SB AIR	EPDM COMP "L"
—	29232-300-240	—	—	3/8" SB WATER ONLY, NO NUT	EPDM COMP "L"
29222-200-340	29232-200-340	29242-200-340	29252-200-340	3/4" SB x 3/8" SB AIR, NO NUT	EPDM COMP "L"

PRO-LOC JET BODIES WITH CHECK VALVES

29222-010-000	29232-010-000	29242-010-000	29252-010-000	3/4" RB x 3/8" RB	CLEAR "L"
29222-020-000	29232-020-000	29242-020-000	29252-020-000	3/4" RB x 3/8" RB	GRAY EPDM COMP
29222-020-100	29232-020-100	29242-020-100	29252-020-100	3/4" RB x 3/8" RB	WHITE EPDM COMP

CLEAR (LED) JET BODIES

- Compatible with CMP LED Clip (page 66)
- Nut Included, Bagged Separately



200 SERIES



300 SERIES



400 SERIES



500 SERIES

200 SERIES

300 SERIES

400 SERIES

500 SERIES

DESCRIPTION

GASKET STYLE

PRO-LOC CLEAR LED-READY JET BODIES

29222-089-000	29232-089-000	29242-089-000	29252-089-000	3/8" RB x 3/8" RB AIR	CLEAR "L"
29222-289-000	29232-289-000	29242-289-000	29252-289-000	3/4" RB x 3/8" RB AIR	NO GASKET
29222-289-200	29232-289-200	29242-289-200	29252-289-200	3/8" RB x 3/8" RB AIR	CLEAR "L"
29222-289-300	29232-289-300	29242-289-300	29252-289-300	3/4" SB x 3/8" SB AIR	EPDM COMP "L"



COVERED BY ONE OR MORE U.S. PATENTS OR PATENT PENDING APPLICATIONS. SEE CMP'S WEBSITE FOR DETAILS.

WHIRLPOOL SERIES JET BODIES

- For CMP Whirlpool Jets
- White Jet Bodies
- Nut included, bagged separately



ORDERING GUIDE

CMP P/N	DESCRIPTION	GASKET STYLE
PRO-LOC WHIRLPOOL JET BODIES		
29250-001-000	1-1/2" S WATER + 1/2" S AIR	GRAY EPDM COMP
29250-000-100	1-1/2" S WATER + 1/2" S AIR	WHITE EPDM COMP
29250-000-300	1-1/2" S WATER + 1/2" S AIR	EPDM COMP "L"
29250-100-000	1" S WATER + 1/2" S AIR	NO GASKET
29250-100-100	1" S WATER + 1/2" S AIR	CLEAR "L"
29250-100-200	1" S WATER + 1/2" S AIR	EPDM COMP
29250-100-300	1" S WATER + 1/2" S AIR	EPDM COMP "L"
29250-110-000	1" S WATER + 1/2" S AIR	NO GASKET
WHIRLPOOL JET ACCESSORIES		
23850-000-100	1/2" ORIFICE INSERT	—
23850-000-150	3/4" ORIFICE INSERT	—

TECHNICAL GUIDE

- Butress Thread
- Clear Bodies Available
- Gaskets & Compensator Ring Available



HOLE SIZE	HOLE SIZE W/ 1" GASKET	COMPATIBLE JET INTERNALS	DESCRIPTION	BOX/BAO
1-1/2"	—	2"	200 SERIES JET BODIES	200/50
2-3/16"	2-5/16"	3", 3-1/4", 3-5/16"	300 SERIES JET BODIES	120/50
2-5/8"	2-1/4"	3-3/8", 3-5/8", 4", 4-3/8"	400 SERIES JET BODIES	120
3-3/4"	3-15/16"	5", 5-1/4"	500 SERIES JET BODIES	60
3-1/4"	3-15/16"	ALL WHIRLPOOL	WHIRLPOOL JET BODIES	50

PRO-LOC™ JET BODY ACCESSORIES

PRO-LOC



ORDERING GUIDE

REF	200 SERIES	300 SERIES	400 SERIES	500 SERIES	DESCRIPTION
PRO-LOC JET BODY ACCESSORIES					
A	26200-237-201	26200-237-301	26200-237-401	26200-237-501	DBL EPDM COMPRESSION SEAL
—	26200-234-221	26200-234-321	26200-234-421	26200-234-521	1" EPDM COMPRESSION SEAL
B	23422-000-050	23432-000-050	23442-000-050	23452-000-050	CLEAR 1" GASKET TPE
—	29222-299-942	29232-299-940	29242-299-940	29252-299-940	SQR JET REPAIR 1" GASKET
—	29222-299-742	—	—	—	2" SQR JET REPAIR 1" GASKET FOR GEN 2
C	23422-000-010	23432-000-010	23442-000-010	23452-000-010	COMPENSATOR RING
D	23422-000-040	23432-000-040	23442-000-040	23452-000-040	JET BODY NUT
E	23422-999-999	23432-999-999	23442-999-999	23452-999-999	JET WRENCH
F	29222-299-020	29222-299-020	29222-299-020	29222-299-020	UNIVERSAL LED PORT CLIP
—	23422-000-318	—	—	—	3/16" ORIFICE REDUCER
—	—	23432-000-025	—	—	1/8" ORIFICE REDUCER
—	23750-000-040	23750-000-040	23750-000-040	23750-000-040	CHECK VALVE FOR 3/8" AIR INLET PORT CAP ONLY
—	63090-040-001	63090-040-001	63090-040-001	63090-040-001	CHECK BALL FOR 23750-000-040 CHECK VALVE CAP

PRO-LOC

A TWIST ON JET PERFORMANCE

COVERED BY U.S. PATENTS GRANTED AND PENDING. PRO-LOC IS A TRADEMARK OF PRO-LOC JET SYSTEMS, INC.

TWIST-LOC CLUSTER JETS

EXCLUSIVE CLUSTER JET DESIGN

READY FOR LED LIGHTING

Twist-Loc Cluster Jets are designed for easier installation. Also, the single-piece face design has a cleaner installed appearance.

As part of the CMP total spa design program these cluster jets are available in classic or SQR styles. The clear Twist-Loc cluster jets can be lit by utilizing the patented CMP LED clip. These are the first true cluster style jets capable of LED accent lighting.



PRODUCT FEATURES

- Standard or LED-Ready Jets
- Available in SQR Body Style
- Choice of Halo or Leaf Jet Face Design



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION
"TWIST-LOC" CLUSTER JETS		
A	29211-011-100	STAINLESS STEEL, GRAPHITE GRAY HALO, CLEAR LED-READY NOZZLE •
B	29211-011-000	STAINLESS STEEL, GRAPHITE GRAY HALO, SILVER NOZZLE
C	29211-001-500	STAINLESS STEEL, GRAPHITE GRAY LEAF, SILVER NOZZLE
D	29210-289-000	CLEAR LED-READY TWIST-LOC CLUSTER JET BODY •

JUMBO JETS

Hydrex



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION
3" ROTATIONAL JUMBO JET INTERNALS		
A	23570-127-000	GRAPHITE GRAY, SMOOTH, B-SCALLOP
A	23571-121-000	CLASSIC GRAY, TEXTURED, S-SCALLOP
3" MASSAGE JUMBO JET INTERNALS		
B	23570-147-000	CLASSIC GRAY, SMOOTH, B-SCALLOP
B	23570-243-000	STAINLESS STEEL, GRAPHITE GRAY, B-SCALLOP (ADJUSTABLE)
B	23570-247-000	GRAPHITE GRAY, B-SCALLOP
B	23571-141-000	CLASSIC GRAY, TEXTURED, S-SCALLOP
B	23570-142-000	STAINLESS STEEL, B-SCALLOP, GRAPHITE GRAY
B	23570-143-999	STAINLESS STEEL, CLEAR/LED READY EYEBALL 
3.25" CROWN MASSAGE JUMBO JET INTERNALS		
C	23476-062-000	GRAPHITE GRAY, STAINLESS STEEL
3" ROTASSAGE JUMBO JET INTERNAL & JET BODY		
D	23572-177-000	CLASSIC GRAY
D	23572-172-000	STAINLESS STEEL

Jet body not sold separately.

JUMBO JET BODIES

PRODUCT FEATURES

- Bodies Include Plugs & Adapters
- Roto Body has Both Opposite and Same-side Water/Air Connections
- 5-3/4" Hole Size



Used with Jet Interiors A, B and C on previous page

ORDERING GUIDE

REF	CMP D/N	DESCRIPTION	BOX QTY
7" JUMBO JET BODIES			
A	23470-200-000	LED MASSAGE JET BODY W/ TWO 3/8" ADAPTERS & ONE PLUG, 2" SP WATER	15
B	23470-200-000	MASSAGE JET BODY W/ TWO 3/8" ADAPTERS & ONE PLUG, 2" SP WATER	15
B	23470-100-000	NON-ADI MASSAGE JET BODY W/ 3/4" BB+3/8" ADAPTER, 1" SLIP WATER	15
B	23470-300-000	ADI MASSAGE JET BODY W/ 1/4" RB ADAPTER, 1" SLIP WATER	15
C	23470-000-000	ROTO JET BODY W/ 3/4" ADAPTERS, 1" SLIP WATER	15
—	26200-234-701	7" JET COMPRESSION SEAL GASKET	—
—	23470-000-050	7" JET BODY CLEAR RUBBED L-GASKET	—
—	23470-200-999	7" JET BODY WRENCH	—




**7" JUMBO
MASSAGE
JET**

EURO JETS

PRODUCT FEATURES

- Sleek, Low Profile Jets
- Designed for Multiple Plumbing Variations
- 15/16" Hole Size
- 100 per Box / 50 per Bag




ORDERING GUIDE

REF	CMP P/N	NOZZLE STYLE	COLOR / TEXTURE / STYLE
EURO JETS & CLUSTER JETS			
—	23101-072-000	1-1/2" EURO JET	SS / SMOOTH / GRAPHITE GRAY
—	23303-107-000	1-1/2" EURO JET	GRAPHITE GRAY / SMOOTH
—	24122-009-000	1-1/2" EURO JET	CLASSIC GRAY / FLUSH FACE
—	22105-104-000	1-3/4" EURO JET	BLACK / TEXTURED / 3-SCALLOP

EURO JET BODIES & ACCESSORIES



Euro Bodies fit all CMP Euro Internals.
Body Includes Complete Assembly




ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	QTY/BOX
EURO JET BODIES			
A	23400-400-000	1/4" SPIGOT WATER + 3/8" RIBBED BARR AIR	15
B	23400-500-000	1/8" RIBBED BARR WATER	15
C	23400-600-000	1/4" SOCKET WATER, NO AIR	15
D	23400-700-000	1/2" SOCKET WATER, NO AIR	15
EURO JET ACCESSORIES			
E	21034-000-000	90° 3/4" BARR ADAPTER, 1/4" SPIGOT + 3/4" RIBBED BARR	1000/50
—	21034-020-000	STRAIGHT 3/4" BARR ADAPTER, 1/4" SPIGOT + 3/4" RIBBED BARR	1000/50
—	21034-300-000	90° 1/4" SPIGOT + 3/4" SMOOTH BARR	1000/50
—	26200-215-010	EURO JET EPDM GASKET	1000/50
—	23504-200-020	EURO FLAT GASKET	1000/50

CLUSTER JETS

PRODUCT FEATURES

- Sleek, Low Profile Jets
- Designed for Multiple Plumbing Variations
- 1" Hole Size
- 100 per Box / 50 per Bag







ORDERING GUIDE

REF	CMP P/N	NOZZLE STYLE	COLOR / TEXTURE / STYLE
EURO JETS & CLUSTER JETS			
A	23500-002-700	1-1/2" CLUSTER JET	SS / SMOOTH / GRAPHITE GRAY
—	23500-007-000	1-1/2" CLUSTER JET	GRAPHITE GRAY / SMOOTH
—	23500-001-000	1-1/2" CLUSTER JET	CLASSIC GRAY / SMOOTH
B	23501-102-000	2" CLUSTER JET	SS / S-SCALLOP / GRAPHITE GRAY
—	23501-001-000	2" CLUSTER JET	CLASSIC GRAY / SMOOTH
—	23501-002-000	2" CLUSTER JET	SS / SMOOTH / GRAPHITE GRAY
—	23501-100-000	2" CLUSTER JET	CLASSIC GRAY / TEXTURED / S-SCALLOP
C	23501-202-400	2" CLUSTER JET (THICK FACE)	SS / BLACK
—	23501-202-700	2" CLUSTER JET (THICK FACE)	STAINLESS STEEL / GRAPHITE GRAY
—	23501-204-000	2" CLUSTER JET (THICK FACE)	BLACK / TEXTURED
—	23501-207-000	2" CLUSTER JET (THICK FACE)	GRAPHITE GRAY / TEXTURED
—	23501-209-000	2" CLUSTER JET (THICK FACE)	CLASSIC GRAY / TEXTURED
—	23501-302-400	2-3/8" CLUSTER JET (THICK FACE)	STAINLESS STEEL / BLACK
—	23501-302-700	2-3/8" CLUSTER JET (THICK FACE)	STAINLESS STEEL / GRAPHITE GRAY
—	23501-304-000	2-3/8" CLUSTER JET (THICK FACE)	BLACK / TEXTURED
—	23501-307-000	2-3/8" CLUSTER JET (THICK FACE)	GRAPHITE GRAY / TEXTURED
—	23501-309-000	2-3/8" CLUSTER JET (THICK FACE)	CLASSIC GRAY / TEXTURED

CLUSTER JET BODIES & ACCESSORIES

PRODUCT FEATURES

- Cluster Jet Bodies Fit All Cluster Jet Internals
- Ozone Cluster Jet Body (A) Designed for Better Air Draw



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BAG
CLUSTER JET BODIES			
A	23412-000-000	OZONE CLUSTER JET BODY, 3/4" RB WATER + 3/8" RB AIR, 1/4" ORIFICE	1000/50
A	23412-300-000	OZONE CLUSTER JET BODY, 3/4" SB WATER + 3/8" SA AIR, 1/4" ORIFICE	1000/50
A	23412-200-000	OZONE CLUSTER JET BODY, 1/2" S WATER + 3/8" RB AIR, 1/4" ORIFICE	1000/50
A	23412-300-000	OZONE CLUSTER JET BODY, 3/4" S WATER + 3/8" RB AIR, 1/4" ORIFICE	1000/50
B	23410-800-000	CLUSTER JET STRAIGHT BODY, 1" S WATER + 3/8" RB AIR	300/50
B	23411-610-000	CLUSTER JET STRAIGHT BODY, 1/2" S WATER + 3/8" RB AIR W/ CHECK VALVE	300/50
C	23410-900-000	CLUSTER JET ELL BODY, 1/2" S WATER + 3/8" RB AIR	600/50
C	23411-200-000	CLUSTER JET ELL BODY, 3/4" S WATER + 3/8" RB AIR	600/50
C	23411-000-000	CLUSTER JET ELL BODY, 3/4" RB WATER + 3/8" RB AIR	600/50
C	23410-300-000	CLUSTER JET ELL BODY, 3/4" SB WATER + 3/8" SB AIR & "T" GASKET	600/50
CLUSTER JET GASKETS			
—	21501-000-000	"T" GASKET	5000/500
—	21501-001-000	FLAT SILICONE GASKET	5000/500
—	26200-234-001	EPDM/COMP "T" GASKET	5000/500
—	26200-235-010	CLUSTER JET EPDM SLOOT GASKET, 2IN	5000/500
—	26200-234-002	1.5" CLUSTER JET EPDM GASKET	5000/500

DELUXE AIR INJECTORS

SUBJECT: 50/9445

PRODUCT FEATURES

- Three Body Styles
- Chrome or Classic Gray



3/16" Hole Size
3/8" Ribbed Barb



CMP P/N

DESCRIPTION

MULTI-PORT AIR INJECTOR

23012-002-000

3/8" VERTICAL RIBBED BARB, CHROME



CMP P/N

DESCRIPTION

LOW-PRO AIR INJECTOR

23013-001-000

1/8" ELL RIBBED BARB, CLASSIC GRAY

23015-002-000

3/8" ELL RIBBED BARB, CHROME

23017-007-000

1/8" VERTICAL RIBBED BARB, GRAPHITE GRAY

23017-002-000


3/8" VERTICAL RIBBED BARB, CHROME

AIR INJECTORS

2011/02/15, 50/04/15



5/8" Hole Size
3/8" Smooth Air Barb



CMP P/N

DESCRIPTION

1-3/8" FACE MULTI-PORT ECONOMY AIR INJECTOR

23030-001-000	3/8" SMOOTH AIR BARB 90° ELL
23028-001-000	3/8" SMOOTH AIR BARB STRAIGHT
23029-001-000	3/8" SMOOTH AIR BARB TEE
23028-002-000	STAINLESS 3/8" SMOOTH AIR BARB STRAIGHT
23030-002-000	STAINLESS 3/8" SMOOTH AIR BARB 90° ELL




CMP P/N

DESCRIPTION

3/8" FACE SINGLE PORT ECONOMY AIR INJECTOR

23030-102-000	STAINLESS 3/8" SMOOTH AIR BARB 90° ELL
23030-107-000	GRAPHITE GRAY 3/8" SMOOTH AIR BARB 90° ELL
23030-109-000	CLASSIC GRAY 3/8" SMOOTH AIR BARB 90° ELL
23030-101-010	STRAIGHT ADAPTER



CMP P/N

DESCRIPTION

1-3/8" FACE SINGLE PORT ECONOMY AIR INJECTOR

23028-109-000	CLASSIC GRAY, 3/8" SMOOTH AIR BARB STRAIGHT
23028-102-000	STAINLESS STEEL 3/8" SMOOTH AIR BARB STRAIGHT

SQR ALSO AVAILABLE
See all Products on page 18



CMP P/N

DESCRIPTION

GALAXY AIR INJECTOR

23002-109-000	CLASSIC GRAY, 3/8" SMOOTH AIR BARB
23002-102-000	STAINLESS STEEL 3/8" SMOOTH AIR BARB
23004-107-000	GALAXY SWIRL, GRAPHITE GRAY, 3/8" SMOOTH AIR BARB
23004-109-000	GALAXY SWIRL, CLASSIC GRAY, 3/8" SMOOTH AIR BARB
23005-207-000	GALAXY 1-1/8" FACE, 3/8" SMOOTH AIR BARB
26200-230-021	3/8" AIR INJECTOR EPDM GASKET


SWIM & WHIRLPOOL JETS

- Multiple Flow Solutions that are Compatible with all Swim Spa Designs
- Use in Hot Tubs as a "Whirlpool" or Footwell Jet
- All Swim Jets Include Gaskets for Easy Installation

3-3/4" SWIM JET

- 1-1/2" SP Water + 1" S Air
- 3-1/8" Hole Size


A



5" MULTI-PORT POWER JET

- 2" Spigot
- 3-3/4" Hole Size

B



C



3-1/4" LED WHIRLPOOL JET

- Light with CMP LED Clips
- Small Footprint
- Also Use as a Hot Water Return



1.5" S Water, 1/2" Air
2-1/4" Hole Size w/ "L" Gasket
2-11/16" Hole Size w/ Ribbed Gasket

D



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
SWIM & WHIRLPOOL JETS			
A	21312-001-000	3-3/4" SWIM JET, SMOOTH FACE, GRAY	60
B	21551-061-000	5" MULTI-PORT POWER JET, 3/4" ORIFICE, GRAY	60
B	21551-561-000	5" MULTI-PORT POWER JET, 1/2" ORIFICE, GRAY	60
B	21551-562-000	5" MULTI-PORT POWER JET, 1/2" ORIFICE, STAINLESS STEEL, GRAY	60
C	21552-062-000	5" MULTI-PORT POWER JET, 2" ORIFICE, STAINLESS STEEL, GRAPHITE GRAY	1
D	25594-188-100	LED WHIRLPOOL JET	1
—	21551-508-999	WRENCH FOR 5" MULTI-PORT POWER JET	1

SWIM & WHIRLPOOL JETS

SWIM-POWER TURBO JET

PRODUCT FEATURES

- Now available in LED Ready Clear
- 2" Spigot/1.5" Socket Water
- 1/2" Socket Air
- 4-5/8" Hole Size



5/8" Orifice (30-40 GPM)
3/4" Orifice (60-75 GPM)
1" Orifice (90-110 GPM)



WHIRLPOOL DIVERTER JET

PRODUCT FEATURES

- Diverter Valve and High Volume Whirlpool Jet in a Single Component
- Rotate Body in Any Direction for Plumbing
- Lock-In Design Prevents Loosening During Diverter Rotation
- 90°, 180°, 360° Settings



2" SP/1.5" S Water; 3/4" RB Air
3-15/16" Hole Size



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	STYLE	BOX QTY
SWIM & WHIRLPOOL JETS				
A	23551-667-000	SWIM-POWER TURBO JET, GRAPHITE GRAY	—	60
A	23551-662-700	SWIM-POWER TURBO JET, STAINLESS STEEL	—	60
B	23551-662-888	SWIM-POWER TURBO JET, STAINLESS STEEL, LED READY •	—	60
—	23551-699-999	SWIM-POWER TURBO JET WRENCH	—	—
C	23553-501-580	WP DIVERTER JET, GRAPHITE GRAY HALO & NOZZLE	STAINLESS	30
C	23553-501-700	WP DIVERTER JET, GRAPHITE GRAY HALO, CLEAR NOZZLE •	STAINLESS	30
C	23553-001-800	WP DIVERTER JET, CLASSIC GRAY/SILVER HALO ACCENT	DUO-TONE	30
C	23553-002-300	WP DIVERTER JET, GRAPHITE GRAY/SS HALO ACCENT	ACCENT	30
C	23553-503-100	WP DIVERTER JET, GRAPHITE GRAY NOZZLE	PRIME	30
C	23553-503-700	WP DIVERTER JET, CLEAR NOZZLE •	PRIME	30

CONTROL VALVES

HALO™ COLLECTION 80

LEAF™ COLLECTION 81

FIVE SPOKE™ COLLECTION 82

WAVE™ COLLECTION 83

CROWN™ COLLECTION 85

DIAMOND™ COLLECTION 86

HALO™ CONTROLS

HALO VALVE COLLECTION

PRODUCT FEATURES

- Silver Handle
- Graphite Cap & Halo Insert
- Coordinates with Spectrum Jets
- Pro-Seal 100% Shut-off Available
- For Halo Jets see pg. 38



ORDERING GUIDE

REF.	CMP P/N	DESCRIPTION	1/2" TURN SHUT-OFF	FITTING SIZE	HOLE SIZE	ROW BAG
HALO COLLECTION CONTROLS						
A	25058-101-000	TOP ACCESS AIR CONTROL	—	1" SOCKET	1-1/16"	200/20
B	25056-101-000	PRO-SEAL ON/OFF CONTROL	●	3/4" SB	2-1/16"	150
B	25056-111-000	PRO-SEAL ON/OFF CONTROL	●	1" SOCKET	2-1/16"	150
C	25058-101-000	2" DIVERTER VALVE	—	2" SOCKET	3-3/16"	30
D	25158-201-000	HORIZONTAL THREE-WAY DIVERTER VALVE	—	2" SOCKET	3-3/16"	30
—	25053-101-000	THREE-WAY DIVERTER VALVE	—	1" SOCKET	3-3/16"	30
GASKETS & O-RINGS						
—	26200-250-001	AIR CONTROL GRAY EPDM COMP. SEAL	—	—	—	EACH
—	25030-090-000	1" CLOSURE VALVE WALL FITTING FLAT GASKET	—	—	—	EACH
—	26100-358-270	1" ON/OFF VALVE TOP O-RING	—	—	—	EACH
—	25030-000-011	1" ON/OFF VALVE T-GASKET	—	—	—	EACH
—	26100-015-205	DIVERTER VALVE 2" O-RING (LARGE)	—	—	—	EACH
—	25048-000-011	2" DIVERTER VALVE INTERNAL T-GASKET	—	—	—	EACH
—	25948-000-020	2" DIVERTER VALVE FLAT GASKET	—	—	—	EACH

LEAF™ CONTROLS

LEAF VALVE COLLECTION

PRODUCT FEATURES

- Graphite Textured Handle
- Silver Smooth Cap
- Coordinates with Leaf Jets
- For Leaf Jets see pg 46



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	FITTING SIZE	HOLE SIZE	BOX/BAG
LEAF COLLECTION CONTROLS					
A	25042-300-000	1/2" LINEAR VALVE W/ OPF SIDE PORTE	1/2" SOCKET	2-1/16"	40
B	25056-310-000	1" ON/OFF CONTROL VALVE	1" SOCKET	2-1/16"	150
C	25056-300-000	3/4" ON/OFF VALVE, PTFE SEAL	3/4" SB	2-1/16"	150
D	25059-300-000	1" VARIABLE AIR CONTROL	1" SOCKET	1-11/16"	200/20
E	25058-300-000	2" DIVERTER VALVE WITH WALL FITTING	2" SOCKET	3-3/16"	30
E	25058-300-000	2" DIVERTER VALVE WITHOUT WALL FITTING	2" SOCKET	3-3/16"	30

COVERED BY ONE OR MORE U.S. PATENTS OR PENDING APPLICATIONS. SEE CUMULUS PATENTS FOR DETAILS.

FIVE SPOKE™ CONTROLS

FIVE SPOKE
COLLECTION

PRODUCT FEATURES

- Silver Textured Handle
- Graphite Smooth Cap
- Coordinates with Five Spoke Jets
- For Five Spoke Jets see pg 48



ORDERING GUIDE

REF.	CMP P/N	DESCRIPTION	FITTING SIZE	HANDLE SIZE	BOX/BAG
FIVE SPOKE COLLECTION CONTROLS					
A	25090-557-100	1" AIR CONTROL VALVE FLAT GASKET	1" SOCKET	1-11/16"	200/20
B	25016-557-300	1" ON/OFF CONTROL VALVE	1" SOCKET	2-1/16"	150

WAVE™ CONTROLS

WAVE VALVE COLLECTION

PRODUCT FEATURES

- Silver Handle
- Graphite Cap
- Coordinates with Wave Jets
- Pro-Seal 100% Shut-off Available
- For Wave Jets see pg 50



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	LO TURN SHUT-OFF	FITTING SIZE	HOLE SIZE	BIDU/ BAC
WAVE COLLECTION CONTROLS						
A	25090-707-000	1" TOP ACCESS AIR CONTROL	—	1" SOCKET	1-11/16"	200/20
B	25096-707-000	COMPACT 1" TOP ACCESS AIR CONTROL	—	1" SOCKET	1-11/16"	250/25
C	25038-717-000	PRO-SEAL ON/OFF CONTROL	✓	1" W/SE	2-1/16"	150
D	25038-707-000	PRO-SEAL ON/OFF CONTROL	✓	1" SOCKET	2-1/16"	150
E	25033-807-000	PRO-SEAL THREE WAY DIVERTER	✓	1.5" SOCKET	2-1/16"	40
E	25048-707-000	PRO-SEAL THREE WAY DIVERTER	—	2" SOCKET	3-3/16"	30
GASKETS & O-RINGS						
—	25000-250-001	AIR CONTROL GRAY EPDM COMP SEAL	—	—	—	EACH
—	25082-080-000	1" ON/OFF VALVE WALL FITTING FLAT GASKET	—	—	—	EACH
—	25080-258-070	1" ON/OFF VALVE TOP O-RING	—	—	—	EACH
—	25082-080-011	1" ON/OFF VALVE T-GASKET	—	—	—	EACH
—	25080-013-285	DIVERTER VALVE 2" O-RING, LARGE	—	—	—	EACH
—	25048-080-011	2" DIVERTER VALVE INTERNAL T-GASKET	—	—	—	EACH
—	25048-080-020	2" DIVERTER VALVE FLAT GASKET	—	—	—	EACH

WAVE™ CONTROLS

"S" HANDLE
COLLECTION

PRODUCT FEATURES

- "S" Handle
- Graphite or Classic Gray
- Coordinates with Wave Jets
- Pre-Seal 100% Shut-off Available
- For Wave Jets see pg 50



ORDERING GUIDE

REF.	CMP #/N	DESCRIPTION	HANDLE COLORS	1/2 TURN SHUT-OFF	FITTING SIZE	HOLE SIZE	BOX/ BAG
WAVE "S" HANDLE COLLECTION CONTROLS							
A	25093-107-000	TOP ACCESS AIR CONTROL	GRAPHITE/SILVER	—	1" SOCKET	1-11/16"	200/20
A	25093-117-000	TOP ACCESS AIR CONTROL LARGE HANDLE	GRAPHITE/SILVER	—	1" SOCKET	1-11/16"	200/20
B	25036-917-000	PRO-SEAL ON/OFF CONTROL	GRAPHITE/SILVER	●	3/4" SS	2-1/16"	150
C	25036-107-000	PRO-SEAL ON/OFF CONTROL	GRAPHITE/SILVER	●	1" SOCKET	2-1/16"	150
D	25032-107-000	ON/OFF CONTROL (LOW PROFILE)	GRAPHITE/SILVER	—	1" SOCKET	2-1/16"	150
E	25033-107-000	THREE-WAY DIVERTER	GRAPHITE/SILVER	—	1" SOCKET	2-1/16"	40
E	25039-107-000	THREE-WAY DIVERTER	GRAPHITE/SILVER	—	1" SOCKET	2-1/16"	150
E	25043-107-000	THREE-WAY DIVERTER	GRAPHITE/SILVER	—	2" SOCKET	3-3/16"	30

CROWN™ CONTROLS

CROWN VALVE COLLECTION

PRODUCT FEATURES

- Silver Handle
- Graphite Cap
- Coordinates with Crown Jets
- Pro-Seal 100% Shut-off Available
- For Crown Jets see pg. 56



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	1/2 TURN SHUT-OFF	FITTING SIZE	SOLE SIZE	ROW BAG
CROWN COLLECTION CONTROLS						
A	25090-857-000	TOP ACCESS AIR CONTROL	—	1" SOCKET	1-11/16"	200/20
B	25090-887-000	LARGE HANDLE TOP ACCESS AIR CONTROL	—	1" SOCKET	1-11/16"	200/20
C	25036-817-000	PRO-SEAL ON/OFF CONTROL	✓	3/4" SS	2-1/16"	150
D	25036-887-000	LARGE HANDLE PRO-SEAL ON/OFF CONTROL	✓	1" SOCKET	2-1/16"	150
E	25036-807-000	PRO-SEAL ON/OFF CONTROL	✓	1 1/2" SOCKET	2-1/16"	150
F	25033-827-000	PRO-SEAL THREE-WAY DIVERter (TEXTURED HANDLE)	✓	1" SOCKET	2-1/16"	40
G	25048-807-000	THREE-WAY DIVERter	—	2" SOCKET	1-3/16"	30
H	25048-887-000	LARGE HANDLE THREE-WAY DIVERter	—	2" SOCKET	1-3/16"	30

DIAMOND™ CONTROLS

LEVER HANDLE
COLLECTION

PRODUCT FEATURES

- Lever Handle: Easy to Use
- Graphite or Classic Gray
- Scalloped or Smooth
- Coordinates with Diamond Jets
- For Diamond Jets see pg 62



ORDERING GUIDE


REF	CMP P/N	DESCRIPTION	COLOR / TEXTURE	FITTING SIZE	HOLES SIZE	BOX/ BAG
LEVER HANDLE COLLECTION CONTROLS						
A	25090-009-000	TOP ACCESS AIR CONTROL	CLASSIC GRAY, SMOOTH, 5-SCALLOP	1" S	1-11/16"	200/20
B	25090-017-000	TOP ACCESS AIR CONTROL	GRAPHITE GRAY, TEXTURED, 5-SCALLOP	1" S	1-11/16"	200/20
C	25090-019-000	TOP ACCESS AIR CONTROL	CLASSIC GRAY, TEXTURED, 5-SCALLOP	1" S	1-11/16"	200/20
D	25090-407-000	COMPACT AIR CONTROL	GRAPHITE GRAY, SCALOPED	1" S	1-11/16"	300/20
—	25090-409-000	COMPACT AIR CONTROL	CLASSIC GRAY, SCALOPED	1" S	1-11/16"	200/20
E	25035-003-000	THREE-WAY DIVERter	GRAY, SMOOTH	1" S	2-1/16"	40
F	25035-207-000	THREE-WAY DIVERter	GRAPHITE GRAY, TEXTURED	1" S	2-1/16"	40
G	25035-009-000	THREE-WAY DIVERter	CLASSIC GRAY, 5-SCALLOP	1" S	2-1/16"	40
H	25048-019-000	THREE-WAY DIVERter	CLASSIC GRAY, TEXTURED, 5-SCALLOP	2" S	3-5/16"	30
I	25048-017-000	THREE-WAY DIVERter	GRAPHITE GRAY, TEXTURED, 5-SCALLOP	2" S	3-5/16"	30
—	25048-007-000	THREE-WAY DIVERter	GR. GRAY/SILVER, TEXTURED, 5-SCALLOP	2" S	3-5/16"	30

DIAMOND™ CONTROLS

MUSHROOM COLLECTION

PRODUCT FEATURES

- Ergonomic Handle
- Graphite or Classic Gray
- 5-Scallop Design
- Pro-Seal 100% Shut-off Available
- Coordinates with Diamond Jets
- For Diamond Jets see pg 62



ORDERING GUIDE

REF	CMP RVN	DESCRIPTION	COLOR / TEXTURE	1/2 TURN SAIT-04	FITTING SIZE	HOLE SIZE	BOX QTY
MUSHROOM COLLECTION CONTROLS							
A	25036-217-000	PRO-SEAL ON/OFF-CONTROL	GRAPHITE GRAY, TEXTURED	✓	1" SOCKET	2-1/16"	150
B	25036-219-000	ON/OFF-CONTROL 100% SHUT-OFF	CLASSIC GRAY	—	1" SOCKET	2-1/16"	150
C	25032-217-000	LOW PROFILE ON/OFF 100% SHUT-OFF	GRAPHITE GRAY, TEXTURED	—	1" SOCKET	2-1/16"	150
C	25032-219-000	LOW PROFILE ON/OFF-CONTROL PRO-SEAL 100% SHUT-OFF	CLASSIC GRAY, TEXTURED	✓	1" SOCKET	2-1/16"	150
D	25033-207-000	THREE-WAY DIVERter	GRAPHITE GRAY	—	1" SOCKET	2-1/16"	40
E	25033-209-000	THREE-WAY DIVERter	CLASSIC GRAY	—	1" SOCKET	2-1/16"	40
F	25042-101-000	LINEAR VALVE, SAME SIDE OUT	CLASSIC GRAY	—	1.5" SOCKET	2-1/16"	40
F	25042-107-000	LINEAR VALVE, SAME SIDE OUT	GRAPHITE GRAY	—	1.5" SOCKET	2-1/16"	40
G	25042-001-000	LINEAR VALVE, OPPOSITE OUT	CLASSIC GRAY	—	1.5" SOCKET	2-1/16"	40
G	25042-007-000	LINEAR VALVE, OPPOSITE OUT	GRAPHITE GRAY	—	1.5" SOCKET	2-1/16"	40
-	25000-217-000	TOP ACCESS AIR CONTROL	GRAPHITE GRAY	—	1" SOCKET	1-11/16"	200/30
-	25008-217-000	THREE-WAY DIVERter	GRAPHITE GRAY	—	2" SOCKET	3-3/16"	30

CONTROL PARTS & ACCESSORIES



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	QTY
AIR CONTROL PARTS & ACCESSORIES			
A	21040-000-000	1" SLIP BLOWER ASSIST TEE FOR 1" AIR CONTROL	250/25
B	21041-000-000	1" SLIP BLOWER ASSIST TEE FOR 25000 CONTROL, WITH TWO 1/2" GASKETS	250/25
C	26200-000-001	GRAY EPDM COMPRESSION SEAL GASKET	EACH
	26220-000-130	1" AIR CONTROL FLAT GASKET W/ BUMP	EACH
	26220-014-130	LED SPACER AIR CONTROL 1" GASKET	EACH
D	21044-119-000	1" AIR CONTROL STANDARD 1" GASKET	EACH
E	21040-000-000	1" AIR CONTROL LED BEZEL, LED NUT & FLAT GASKET, CLEAR PVC	EACH
F	21040-079-000	1" AIR CONTROL LED BEZEL, LED NUT & FLAT GASKET, CLEAR POLY CARBONATE	EACH
G	21040-080-000	REPLACEMENT GASKET FOR LED BEZEL	EACH
H	21040-130-000	FLAT AIR CONTROL NUT	EACH
	21041-000-011	THIN AIR CONTROL NUT (USED WITH AIR CONTROL JACKET)	EACH
I	21040-000-000	AIR CONTROL JACKET WITH 3/4" SMOOTH BARB PORT, CLEAR	EACH
J	21040-000-000	GASKET NUT	EACH
K	21044-119-000	AIR CONTROL VALVE COMP NUT	EACH
L	21044-119-040	AIR CONTROL VALVE COMP RING	EACH
M	21000-000-000	AIR CONTROL INSTALLATION WRENCH	EACH
N	21000-000-000	1" AIR CONTROL NUT INSTALLATION WRENCH	EACH
ON/OFF VALVE AND DIVERter VALVE PARTS & ACCESSORIES			
	21000-000-000	1" ON/OFF VALVE WALL FITTING FLAT GASKET	EACH
	26100-000-270	1" ON/OFF VALVE TOP O-RING	EACH
	21000-000-011	1" ON/OFF VALVE T-GASKET	EACH
	21000-000-001	FLOW CONTROL INSERT FOR 1" VALVE	EACH
	21040-000-000	LARGE CROWN LED WALL FITTING, LED NUT & GASKET	EACH
	21040-000-000	REPLACEMENT GASKET FOR LARGE LED WALL FITTING	EACH
	21040-000-000	1" ON/OFF VALVE LED WALL FITTING LED NUT & GASKET, CLEAR PVC	EACH
	21040-079-000	1" ON/OFF VALVE LED WALL FITTING, GASKET, CLEAR POLY CARBONATE	EACH
	21040-080-000	REPLACEMENT GASKET FOR SMALL CLEAR LED WALL FITTING	EACH
	21040-080-000	2" DIVERter VALVE LED WALL FITTING NUT & GASKET, CLEAR PVC	EACH
	21040-079-000	2" DIVERter VALVE LED WALL FITTING, GASKET, CLEAR POLY CARBONATE	EACH
	21040-000-000	STANDARD GRAPHITE LED WALL FITTING LED NUT & GASKET	EACH
	21040-000-000	REPLACEMENT GASKET FOR GRAPHITE LED WALL FITTING	EACH
	21040-000-000	1" ON/OFF VALVE INSTALLATION WRENCH	EACH
	21040-000-000	1" ON/OFF VALVE WALL FITTING INSTALLATION WRENCH	EACH
	21040-000-000	1" LED WALL FITTING NUT (4 LED PORTS)	EACH
	21040-000-000	DIVERter VALVE INSTALLATION WRENCH	EACH
	21040-000-000	DIVERter VALVE 2" O-RING, LARGE (SEALS CAP TO BODY)	EACH
	21040-000-000	2" DIVERter VALVE INTERNAL T-GASKET (SEALS CAP TO BODY)	EACH
	21040-000-000	2" DIVERter VALVE FLAT GASKET (SEALS WALL FITTING TO ACRYLIC)	EACH
	21040-000-000	2" DIVERter VALVE LED NUT	EACH
	21040-000-000	2" DIVERter VALVE LED WALL FITTING THIN NUT	EACH
	21040-000-000	2" DIVERter VALVE LED WALL FITTING INSTALLATION WRENCH	EACH
	21040-000-000	SMALL O-RING FOR VALVE STEM	EACH

AIR X[®]

AIR X TECHNOLOGY 90

AIR X DESIGN 91

AIR X SYSTEM 92



COVERED BY ONE OR MORE U.S. PATENTS OR PATENT PENDING APPLICATIONS. SEE CMI-PCOM PATENTS FOR DETAILS.

AIR X

A complete soft tissue hot tub therapy experience.

Air X® infuses the soft feel of air and water with a kinetic power derived from jet engine technology. Spa jets can offer power and precision, but Air X is something completely different. Utilizing Armetec® engineering, Air X multiplies the air output for a jet stream that is both soft and powerful.





Precision Soft Tissue Massage

Air X targets sensitive areas with passive and targeted air therapy.



High Volume Dynamics

Typical jets are at best an 80% water and 20% air mix. Air X draws up to 80% air and 20% water.



JET
ENGINE
NEEDED



POLYNETIC
EVEN, POWERFUL FLOW



TRINETIC
TARGETED THERAPY



BINETIC
DUAL WIDE FLOW PATTERN

PEARL WHITE FLANGE & COLORFUL NOZZLES



COLOR MATCHED AIR CONTROLS



THREE TRIM RING STYLES




SMOOTH THERAPY RING

Gentle skin stimulation & reflexology; prevents Air X nozzle blockage during use.




SCALLOPED THERAPY RING

Dynamic stimulation & reflexology; prevents Air X nozzle blockage during use.



LOW PROFILE ACCENT RING

Stylish stainless steel ring that sits below the Air X nozzle level.



Air X Nozzle/Flange Assembly
White or Stainless Steel Flange

Air X Body & Wall Fitting Assembly
Straight or Elbow Options

Optional Trim Rings
Smooth, Scalloped or Low Profile

AIR X® SYSTEM

AIR X

IMPORTANT

- Air X Nozzle Assembly, Body Assembly & CVF Air Control Required for Operation
- Therapy Rings Sold Separately



ORDERING GUIDE

REF	AIR X® GREEN	GRAPHITE GRAY	SILVER GRAY	SCARLET RED	MIDNIGHT BLUE	DESCRIPTION	FLANGE STYLE
-----	--------------	---------------	-------------	-------------	---------------	-------------	--------------

NOZZLE ASSEMBLY AND CONTROLS

A	23512-331-400	23512-331-000	23512-331-500	23512-331-200	23512-331-300	TRIMETIC	PEARL WHITE
B	23512-311-400	23512-311-000	23512-311-500	23512-311-200	23512-311-300	POLYMETIC	PEARL WHITE
C	23512-321-400	23512-321-000	23512-321-500	23512-321-200	23512-321-300	BINETIC	PEARL WHITE
D	23512-331-402	23512-331-002	23512-331-502	23512-331-202	23512-331-302	TRIMETIC	S. STEEL
E	23512-311-402	23512-311-002	23512-311-502	23512-311-202	23512-311-302	POLYMETIC	S. STEEL
F	23512-321-402	23512-321-002	23512-321-502	23512-321-202	23512-321-302	BINETIC	S. STEEL
G	25059-214-000	25059-210-000	25059-215-000	25059-212-000	25059-213-000	AIR CONTROL	N/A

REF	CVF FAN	DESCRIPTION	FITTING SIZE
-----	---------	-------------	--------------

COMPONENTS

H	23512-089-000	AIR X BODY, GASKET & WALL FITTING	1/2" SPIGOT
—	23512-109-000	AIR X BODY, WALL FITTING, GASKET & 90° ADAPTER	3/4" SB
—	23512-289-000	AIR X BODY, WALL FITTING, GASKET & 90° ADAPTER	3/4" RB
I	23512-291-500	SMOOTH STAINLESS STEEL THERAPY RING	—
J	23512-291-500	SCALLOPED STAINLESS STEEL THERAPY RING	—
K	23512-301-000	LOW PROFILE STAINLESS STEEL ACCENT RING	—

ACCESSORIES

—	23512-089-001	AIR X JET BODY ONLY (NO WALL FITTING OR GASKET)	—
—	21034-709-000	90 DEGREE SMOOTH BARR ADAPTER ONLY	1/2" S = 3/4" SB
—	21034-009-000	90 DEGREE RIBBED BARR ADAPTER ONLY	1/2" S = 3/4" RB
—	23512-089-002	CLEAR GASKET ONLY	—
—	23512-089-003	AIR X WALL FITTING ONLY	—
—	23512-109-101	AIR X PEARL WHITE FLANGE ONLY	—
—	23512-109-102	304 STAINLESS STEEL TWIST-LOCK FLANGE ONLY	—
—	23512-995-900	INSTALLATION TOOL FOR AIR X WALL FITTING	—
—	23512-995-900	4-WAY INSTALLATION TOOL FOR AIR X WALL FITTING & JET FACES	—

AQUA EFFECTS® WATER FEATURES

POP-UP WATER FEATURES 95

LED LAMINARS & FOUNTAINS 96

WATERFALLS 97

LIQUID AROMA INJECTOR 100

LED COLOR CRYSTAL™ 102

aqua effects.



EXPERIENCE LIQUID COLOR

Aqua Effects® water features from CMP create a nature-inspired look and feel. Gently cascading water flumes mimic the sounds of nature and add ambiance to your designs.

FAST HOLE SAW INSTALLATION

SMALL FOOTPRINT

"POP-UP" AND FIXED WATER FEATURES

INNOVATIVE, PATENTED DESIGNS

The Aqua Effects collection of LED-Ready water features will add liquid color and excitement to any hot tub design.



ALSO AVAILABLE

See SQR Products on page C4



PRODUCT FEATURES

- Fast Hole Saw Installation
- Small Footprint
- Innovative, Patented Design



1-1/16" Hole Size (Same as Air Controls)
1/8" Water Line Required



CMP P/N	DESCRIPTION	BOX QTY
AQUA EFFECTS BUBBLER		
25267-324-400	BLACK FLANGE, BLACK CAP	100
25267-324-800	BLACK FLANGE, SILVER CAP	100
25267-327-700	GRAPHITE FLANGE, GRAPHITE CAP	100
25267-327-800	GRAPHITE FLANGE, SILVER CAP	100
25267-328-400	SILVER FLANGE, BLACK CAP	100
25267-328-700	SILVER FLANGE, GRAPHITE CAP	100



CMP P/N	DESCRIPTION	BOX QTY
AQUA EFFECTS FAN		
25267-424-400	BLACK FLANGE, BLACK CAP	100
25267-424-800	BLACK FLANGE, SILVER CAP	100
25267-427-700	GRAPHITE FLANGE, GRAPHITE CAP	100
25267-427-800	GRAPHITE FLANGE, SILVER CAP	100
25267-428-400	SILVER FLANGE, BLACK CAP	100
25267-428-700	SILVER FLANGE, GRAPHITE CAP	100



CMP P/N	DESCRIPTION	BOX QTY
AQUA EFFECTS MINI STREAM		
25267-624-400	BLACK FLANGE, BLACK CAP	100
25267-624-800	BLACK FLANGE, SILVER CAP	100
25267-627-700	GRAPHITE FLANGE, GRAPHITE CAP	100
25267-627-800	GRAPHITE FLANGE, SILVER CAP	100
25267-628-400	SILVER FLANGE, BLACK CAP	100
25267-628-700	SILVER FLANGE, GRAPHITE CAP	100

CMP P/N	DESCRIPTION	BOX/BAG
POP-UP PARTS & ACCESSORIES		
25267-303-014	3/4" SMOOTH BARB 45 DEG. LED ADAPTER	100
25267-303-030	LED COLLAR	200
21034-400-000	1" SP. x 3/4" SMOOTH BARB 90 DEG. ELL ADAPTER	200
21037-100-000	1" SP. x 3/4" RIBBED BARB ELL ADAPTER	500/50
21034-200-000	1" SP. x 3/4" RIBBED BARB 90 DEG. ELL ADAPTER	1000/100
21031-100-000	1" SP. x 3/4" RIBBED BARB STRAIGHT ADAPTER	1000/100
21031-400-000	1" x 3/4" SMOOTH BARB ADAPTER	1000/100


DESIGNED BY SQR WATERWORKS. PATENTED FOR PATENT PENDING APPLICATIONS. SEE SQR COMPANY WEBSITE FOR DETAILS.

LAMINARS & FOUNTAINS

aqua effects
by CMPLED SPA
LAMINARS

PRODUCT FEATURES

- Styles to Match Jet Collections
- Quick and Easy Installation
- No Assembly Required
- 316L Stainless Steel



SQR ALSO AVAILABLE
See SQR Product on page 37

TOP MOUNT
SPA FOUNTAIN

PRODUCT FEATURES

- Four Interchangeable Nozzles
- 100% Adjustable
- Uni-Directional



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	STYLE	BOX QTY
LED SPA LAMINARS				
A	25269-602-700	STAINLESS STEEL ESCUTCHEON, GRAPHITE GRAY NAILD ACCENT, CLEAR NOZZLE	SPECTRUM	100
B	25269-202-700	STAINLESS STEEL ESCUTCHEON, GRAPHITE GRAY FLANGE & NOZZLE	WAVE	100
B	25269-207-000	GRAPHITE GRAY ESCUTCHEON, FLANGE & NOZZLE, TEXTURED		100
C	25269-102-700	STAINLESS STEEL ESCUTCHEON, GRAPHITE GRAY FLANGE & NOZZLE	CROWN	100
C	25269-107-000	GRAPHITE GRAY ESCUTCHEON, FLANGE & NOZZLE, TEXTURED		100
D	25269-302-700	STAINLESS STEEL ESCUTCHEON, GRAPHITE GRAY FLANGE & NOZZLE	DIAMOND	100
D	25269-307-000	GRAPHITE GRAY ESCUTCHEON, FLANGE & NOZZLE, TEXTURED		100
E	25269-003-500	STAINLESS STEEL ESCUTCHEON, SILVER FLANGE, CLEAR NOZZLE	LEAF	100
TOP MOUNT SPA FOUNTAIN				
F	25265-107-000	SPA FOUNTAIN ASSEMBLY, GRAPHITE GRAY, TEXTURED	—	100
—	25267-000-000	LED BULB ADAPTER, FIVE LED PORT HOUSING	—	10

ARCHFALL WATERFALL

PRODUCT FEATURES

- Arched Water Effect with Laminar Style Stream
- Flexible Orientation: Can Be Installed in Interior or on Bar top
- Front-side Serviceable Control Valve
- LED Lighting Ready

TECHNICAL GUIDE

- 1-11/16" Hole Size (Water)
- 9/16" Hole Size (LED)
- 1" Socket Inlet
- 2-10 GPM, 5 PSI
- 5" W x 3" H
- Integrated No-Clog Water Diffuser
- Fits Industry Standard LEDs
- EPDM O-Rings

1. INTEGRATED CONTROL VALVE

The built-in control valve simplifies installation and reduces customer confusion. Specially designed for easy removal and cleaning for perfect operation.

2. CUSTOMIZABLE LOGO INSERT

Easy to customize with your own logo or design. The waterfall body and control can also be molded in your own custom color to perfectly complement the hot tub design.



3. ARCHED WATER FLUME

The arched flume allows for spa interior or bar-top installation. Precise internal engineering minimizes turbulence, aligning the flow to create a beautiful arched water effect that gracefully tapers to a gentle water entry.



4. LED LIGHTING READY

LED lighting creates an attractive accent around the waterfall with a soft, colorful glow. Two back ports are built in for LED lights, and designed for simple integration with standard LED lighting systems.

ORDERING GUIDE

CMP P/N	DESCRIPTION
ARCHFALL WATERFALL	
25267-107-000	4" LED ARCHFALL COMPLETE ASSEMBLY, GRAPHITE GRAY W/ SILVER KNOB
25267-104-000	4" LED ARCHFALL COMPLETE ASSEMBLY, BLACK W/ SILVER KNOB
25268-108-000	ARCHFALL CONTROL KNOB ONLY, SILVER
25267-460-000	4" LED ARCHFALL CLEAR GASKET

POWERED BY ONE-OF-A-KIND LED, PATENTED PATENT PENDING APPLICATIONS. SEE C&M COMPONENTS FOR DETAILS.

WATERFALLS


aqua effects
by CMP

CRYSTAL FALLS

A dramatic, powerful hot tub water feature, available with a subtle LED accent. Choose Crystal Falls for a simple installation and a clean installed appearance.

PRODUCT FEATURES

- Two-Hole Installation
- Adapters Fit LED Bulb (sold separately)
- Custom Colors Available




A

COLOR CASCADE

LED light glows through the topside pattern of this feature as ribbons of light fall from the sheer waterfall. For a show-stopping LED feature, Color Cascade is also available in clear for a glowing, ambient light effect.

PRODUCT FEATURES

- Two-Hole Installation
- Adapters Fit LED Bulb (sold separately)
- 1/2" Slip & 3/4" RB Adapters Available



B

ORDERING GUIDE

REF.	CMP P/N	DESCRIPTION	BOX QTY
LED ACCENT WATERFALLS			
A	25259-002-900	6" CRYSTAL FALLS, 316L STAINLESS STEEL	100
A	25274-002-900	8" CRYSTAL FALLS, 316L STAINLESS STEEL	100
A	25259-007-000	6" CRYSTAL FALLS, GRAPHITE GRAY	100
A	25274-007-000	8" CRYSTAL FALLS, GRAPHITE GRAY	100
—	25259-009-016	6" CRYSTAL FALLS GASKET	1200
—	25274-109-016	8" CRYSTAL FALLS GASKET	400
B	25269-007-000	COLOR CASCADE WATERFALL, GRAPHITE GRAY	24
B	25269-009-000	COLOR CASCADE WATERFALL, CLEAR	24
—	25259-109-014	3/4" RIBBED BARB 90° ELL ADAPTER	200
—	25259-009-014	1/2" SMOOTH BARB 90° ELL ADAPTER	1000
—	25259-209-014	3/4" SMOOTH BARB 90° ELL ADAPTER	200
—	25259-000-113	CRYSTAL FALLS NUT	2000

SCONCE WATERFALL

Add an LED water feature with minimal space and hole requirements.

PRODUCT FEATURES

- 4" Wide
- Small Footprint
- LED Ready




A

GRAB RAIL WATERFALL

Combine safety features with exciting water effects.

PRODUCT FEATURES

- Variable Flow Capacity
- Color Options Available
- Available in Clear for LED Lighting
- 1" Hole Size




B

LOW PROFILE "E-Z" WATERFALL

PRODUCT FEATURES

- Easily Removable Clearing Baffle
- Seven or Single Bulb LED
- Includes Light Connectors

C



ORDERING GUIDE

REF	COMP./N	DESCRIPTION	BOX QTY
SPECIALTY WATERFALLS			
A	25271-001-000	SCONCE WATERFALL, GRAPHITE GRAY	100
A	25271-004-000	SCONCE WATERFALL, BLACK	100
B	25262-001-000	GRAB RAIL WATERFALL, GRAPHITE GRAY, 5/8" RB	100
—	25262-004-000	BR. FOR GRAB RAIL WATERFALL	200
C	25273-001-000	8" LOW PROFILE E-Z WATERFALL	70


LIQUID AROMA INJECTOR

aqua effects
by CMP

The spa industry's first liquid aroma injector. Featuring the Wellness scents from inSPAration®. This patented aroma delivery mechanism puts control in the hands of the spa user by allowing calming scents to be released with the push of a button.

PRODUCT FEATURES

- Just One Press Releases Fragrance
- Ergonomic Cap for Easy Refill
- Twist-Lock Activation Button
- About 80 Applications Per Refill
- Perimeter LED Lighting is Available



ORDERING GUIDE


REF	CMP P/N	DESCRIPTION	BOX/BAG
LIQUID AROMA INJECTOR			
—	23845-007-000	COMPLETE LIQUID AROMA INJECTOR ASSEMBLY	50
A	23845-007-100	BUTTON AND PUMP ASSEMBLY	EACH
B	23422-299-020	LED PORT CLIP	EACH
C	26110-425-253	O-RING	EACH
D	23845-009-030	CLEAR WALL FITTING & GASKET	EACH
E	—	LIQUID AROMA BODY (NOT AVAILABLE)	—
F	22145-400-000	3/8" VINYL TUBING (SOLD SEPARATELY)	100 FT ROLL
G	25066-175-000	BULLET CHECK VALVE (SOLD SEPARATELY)	1000/100
H	23003-103-000	INJECTOR FITTING (SOLD SEPARATELY)	500
I	23845-000-140	ASSORTED FRAGRANCE BOX	12

DESIGNED BY ONE COMPANY U.S. PATENTS ON PATENT. PLEASE APPLICATION. SEE WWW.COMPINT.COM FOR DETAILS.

INSPIRATION® FRAGRANCES

PRODUCT FEATURES

- 8.3oz Bottles
- Non-Foaming
- No Oily Residues
- Does Not Effect pH Levels
- Safe on All Surfaces and Equipment



ORDERING GUIDE

CMF #/N	description	box qty
INSPIRATION® WELLNESS FRAGRANCES		
29041-000-100	PEPPERMINT 8.3OZ BOTTLE	12
29041-000-140	ASSORTED FRAGRANCE BOX	12

LED COLOR CRYSTAL™

aqua effects

An unbreakable acrylic Color Crystal with a fun bubble design. The acrylic ball completely replaces the original glass ball design.


The Aqua Effects™ Color Crystal is an industry unique water feature. The Color Crystal spins freely in the jet base, while allowing the LED light to pass through the acrylic ball. By combining dynamic light effects and soft water flow, this product adds exciting ambiance to any hot tub design.

PRODUCT FEATURES

- Fast Hole Saw Installation
- Install Multiple Units Inline
- Small Topside Footprint
- Smooth Consistent Flow and Spin Action
- Exciting, Unique Design
- Acrylic Ball is Compatible with the Triple-Jet Color Crystal Base Only



2-5/16" Hole Size
3/8" Water Line Required



A



B



ORDERING GUIDE

REF.	CMP #/M	DESCRIPTION	BOW QTY
LED COLOR CRYSTAL			
A	25290-000-000	COLOR CRYSTAL ACRYLIC BALL •	112
B	25290-009-010	COLOR CRYSTAL JET BASE •	200
—	25290-000-000	REPLACEMENT COLOR CRYSTAL GLASS BALL (PRE-2016) •	112

OPTIX™ SPA LIGHTING

OTX MINI LIGHTS *105*

LED CUPHOLDERS *106*

INTERIOR LIGHTING *108*

OPTIX™


EMOTIONAL LED LIGHTING

A complete, cohesive LED program that is compatible with systems from every major LED supplier. Our focus is on thoughtful designs that are easy to install for both interior and exterior lighting. Optix includes platform-driven designs that can be customized quickly and with minimal tooling costs.

INNOVATIVE, UNIQUE, CO-MOLDED DESIGNS

STAINLESS STEEL OPTIONS

CLEAR OR DIFFUSED POLYCARBONATE LENSES



OTX Mini spot lights create a burst of intrigue and style. Optix LED fittings can be color matched to jets and other components. The unique hooded design allows for applications above the water line without creating a harsh glare.

PRODUCT FEATURES

- Interior or Exterior, Above or Below the Waterline
- Designed to Soften Glare or Hot Spots
- Fits All Popular LED Lights
- Includes Nut & Gasket



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
OTX-1 MINI LIGHTS			
A	25343-307-000	GRAPHITE GRAY, FROSTED LENS	600
A	25243-304-000	BLACK, FROSTED LENS	600
OTX-3 MINI LIGHTS			
B	25343-407-000	GRAPHITE GRAY, FROSTED LENS	600
B	25243-404-000	BLACK, FROSTED LENS	600
C	25343-600-000	STAINLESS STEEL, FROSTED LENS	600

DESIGNED BY SINTER MERE LLC. PHOTOGRAPHY BY JIMMY BROWN. APPLICATIONS ARE S.M. COMPANY'S PROPERTY FOR DETAILS.

DECO LED CUPHOLDERS



The Patented CMP Deco Cupholder is the most stylish LED cupholder on the market. The customizable insert design is protected by being installed under the cupholder lens.

PRODUCT FEATURES

- Platform-based Design
- Customize the Accent Ring to Coordinate with Other Spa Components
- Survives in the "Gas Zone"
- No Glare or Bright Hot Spots



2-5/16" Hole Size
Buttress Thread

DESIGNED FOR STYLE AND FUNCTION

The CMP Deco Cupholder is the result of platform-based innovation. Not only is this the most sophisticated cupholder design available, it is part of the complete CMP Spa design platform.



ORDERING GUIDE

REF.	CMP #/IN.	DESCRIPTION	BOX QTY.
DECO CUPHOLDER WITH CLEAR TEXTURED LENS			
A	25241-507-800	GRAPHITE GRAY HALO INSERT, GRAY BEVELED RING	100
A	25241-508-700	SILVER HALO INSERT, GRAPHITE GRAY BEVELED RING	100
B	25241-527-800	SILVER HALO INSERT, GRAPHITE GRAY WAVE RING	100
DECO CUPHOLDER WITH CLEAR SMOOTH LENS			
—	25241-517-800	GRAPHITE GRAY HALO INSERT, GRAY BEVELED RING	100
—	25241-518-700	SILVER HALO INSERT, GRAPHITE GRAY BEVELED RING	100

DESIGNED BY ONE COMPANY U.S. PATENTS ON PATENT PENDING APPLICATIONS. SEE WWW.COMPHOUSE.COM FOR DETAILS.

LED CUPHOLDER

PRODUCT FEATURES

- Vivid Color with No Hot Spot
- Fast, Easy Installation
- Reflector Base with Drain Holes



LED GRAB RAIL

PRODUCT FEATURES

- Clear Illuminating Handle
- Low Light Safety Feature



CABINET LIGHT



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
LED CUPHOLDER			
A	25241-000-000	ASSEMBLY WITH DRAIN HOLE BASE *	100
—	25241-010-000	ASSEMBLY WITH REGULAR BASE *	100
—	25241-000-000	REPLACEMENT LENS	—
—	25042-000-012	LIGHT LENS/RIBBED FLAT GASKET	500
—	25241-000-000	GASKET	500
—	23442-000-040	NUT	400
—	25241-010-007	REFLECTOR BASE	100
—	25241-000-007	REFLECTOR BASE WITH DRAIN HOLES	100
—	25200-000-010	SMOOTH BARB ADAPTER FOR THREADED BARB PORT	500
LED GRAB RAIL			
B	25072-070-000	LED SPA GRAB RAIL ASSEMBLY	100
FIBER OPTIC CABINET LIGHT			
C	25243-000-000	FIBER OPTIC CABINET LIGHT (2" x 1-3/8" x 1")	400

LED SPOT FITTINGS

PRODUCT FEATURES

- The Widest Selection of LED Spot Fittings
- Crystal Clear Material for Vibrant Lighting
- Frosted Option for Softer, Even Light Distribution
- Engineered for Compatibility with All Major LED Light Systems
- Clear Have a Clear Gasket; "Frosted" Have a White Gasket
- Large Stem Styles for Larger LEDs & Added Durability
- Packaged 2,000 per Bag



ORDERING GUIDE

REF	CMP #/IN	DESCRIPTION	STYLE	SIZE
LED SPOT FITTINGS				
A	25234-100-000	CLEAR LED SPOT FITTING WITH CLEAR GASKET	SMOOTH	7/8"
A	25234-110-000	CLEAR LED SPOT FITTING WITH CLEAR GASKET, LG STEM	SMOOTH	7/8"
B	25234-100-100	CLEAR LED SPOT FITTING WITH CLEAR GASKET	TEXTURED	7/8"
B	25234-110-100	CLEAR LED SPOT FITTING WITH CLEAR GASKET, LG STEM	TEXTURED	7/8"
C	25234-100-200	CLEAR LED SPOT FITTING WITH CLEAR GASKET	FACETED	7/8"
C	25234-110-200	CLEAR LED SPOT FITTING WITH CLEAR GASKET, LG STEM	FACETED	7/8"
D	25234-100-000	FROSTED LED SPOT FITTING WITH WHITE GASKET	SMOOTH	7/8"
D	25234-110-000	FROSTED LED SPOT FITTING WITH CLEAR GASKET, LG STEM	SMOOTH	7/8"
E	25234-100-200	FROSTED LED SPOT FITTING WITH WHITE GASKET	FACETED	7/8"
E	25234-110-200	FROSTED LED SPOT FITTING WITH CLEAR GASKET, LG STEM	FACETED	7/8"
F	25234-000-000	CLEAR LED SPOT FITTING WITH CLEAR GASKET	SMOOTH	1/2"
G	25234-140-000	CLEAR LED SPOT FITTING WITH CLEAR GASKET	TEXTURED	1/2"
H	25234-000-200	CLEAR LED SPOT FITTING WITH CLEAR GASKET	FACETED	1/2"
I	25234-000-000	FROSTED LED SPOT FITTING WITH WHITE GASKET	SMOOTH	1/2"
J	25234-000-200	FROSTED LED SPOT FITTING WITH WHITE GASKET	FACETED	1/2"
K	25237-000-000	CLEAR PVC ROUND LED SPOT FITTING	FACETED	1"
L	25238-000-000	CLEAR SIX-SIDED LED SPOT FITTING	FACETED	—

SQR ALSO AVAILABLE
See SQR Products on page 77

2" SPA LIGHT

- Prismatic Pyramid Lens Enhances & Improves LED Color Mixing
- Small, Compact Light Footprint
- Compatible with LED Bulbs
- Butress Thread Design With Silicone Gasket Simplifies Installation



1-11/16" Hole Size
Rear Access



5" SPA LIGHT

- Stainless Steel Escutcheon Option
- Complete Kits Include Lens, Reflector, Bulb and Wire Harness with AMP Connector
- Red & Blue Lens Covers Also Available



3-3/4" Hole Size
Rear Access



3" SPA LIGHT

- Complete Kits Include Lens, Reflector, Bulb and Wire Harness with AMP Connector
- Red & Blue Lens Covers Also Available



2-1/2" Hole Size
Rear Access



ORDERING GUIDE

REF	COMP. P/N	DESCRIPTION	BOX QTY
2" SPA LIGHT			
A	25247-100-000	2" SPA LIGHT ASSEMBLY (LENS, GASKET, NUT, REFLECTOR)	—
5" SPA LIGHT			
B	25242-000-000	5" SPA LIGHT ASSEMBLY (LENS, NUT, GASKET, REFLECTOR)	50
C	25243-002-000	STAINLESS STEEL 5" SPA LIGHT ASSEMBLY	50
3" SPA LIGHT			
D	25241-000-000	3" SPA LIGHT ASSEMBLY (LENS, GASKET, NUT & REFLECTORS (RED & BLUE))	100
—	25241-000-100	3" CLEAR LENS, GASKET & NUT NO REFLECTORS	100



ALSO AVAILABLE
See SQR Product Catalog J2

SPA LIGHT ACCESSORIES



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
LIGHTING PARTS AND ACCESSORIES			
A	25241-000-100	3" RED AND BLUE LEADS	100
A	25243-000-061	3" RED AND BLUE LENSES	250/25
—	26211-000-130	GASKET FOR 3" LIGHT	EACH
—	26207-506-151	GASKET FOR 3" LIGHT	EACH
—	26200-796-300	EPDM COMPRESSION SEAL FOR 3" LIGHT	EACH
B	25240-030-000	NUT FOR 3" LIGHT	EACH
—	25240-100-020	2" SPA LIGHT REFLECTOR HOUSING	—
—	25241-000-050	3" SPA LIGHT REFLECTOR HOUSING	100
—	25242-010-050	5" SPA LIGHT REFLECTOR HOUSING	600
C	25239-000-000	SPA LIGHT BULB (GE 912)	10

FILTRATION & CIRCULATION

SKIMMERS & FILTERS *112*

REPLACEMENT FILTER ELEMENTS *121*

VGB SUCTIONS *122*

SPA PUMP WET ENDS *123*

FLOATING VANE WEIR FILTER

The CMP Floating Vane Weir Skim filter is an improvement on an essential part of spa design. The floating vane weir ensures consistent flow through the skimmer, even as the water level rises and falls. Clean up is easy with a twist-lock vane that removes quickly to access the built in skimmer basket.

PRODUCT FEATURES

- Floating Vane Weir Adjusts with the Water Level
- Twist-Lock Vane Weir
- Lid is Customizable with Your Logo



2" Inlet/Outlet
6-7/8" Hose Size




CUSTOMIZE WITH
YOUR LOGO



EASILY REMOVABLE
VANE WEIR



COLOR REFERENCE



ORDERING GUIDE

CMP P/N	DESCRIPTION	BODY HEIGHT	FILTER ELEMENT (sq. ft.)	BOX BAG
FLOATING VANE WEIR FILTER				
33351-904-000G	35 SQ. FT. FLOATING VANE WEIR SKIM FILTER, BLACK	16-1/2"	G	B
33351-907-000G	35 SQ. FT. FLOATING VANE WEIR SKIM FILTER, GRAPHITE GRAY	16-1/2"	G	B
33351-909-000G	35 SQ. FT. FLOATING VANE WEIR SKIM FILTER, CLASSIC GRAY	16-1/2"	G	B
33353-904-000G	50 SQ. FT. FLOATING VANE WEIR SKIM FILTER, BLACK	19-1/2"	N	B
33353-907-000G	50 SQ. FT. FLOATING VANE WEIR SKIM FILTER, GRAPHITE GRAY	19-1/2"	N	B
33353-909-000G	50 SQ. FT. FLOATING VANE WEIR SKIM FILTER, CLASSIC GRAY	19-1/2"	N	B
26200-293-891	3/8" SKIMMER COMPRESSION SEAL	—	—	100/25
26200-201-745	1/2" SKIMMER COMPRESSION SEAL	—	—	100/25
35351-019-999	SAFE-SHIP CLIP	—	—	—

FILTER ELEMENT IS NOT PAID FOR BY CUSTOMER AND SHIPPED SEPARATELY

FLOATING VANE WEIR FILTER

A BETTER SPA SKIM FILTER, BY DESIGN

FLOATING WEIR

Adjusts with the water level to ensure adequate surface water skimming.

TWIST-LOCK VANE

Just a simple twist removes the vane weir and exposes the debris basket below.

BUILT IN BASKET

The basket is conveniently located, making debris removal fast and easy.

SAFE-SHIP CLIP

The floating weir remains locked in during shipment and delivery. Unlike other floating skimmers, this does not require any complicated modification of the skimmer after delivery and installation. Simply remove and discard the bright yellow clip and the spa is ready to use.



ELITE FILTER

CREATE A CUSTOM
ELITE FILTER

PRODUCT FEATURES

- Custom Order to Fit Your Needs
- Body & Components Sold Separately
- Safety Enhancing Flange
- Telescopic Weir Adjusts with the Water Level
- Telescopic or Vane Weir Options



2" Inlet/Outlet
6-7/8" Hole Size



ALSO AVAILABLE
See SQR Products at page 27



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	FILTER AREA (SQ. FT.)	HEIGHT	FILTER ELEMENT (page 27)	BOX QTY
ELITE FILTER WEIRS						
A	25349-904-001	BLACK VANE WEIR	—	5-3/8"	—	24
A	25349-907-001	GRAPHITE GRAY VANE WEIR	—	5-3/8"	—	24
A	25349-909-001	CLASSIC GRAY VANE WEIR	—	5-3/8"	—	24
B	25351-904-100	BLACK LO-FLO FLOATING WEIR	—	5-1/2"	—	50
B	25351-907-100	GRAPHITE GRAY LO-FLO FLOATING WEIR	—	5-1/2"	—	50
B	25351-909-100	CLASSIC GRAY LO-FLO FLOATING WEIR	—	5-1/2"	—	50
B	25353-904-100	BLACK HI-FLO FLOATING WEIR	—	5-1/2"	—	50
B	25353-907-100	GRAPHITE GRAY HI-FLO FLOATING WEIR	—	5-1/2"	—	50
B	25353-909-100	CLASSIC GRAY HI-FLO FLOATING WEIR	—	5-1/2"	—	50
ELITE FILTER ACCESSORIES						
C	25351-904-200	BLACK FILTER BASKET	—	—	—	50
C	25351-907-200	GRAPHITE GRAY FILTER BASKET	—	—	—	50
C	25351-909-200	CLASSIC GRAY FILTER BASKET	—	—	—	50
D	26200-253-851	3/8" EPDM COMPRESSION SEAL	—	—	—	500/25
D	26200-253-745	1/2" EPDM COMPRESSION SEAL	—	—	—	500/25
ELITE FILTER BODIES						
E	25351-994-000G	BLACK FILTER BODY & LOCKNUT	35/50	16-1/2"	L, F, G, H	6
E	25351-997-000G	GRAPHITE GRAY FILTER BODY & LOCKNUT	35/50	16-1/2"	L, F, G, H	6
E	25351-999-000G	CLASSIC GRAY FILTER BODY & LOCKNUT	35/50	16-1/2"	L, F, G, H	6
E	25351-994-000G	BLACK FILTER BODY & LOCKNUT	25/50	19-1/2"	D, J	6
E	25351-997-000G	GRAPHITE GRAY FILTER BODY & LOCKNUT	25/50	19-1/2"	D, J	6
E	25351-999-000G	CLASSIC GRAY FILTER BODY & LOCKNUT	25/50	19-1/2"	D, J	6
E	25358-994-000G	BLACK FILTER BODY & LOCKNUT	75	21"	T, U	6
E	25358-997-000G	GRAPHITE GRAY FILTER BODY & LOCKNUT	75	21"	T, U	6
E	25358-999-000G	CLASSIC GRAY FILTER BODY & LOCKNUT	75	21"	T, U	6
E	25359-994-000G	BLACK FILTER BODY & LOCKNUT	100	23-3/4"	W	6
E	25359-997-000G	GRAPHITE GRAY FILTER BODY & LOCKNUT	100	23-3/4"	W	6
E	25359-999-000G	CLASSIC GRAY FILTER BODY & LOCKNUT	100	23-3/4"	W	6

ELITE FILTER

ELITE FILTER
CUSTOM
BUILD
PLATFORM**A. VANE WEIR**

360 degree safety-focused filtration with a clean installed design.

B. TELESCOPING WEIR

A floating telescopic weir that automatically adjusts with the water level for precise water skimming at all times. Available in Low or Hi-Flo.

C. FILTER BASKET


For easy clean-up of larger debris. Basket is color matched to the filter body for a seamless appearance.

D. EPDM GASKET

Optional EPDM compression seal gasket available in two sizes.

E. FILTER BODY

Four filter body sizes with locknut, in three color options. Filter element is sold separately. (see page 121)



Graphite Gray shown. Black & Classic Gray also available.

PLATFORM-DRIVEN DESIGN: Across every product line, we are totally committed to creating complete spa product platforms that free you up to make the best decisions for your hot tub design needs.

STANDARD FILTER WITH TELESCOPING WEIR

PRODUCT FEATURES

- Improved Flapper Valve for Superior By-Pass Flow
- Safety Enhancing Flange
- Built-In Skimmer Basket



2" Inlet/Outlet
7/8" Hole Size

COLOR REFERENCE



ORDERING GUIDE

REF.	CMP P/N	DESCRIPTION	BODY HEIGHT	FILTER ELEMENT (approx.)	ITEM BAG
STANDARD FILTER WITH TELESCOPING WEIR					
A	25164-907-000G	25 SQ FT COMPACT STD SKIM FILTER, GRAPHITE GRAY	12-1/2"	B	6
A	25166-907-000G	35 SQ FT STD SKIM FILTER, GRAPHITE GRAY	14-3/4"	E OR F	6
A	25166-972-000G	55 SQ FT STD SKIM FILTER, GRAPHITE GRAY/SS	14-3/4"	E OR F	6
A	25167-907-000G	25/50 SQ FT STD SKIM FILTER, GRAPHITE GRAY	15"	D OR I	6
ACCESSORIES					
B	25367-907-100	GRAPHITE GRAY REPLACEMENT WEIR AND LID	—	—	30
C	25367-907-200	GRAPHITE GRAY REPLACEMENT BASKET	—	—	50
D	26200-253-851	3/8" SKIMMER COMPRESSION SEAL	—	—	500/25
D	26200-201-145	1/2" SKIMMER COMPRESSION SEAL	—	—	500/25

FILTER ELEMENT (ITEM BAGS 10) ELEMENTS 500/25 SKIMMER

PRESSURE FILTER


PRODUCT FEATURES

- Improved Flapper Valve for Superior Bypass Flow
- Ergonomic Lock Ring for Easy Removal
- Graphite or Classic Gray Replacement Parts



2" Inlet/Outlet
6-7/8" Hole Size

COLOR REFERENCE



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BODY HEIGHT	FILTER ELEMENT (sq/ft)	BOX/BAG
PRESSURE FILTER					
A	25184-907-000G	25/50 SQ FT PRESSURE FILTER, GRAPHITE GRAY	15-1/8"	D / ORK	6
A	25184-909-000G	25/50 SQ FT PRESSURE FILTER, CLASSIC GRAY	15-1/8"	D / ORK	6
A	25383-907-000G	25 SQ FT PRESSURE FILTER, GRAPHITE GRAY	22-1/8"	V	6
A	25385-909-000G	25 SQ FT PRESSURE FILTER, CLASSIC GRAY	22-1/8"	V	6
PRESSURE FILTER REPLACEMENT PARTS					
B	25376-007-000	AIR RELIEF PLUG	—	—	500
C	26100-150-275	AIR RELIEF O-RING	—	—	1000
D	25376-107-000	PRESSURE FILTER LID ASSEMBLY, GRAPHITE GRAY	—	—	50
E	25376-000-211	TOP SPACER	—	—	300
F	26101-500-530	PRESSURE FILTER LID O-RING	—	—	500
G	25376-007-000	LOCK RING	—	—	100
—	26200-257-850	1/8" SKIMMER COMPRESSION SEAL	—	—	100/25
—	26200-201-745	1/2" SKIMMER COMPRESSION SEAL	—	—	500/25

(FILTER ELEMENT CHART PAGE 22) (ELEMENTS SOLD SEPARATELY)

FUSION FRONT ACCESS FILTER

Add style to any hot tub while providing high flow and skimming functionality with a modern auto-inspired design.

PRODUCT FEATURES

- Dual Port Filtration
- Two Stock Color Options Available
- 100 Square Foot Filtration

TWO-TONE DESIGN

Multiple component design allows web part colors to be adjusted to match or complement existing parts such as jets and control handles.

CUSTOM LOGO

Optionally, add your logo or custom design very simply in the customizable oval plate.



ORDERING GUIDE

CMP P/N	DESCRIPTION	FILTER ELEMENT sq. ft.	BOX QTY
FUSION DUAL PORT FRONT ACCESS FILTER			
25251-000-000	100 SQ. FT. 2-PORT, GRAPHITE GRAY W/ SILVER ACCENT	Q5 L or M	2
25253-000-000	100 SQ. FT. 2-PORT, WHITE W/ GRAPHITE GRAY ACCENT	Q5 L or M	2
25253-007-200	100 SQ. FT. FILTER BODY ONLY (NO WEB)	Q5 L or M	2
FUSION WEB ONLY (BODY SOLD SEPARATELY)			
25251-000-100	GRAPHITE GRAY W/ SILVER ACCENT	Q5 L or M	8
25253-000-100	WHITE W/ GRAPHITE GRAY ACCENT	Q5 L or M	8

DESIGNED BY ONE CONCEPT U.S. PATENTS ON PATENT. PLEASE SEE APPLICATIONS, LIST 1, WWW.ONECONCEPT.COM FOR DETAILS.

FRONT ACCESS SKIMMERS & FILTERS

PRODUCT FEATURES

- Dual or Single Port
- "Wave" Style Frame Design
- Custom Company Logo Available



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	HEIGHT	FILTER ELEMENT (See Guide)	BOX QTY
SINGLE PORT FRONT ACCESS SKIMMERS & FILTERS					
A	25248-001-000	FRONT ACCESS SKIMMER, GRAY	13"	BASKET	8
A	25248-004-000	FRONT ACCESS SKIMMER, BLACK	13"	BASKET	8
A	25248-007-700	FRONT ACCESS SKIMMER, GRAPHITE GRAY	13"	BASKET	8
B	25249-901-000	10 SQ FT FRONT ACCESS, GRAY	16-1/4"	A	8
B	25249-907-000	10 SQ FT FRONT ACCESS, GRAPHITE GRAY	16-1/4"	A	8
C	25252-117-000	50 SQ FT FRONT 1-PORT FILTER, GRAPHITE/SILVER WAVE	20-1/4"	L or M	4
C	25252-917-000	50 SQ FT FRONT 1-PORT, GRAPHITE GRAY	20-1/4"	L or M	4
C	25253-117-000	100 SQ FT FRONT ACCESS 1-PORT, GRAPHITE/SILVER WAVE	26-1/4"	P + R	4
C	25253-917-000	100 SQ FT FRONT ACCESS 1-PORT, GRAY	26-1/4"	P + R	4
C	25253-917-000	100 SQ FT FRONT ACCESS 1-PORT, GRAPHITE GRAY	26-1/4"	P + R	4
DUAL PORT FRONT ACCESS FILTERS					
D	25254-907-000	100 SQ FT FRONT ACCESS 2-PORT, GRAPHITE GRAY	20-1/4"	Q1 L or M	2
D	25254-127-000	100 SQ FT FRONT ACCESS 2-PORT, GRAPHITE/SILVER WAVE	20-1/4"	Q1 L or M	2
D	25254-907-000	200 SQ FT FRONT ACCESS 2-PORT, GRAPHITE GRAY	26-1/4"	Q1P + Q2R	2

FILTER ELEMENT Q1P + Q2R ARE 1/2" SUBMERGED ONLY SKIMMERS

FILTER ACCESSORIES



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
FILTER & SKIMMER ACCESSORIES			
A	25233-107-000	FILTER WEIR DOOR, GRAPHITE GRAY / SILVER WAVE	10
B	25233-307-000	FILTER WEIR DOOR, GRAPHITE GRAY / SILVER WAVE (LOWER WEIR DOOR)	10
C	25253-920-900	FRONT ACCESS MANIFOLD	24
D	27022-200-000	2" PLUG FOR FRONT ACCESS MANIFOLD	480
E	25253-921-130	WIDEMOUTH FILTER GASKET	200
F	27051-009-000	ADJUSTABLE FLOATING SPA CHLORINATOR, TEN 1" TABLET CAPACITY	45
G	25395-001-000	FILTER EXTENSION WITH 8-7/8" COVER (5-7/8" ID x 4" DEEP)	50
H	25345-107-000	SPA STRIP SKIMMER, 1.5" MIP FITTING (4-1/8" x 9-1/8")	50
I	25245-007-000	SPA STRIP SKIMMER, 1.5" MIP FITTING (4-1/8" x 9-1/8") & STANDARD NUT	50
J	25396-007-000	TWO-CLIP LID FOR FILTER NICHE, 10" DIAMETER	100
K	25397-007-000	CARTRIDGE FILTER NICHE	30
L	35451-907-000	VACUUM-BREAK FOR SKIM FILTER, GRAPHITE GRAY	100
—	35451-909-000	VACUUM-BREAK FOR SKIM FILTER, CLASSIC GRAY	100
—	35451-904-000	VACUUM-BREAK FOR SKIM FILTER, BLACK	100
M	25245-999-999	WRENCH FOR SKIMMER FITTING (FITS 25245-107-000)	1
N	25398-000-000	BROMINATOR FOR TOP-LOAD FILTERS, TEN 1" TABLET-CAPACITY	200
—	26100-300-220	REPLACEMENT O-RING FOR BROMINATOR	100
O	25396-016-000	BROMINATOR FOR 16 1/2" CARTRIDGE FILTER	EACH

REPLACEMENT FILTER ELEMENTS

PRODUCT FEATURES

- Standard or Microban® Elements
- Compatible Replacements for Common Spa Filters
- Sold in Box Quantities Only




ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	DIAMETER	LENGTH	BOX QTY
REPLACEMENT FILTER ELEMENTS					
A	25249-800-000	10 SQ FT IC-4310	4-1/2"	4"	25
B	25392-000-100	25 SQ FT COMPACT IC-4400	5"	9-5/8"	32
D	25392-000-000	25 SQ FT IC-4326	5"	13-5/16"	16
E	25393-000-000	35 SQ FT IC-4335	5"	9-1/4"	16
F	25393-200-000	35 SQ FT MICROBAN® IC-4335AM	5"	9-1/4"	16
G	25389-800-000	35 SQ FT WCH-8935	5"	8-1/4"	16
H	25351-800-000	50 SQ FT IC-5345	5-1/16"	30-1/8"	16
J	25391-000-000	50 SQ FT IC-4950	5"	13-5/16"	16
L	25252-800-000	50 SQ FT WCH-540	8"	8-1/4"	12
M	25252-800-200	50 SQ FT MICROBAN® WCH-540AM	8"	8-1/4"	12
N	25351-700-000	50 SQ FT WCH-240-M	5"	13-1/2"	16
P	25253-800-000	50 SQ FT TOP ELEMENT WCH-941	8"	8-1/4"	12
R	25254-800-000	50 SQ FT BOTTOM ELEMENT WCH-942	8"	8-1/4"	12
T	25358-800-000	75 SQ FT IC-5374	5-5/16"	14-13/16"	16
U	25358-800-200	75 SQ FT MICROBAN® IC-5374AM	5-5/16"	14-13/16"	16
V	25390-000-000	75 SQ FT IC-4875	5"	20-1/8"	16
W	25359-800-000	100 SQ FT IC-E267	5-5/16"	17-13/16"	16

VGB CERTIFIED SUCTIONS

PRODUCT FEATURES


- Plastic or Stainless Steel Covers
- Compliant to ANSI/APSP-16 2017 Requirements
- UL Listed



TECHNICAL GUIDE




- Open Area is 12.36m²
- 3-5/16" Hole Size
- Single or Multiple Suction Use
- 170 GPM (Plastic)
- 172 GPM (Stainless Steel)



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX / BAG
170 GPM SUCTION			
A	25201-007-000	170 GPM SUCTION, 2.5" SLIP WITH GRAPHITE COVER	50
A	25201-007-100	170 GPM SUCTION, 2" SLIP WITH GRAPHITE COVER & EPDM GASKET	50
A	25201-004-100	170 GPM SUCTION, 2" SLIP WITH BLACK COVER & EPDM GASKET	50
A	25201-009-100	170 GPM SUCTION, 2" SLIP WITH CLASSIC GRAY COVER & EPDM GASKET	50
A	25201-037-000	170 GPM GRAPHITE GRAY COVER ONLY	150
A	25201-034-000	170 GPM BLACK COVER ONLY	150
A	25201-039-000	170 GPM CLASSIC GRAY COVER ONLY	150
A	25200-000-250	2.5" SLIP WALL FITTING ONLY WITH NUT & SCREW	50
A	25200-000-450	2" SLIP WALL FITTING ONLY WITH NUT & SCREW	50
172 GPM SUCTION			
B	25200-202-000	172 GPM SUCTION, 2" SOCKET WITH STAINLESS STEEL COVER	50
B	25200-202-010	172 GPM STAINLESS STEEL COVER ONLY	100
SUCTION ACCESSORIES			
—	25200-060-000	COMPENSATOR RING	1000/50
—	26210-307-005	FLAT GASKET	1000/50
—	26210-886-040	L-GASKET	1000/50
—	26200-252-001	COMPRESSION SEAL EPDM GRAY	1000/50
—	25200-040-010	SUCTION NUT	1000/50
—	61000-050-010	REPLACEMENT SCREW FOR SUCTION COVER	—
—	25200-000-450	2" WHITE WALL FITTING	50
—	25200-001-450	2" GRAY WALL FITTING	50
—	25201-999-000	METAL WRENCH	—

48/56 FRAME PUMP WET ENDS



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX QTY
48/56 FRAME PUMP WET END			
A	27203-300-000	2HP 48/56 FRAME WET END ASSEMBLY	12
A	27203-300-000	3HP 56 FRAME WET END ASSEMBLY	12
—	25267-000-170	WET END ADAPTER, 1/4" RIBBED BARB x 1/4" MPT	—
—	27240-004-000	EQUIPMENT BASE, 15-1/2" x 12" x 1"	20
—	27203-000-990	CMP WET END SEAL KIT (UNIVERSAL)	—
—	27203-000-900	WET END SEAL KIT (PRE-2017)	—
B	27241-004-000	PUMP VIBRATION PAD	230
C	27247-004-000	PUMP VIBRATION STRIPS	230
D	23001-007-000	AIR LOCK RELIEF FITTING	1000
56 FRAME PUMP REPLACEMENT PARTS			
A	27203-300-010	PUMP WET END HOUSING (BOTTOM)	—
B	27203-300-300	2 HP IMPELLER	—
B	27203-300-300	3 HP IMPELLER	—
C	27203-380-050	WEAR RING FOR 2HP AND 3HP WET END	—
D	26701-600-265	O-RING	—
E	27203-300-020	HOUSING COVER	—
F	61000-000-016	SCREWS (SET OF 8)	—
G	26701-125-265	DRAIN PLUG O-RING	—
G	27203-380-070	DRAIN PLUG	—



ACCESSORIES & TOOLS

DRAIN SYSTEMS 126

ACCESSORY ITEMS 130

TOOLS & AUXILIARY 132

SPA DRAIN FITTINGS

STRAIGHT DRAIN

PRODUCT FEATURES

- Stainless or Graphite Gray Cover
- 2-5/16" Face



1" Slip Body
1-13/16" Hole Size





LOW PROFILE DRAIN

PRODUCT FEATURES

- Attractive Low Profile Installation
- Stainless or Graphite Gray Cover
- Slip or Barbed Fittings



1-3/4" Hole Size
1-3/8" Hole Size with "L" Gasket



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BAG
2-5/16" FACE STRAIGHT SPA DRAINS			
A	25209-002-000	STAINLESS STEEL COVER, 1" SLIP STRAIGHT DRAIN	300/20
A	25209-007-000	GRAPHITE GRAY COVER, 1" SLIP STRAIGHT DRAIN	300/20
1-3/4" LOW PROFILE DRAINS			
B	25208-002-000	STAINLESS STEEL COVER, 3/4" 90° SLIP	400/25
B	25208-007-000	GRAPHITE GRAY COVER, 3/4" 90° SLIP	400/25
C	25208-102-000	STAINLESS STEEL COVER, 3/4" 90° RIBBED BARB	400/25
C	25208-107-000	GRAPHITE GRAY COVER, 3/4" 90° RIBBED BARB	400/25
D	25208-222-000	STAINLESS STEEL COVER, 3/4" 90° SMOOTH BARB	400/25
D	25208-207-000	GRAPHITE GRAY COVER, 3/4" 90° SMOOTH BARB	400/25
—	26200-252-001	COMPRESSION SEAL	5000/1000

3-STEP FLUSH MOUNT DRAIN VALVE

Draining a hot tub just got a whole lot easier. Featuring a fast 3-Step operation, this drain easily installs with a standard hole saw. The double-seal protection ensures against leaks. The flush mount design and LED ready body create a clean and attractive installed appearance on any hot tub.

PRODUCT FEATURES


- Double Seal Protection
- Easy Hole-Saw Installation
- User-Friendly Three-Step Operation
- LED-Ready for Back-lighting




3/4" Smooth Bore
2" Hole Size




1. PULL OUT



2. REMOVE CAP



3. ATTACH HOSE & TWIST



ORDERING GUIDE

CMP. #/IN.	DESCRIPTION	BOX QTY.
3-STEP FLUSH MOUNT DRAIN VALVE		
25212-104-000	COMPLETE ASSEMBLY (DRAIN, GASKETS, CAP) WITH GHT THREADS	100
25212-204-000	COMPLETE ASSEMBLY (DRAIN, GASKETS, CAP) WITH BSP THREADS	100

SPA DRAIN VALVES

STANDARD DRAIN VALVE

PRODUCT FEATURES

- Black Design with 3-1/2" Face
- Includes Drain Cap
- Available Adapters Sold Separately



1-1/2" Slip Body
2-9/16" Hole Size



ECONOMY DRAIN VALVE

PRODUCT FEATURES

- Cost-Effective Spa Drain Option
- Black Body with 2-1/4" Face
- Includes 3/4" Adapter & Drain Cap



1/2" Slip Body
1-5/16" Hole Size



QUICK DRAIN OUTLET

PRODUCT FEATURES


- Simple Plug and Drain Design
- 90° Fitting




ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BAG
STANDARD DRAIN VALVE			
A	25211-004-000	STANDARD DRAIN VALVE ASSEMBLY (BODY & DRAIN CAP)	100
B	25211-004-200	1-1/2" MPT x 1-1/4" BARB ADAPTER	100/25
C	25211-004-100	1-1/2" MPT x 1/4" MPT ADAPTER	300/25
SMALL DRAIN VALVES			
D	25212-004-000	ECONOMY DRAIN VALVE ASSEMBLY (BODY, CAP & 3/4" RB ADAPTER)	200
E	25212-114-000	ECONOMY DRAIN VALVE ASSEMBLY (BODY, CAP & 3/4" SB ADAPTER) WITH LABEL	200
F	25213-014-000	ECONOMY DRAIN VALVE (3/4" RIBBED BARB) WITH LABEL	100
G	25213-004-000	QUICK DRAIN OUTLET	100


DRAIN VALVE DIMENSIONS



Flush Mount Drain Valve



Standard Drain Valve



Economy Drain Valve

CABINET ACCESSORIES


ALL-SEASON CABINET VENT

PRODUCT FEATURES

- Vent in Summer, or Close for Winter with Simple Open/Close Slide Mechanism
- Increase Spa Efficiency
- Snap-Fit Installation: No Nut Required



4.25" Diameter
Snap-Fit Hole Saw Installation



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX / QTY
CABINET VENTS & ACCESSORIES			
A	25229-004-000	ALL-SEASON CABINET VENT	64
B	25230-001-000	CLASSIC GRAY 2-5/16" x 8-1/2" CABINET VENT & SCREWS	220
C	25230-009-000	BROWN 2-5/16" x 8-1/2" CABINET VENT & SCREWS	220
D	25230-007-000	GRAPHITE GRAY 2-5/16" x 8-1/2" CABINET VENT & SCREWS	220

SPA ACCESSORIES

E-Z LIFTER COVERLIFT


- Easy One Person Operation
- Rugged, Durable and Weather Resistant
- Compatible with Most Spas
- Hardware Kit Included
- Individual Carton is Triangular (45.7" x 26.6" x 3")
- Master Carton 4-Pack is Rectangular (46" x 27.5" x 6")



*Pool tub & model not included

HANDHELD POOL & SPA QUICK-VAC

- Includes Four Cleaning Attachments
- Wall Mount Bracket and Screws Included
- Attractive & Branded Retail Packaging Design
- Clear View Filter



CARTRIDGE FILTER CLEANING TOOL

- Deep Clean Cartridge Filters
- Attaches to a Standard Garden Hose



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	RECTANGULAR SPA MAX. SIZE	BOX QTY
SPA ACCESSORIES				
A	58528-004-000	BLACK STANDARD E-Z LIFTER	60" x 96"	4
A	58528-000-000	BRUSHED STAINLESS STANDARD E-Z LIFTER	60" x 96"	4
A	58528-104-000	BLACK XL E-Z LIFTER	96" x 108"	4
A	58528-100-000	BRUSHED STAINLESS XL E-Z LIFTER	96" x 108"	4
—	58528-000-100	E-Z LIFTER COMPLETE REPLACEMENT HARDWARE KIT	—	—
B	58306-008-000	HANDHELD POOL AND SPA QUICK-VAC	—	6
C	25300-200-000	CARTRIDGE FILTER CLEANING TOOL	—	—

TOOLS & AUXILIARY PRODUCTS



ORDERING GUIDE

REF.	CMP P/N	DESCRIPTION	QTY./BAS.
TOOLS & AUXILIARY PRODUCTS			
A	22306-000-000	CLAMP PINCER FOR DETACHER CLAMPS	1
B	22309-015-000	3/4" BARS BAR CLAMP (ATTACHES CLEAR TUBE TO 3/4" BARS MANFOLD)	2500/100
C	24375-000-000	3/8" BARS SPRING CLAMP	2500/100
D	22005-100-000	FLEX HOSE 1/2" (100 FT)	EACH
D	22007-100-000	FLEX HOSE 3/4" (100 FT)	EACH
D	22010-050-000	FLEX HOSE 1" (50 FT)	EACH
D	22019-050-000	FLEX HOSE 1 1/2" (50 FT)	EACH
D	22020-050-000	FLEX HOSE 2" (50 FT)	EACH
D	22025-050-000	FLEX HOSE 2 1/2" (50 FT)	EACH
E	22143-500-000	CLEAR TUBE 1/8" X 1/4" (500 FT)	EACH
E	22144-650-000	CLEAR TUBE 1/4" X 3/8" (650 FT)	EACH
E	22145-400-000	CLEAR TUBE 3/8" X 9/16" (400 FT)	EACH
E	22146-300-000	CLEAR TUBE 3/8" X 5/8" (300 FT)	EACH
E	22171-150-000	CLEAR TUBE 1/4" X 1" (150 FT)	EACH

WHITE GOODS & PLUMBING

WATER & AIR MANIFOLDS 134

PLUMBING & FITTINGS 138

VALVES 143


SLIP WATER MANIFOLDS



ORDERING GUIDE

REF.	CMP P/N	DESCRIPTION	FITTING SIZE	BOX/BAG
1/2" SLIP WATER MANIFOLDS				
A	21110-040-000	FOUR PORT 1/2" SLIP	2" SOCKET + 2" SPRIGIT	100
B	21111-040-000	FOUR PORT 1/2" SLIP	2" SOCKET + 2" SOCKET	100
C	21112-040-000	FOUR PORT 1/2" SLIP	2" SOCKET	100
D	21060-000-000	FOUR PORT 1/2" SLIP	1.5" SOCKET	350/25
E	21110-020-000	TWO PORT 1/2" SLIP	2" SOCKET + 2" SPRIGIT	100
F	21110-060-000	SIX PORT 1/2" SLIP	2" SOCKET + 2" SPRIGIT	100
G	21111-000-000	SIX PORT 1/2" SLIP	2" SOCKET + 2" SOCKET	70
H	21112-100-000	TEN PORT 1/2" SLIP & FOUR PLUGS	1.2" SOCKET + 1.5" SPRIGIT	65
I	21116-000-000	SIX PORT 1/2" SLIP (3 PLUGS)	1.5" SOCKET	200/20
—	21131-100-010	1/2" SLIP PORT PLUGS	—	2000/200
3/4" SLIP WATER MANIFOLDS				
J	21120-020-100	TWO PORT 3/4" SLIP	2" SOCKET + 2" SPRIGIT	—
K	21127-020-000	TWO PORT 3/4" SLIP	1.5" SOCKET	150
L	21125-050-000	FIVE PORT 3/4" SLIP	2" SOCKET	100
M	21127-040-000	FOUR PORT 3/4" SLIP	1.5" SOCKET	100
N	21120-040-000	FOUR PORT 3/4" SLIP	2" SOCKET + 2" SPRIGIT	80
O	21121-040-000	FOUR PORT 3/4" SLIP	2" SOCKET + 2" SOCKET	80
P	21123-040-000	FOUR PORT 3/4" SLIP	1.5" SOCKET + 1.5" SPRIGIT	120
Q	21121-060-000	SIX PORT 3/4" SLIP	2" SOCKET + 2" SOCKET	80
R	21123-180-000	EIGHT PORT 3/4" SLIP & FOUR PLUGS	1.5" SOCKET + 1.5" SPRIGIT	80
—	21090-000-000	3/4" SLIP PORT PLUGS	—	800

3/4" RIBBED BARB WATER MANIFOLDS



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	FITTING SIZE	BOX QTY
3/4" RIBBED BARB WATER MANIFOLDS				
A	21130-020-100	TWO PORT 3/4" RIBBED BARB	2" SOCKET x 2" SPIGOT	100
B	21130-420-100	TWO PORT 3/4" RIBBED BARB	2" SOCKET x 2" SOCKET	100
C	21130-320-100	TWO PORT 3/4" RIBBED BARB LIGHT WEIGHT	2" SOCKET x BLIND	100
D	21027-200-100	FOUR PORT 3/4" RIBBED BARB	2" SOCKET x 2" SOCKET	100
E	21027-000-100	FOUR PORT 3/4" RIBBED BARB	2" SOCKET x 2" SPIGOT	100
F	21027-100-100	FOUR PORT 3/4" RIBBED BARB	2" SOCKET x BLIND	100
G	21134-400-000	FOUR PORT 3/4" RIBBED BARB	1.5" SOCKET x 1.5" SPIGOT	120
H	21134-340-000	FOUR PORT 3/4" RIBBED BARB	1.5" SOCKET x 1.5" SOCKET	120
I	21024-000-100	SIX PORT 3/4" RIBBED BARB	2" SOCKET x 2" SOCKET	50
J	21024-100-100	SIX PORT 3/4" RIBBED BARB	2" SOCKET x BLIND	50
K	21025-000-100	SIX PORT 3/4" RIBBED BARB	2" SOCKET x 2" SPIGOT	50
L	21026-000-000	FOUR PORT 3/4" RIBBED BARB & TWO PLUGS	1.5" SOCKET x 1.5" SPIGOT	100
M	21133-000-000	EIGHT PORT 3/4" RIBBED BARB	1.5" SOCKET x 1.5" SPIGOT	50
N	21139-000-000	EIGHT PORT 3/4" RIBBED BARB	1.5" SOCKET x 1.5" PLUG	100
O	21133-040-000	FOUR PORT 3/4" RIBBED BARB	1.5" SOCKET x 1.5" SPIGOT	150
—	21027-000-010	3/4" RIBBED BARB PORT PLUG	—	—

3/4" SMOOTH BARB WATER MANIFOLDS



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	FITTING SIZE	BOX QTY
3/4" SMOOTH BARB WATER MANIFOLDS				
A	21130-620-100	TWO PORT 3/4" SMOOTH BARB	2" SOCKET x BLIND	100
B	21130-220-100	TWO PORT 3/4" SMOOTH BARB	2" SOCKET x 2" SOCKET	100
C	21130-320-100	TWO PORT 3/4" SMOOTH BARB	2" SOCKET x 2" SPIGOT	100
D	21097-300-100	FOUR PORT 3/4" SMOOTH BARB	2" SOCKET x 2" SPIGOT	100
E	21027-040-100	FOUR PORT 3/4" SMOOTH BARB	2" SOCKET x 2" SOCKET	100
F	21027-120-100	FOUR PORT 3/4" SMOOTH BARB	2" SOCKET x BLIND	100
G	21027-340-000	FOUR PORT 3/4" SMOOTH BARB	2" SPIGOT x 2" SPIGOT	100
H	21134-140-000	FOUR PORT 3/4" SMOOTH BARB	1.5" SOCKET x 1.5" SOCKET	120
I	21134-240-000	FOUR PORT 3/4" SMOOTH BARB	1.5" SOCKET x 1.5" SPIGOT	120
J	21085-100-000	FOUR PORT 3/4" SMOOTH BARB	1" SOCKET	30
K	21087-120-000	TWO PORT 3/4" SMOOTH BARB	1" SPIGOT	600
L	21025-100-100	SIX PORT 3/4" SMOOTH BARB	2" SOCKET x 2" SPIGOT	30
M	21025-060-100	SIX PORT 3/4" SMOOTH BARB	2" SOCKET x 2" SOCKET	30
N	21025-260-000	SIX PORT 3/4" SMOOTH BARB	2" SPIGOT x 2" SPIGOT	30
O	21004-120-100	SIX PORT 3/4" SMOOTH BARB	2" SOCKET x BLIND	30
P	21025-012-000	TWELVE PORT 3/4" SMOOTH BARB	2" SOCKET x 2" SOCKET	40
—	21025-000-001	3/4" SMOOTH BARB PLUG	—	30
Q	21025-000-002	3/4" SMOOTH BARB SLIP x 3/8" SMOOTH BARB	—	700

BARB AIR MANIFOLDS



REF	CMP P/N	DESCRIPTION	FITTING SIZE	BOX/BAG
BARB AIR MANIFOLDS				
A	21081-000-000	SIX PORT 3/8" RIBBED BARB	1" SPIGOT x 1" SOCKET	300
B	21162-000-000	EIGHT PORT 3/8" RIBBED BARB	1" SPIGOT x 1" SOCKET	200
B	21162-080-100	EIGHT PORT 1/8" SMOOTH BARB	1" SPIGOT x 1" SOCKET	200
C	21028-000-000	EIGHT PORT 3/8" RIBBED BARB	1" SOCKET x 1" SPIGOT x 1" SPIGOT	85
D	21162-120-000	TWELVE PORT 3/8" RIBBED BARB	1" SOCKET x 1" SPIGOT	220
D	21162-120-100	TWELVE PORT 3/8" SMOOTH BARB	1" SOCKET x 1" SPIGOT	220
E	21081-000-000	FOUR PORT 3/8" RIBBED BARB	1" SOCKET x 1" SPIGOT	250/25
E	21081-000-100	FOUR PORT 3/8" SMOOTH BARB	1" SOCKET x 1" SPIGOT	250/25
F	21151-100-000	TEN PORT 3/8" SMOOTH BARB	1.5" SOCKET x 1.5" SPIGOT & FOUR PLUGS	100
G	21155-060-000	SIX PORT 3/8" RIBBED BARB	1/2" SOCKET x 1/2" SOCKET	200
H	21161-000-000	EIGHT PORT 3/8" RIBBED BARB	1.5" SOCKET x 1.5" SPIGOT	100
I	21053-000-000	SIX PORT 3/8" SMOOTH BARB 2-4-6	(USE WITH 3/4" SMOOTH BARB PLUG)	110
J	21028-100-000	TEN PORT 3/8" SMOOTH BARB	1/2" SLIP x 1/2" SLIP BUND	100
—	21028-200-000	TEN PORT 3/8" SMOOTH BARB	1/2" SLIP x 1/2" SLIP	100
K	21082-000-000	SIX PORT 3/8" SMOOTH BARB	1" SOCKET x 1" SOCKET	150
L	21083-000-000	EIGHT PORT 1/8" SMOOTH BARB	1" SOCKET x 1" SOCKET	110
M	21084-000-000	TEN PORT 3/8" SMOOTH BARB	1" SOCKET x 1" SOCKET	150
N	21157-040-000	FOUR PORT 3/8" SMOOTH BARB	1" SPIGOT	300/20
O	21159-040-000	FOUR PORT 3/8" SMOOTH BARB	1" SLIP	300/20
P	21159-080-000	FIVE PORT 3/8" SMOOTH BARB	1" SLIP	300/30
Q	21080-000-000	FIVE PORT 3/8" SMOOTH BARB	1" SPIGOT	500/25
R	21158-030-000	THREE PORT 1/4" SMOOTH BARB	3/4" SLIP	300
S	21156-020-000	TWO PORT 3/8" SMOOTH BARB	1" SLIP	300/20
T	21158-020-000	TWO PORT 3/8" RIBBED BARB	1/4" RIBBED BARB	300/20
U	21033-000-000	TWO PORT 3/8" RIBBED BARB	1" SPIGOT	1000/50
—	21033-000-100	TWO PORT 3/8" SMOOTH BARB	1" SPIGOT	500
V	21160-140-000	FOUR PORT 3/8" SMOOTH BARB	1" SPIGOT	900
—	21029-000-010	3/8" BARB PLUG	—	1000/200

BARB ADAPTERS & FITTINGS



ORDERING GUIDE

REF.	CMP P/N	DESCRIPTION	BOX/BAG
BARB ADAPTERS			
A	21036-000-000	3/8" RIBBED-BARB TEE BODY, 1" SOCKET + 1" SOCKET	500
B	21037-000-000	3/8" RIBBED-BARB TEE BODY, 1" SLP	50
C	21037-100-000	3/8" RIBBED-BARB-ELL BODY, 1" SPIGOT	400/50
D	21038-000-000	1" SOCKET + 3/4" RIBBED-BARB	500/25
E	21039-000-000	1-1/4" SOCKET + 3/4" RIBBED-BARB	500/25
F	21031-000-000	1/2" SPIGOT + 3/4" RIBBED-BARB	1000/100
F	21031-000-000	1/2" SPIGOT + 3/4" SMOOTH-BARB	1000/100
G	21032-000-000	3/8" SPIGOT + 3/4" RIBBED-BARB	1000/50
G	21032-100-000	3/4" SPIGOT + 3/4" SMOOTH-BARB	1000/50
H	21031-100-000	1" SPIGOT + 3/4" RIBBED-BARB	1000/100
H	21031-400-000	1" SPIGOT + 3/4" SMOOTH-BARB	1000/100
I	21031-500-000	1" SPIGOT + 1" RIBBED-BARB	600
I	25267-000-170	WET-END ADAPTER, 1/8" RIBBED-BARB + 1/4" NPT	1000/250
K	21030-000-000	1" SPIGOT + 3/8" SMOOTH-BARB	1000/50
L	21031-300-000	1" SPIGOT + 3/4" RIBBED-BARB	500
COUPLERS			
M	21000-300-000	3/8" RIBBED-BARB COUPLING	1000
N	21000-750-000	3/4" RIBBED-BARB COUPLING	600
—	21000-750-100	3/8" SMOOTH-BARB COUPLING	—
O	21025-000-000	3/4" SOCKET + 3/8" SMOOTH-BARB	700
P	21000-754-175	FLOW-REDUCER, 3/8" RIBBED-BARB + 1/4" RIBBED-BARB/3/8" ID, BLACK	600
—	21000-754-250	FLOW-REDUCER, 3/4" RIBBED-BARB + 3/4" RIBBED-BARB/3/2" ID, GRAY	600
Q	21000-234-100	1/4" RIBBED-BARB + 3/8" RIBBED-BARB	2000/100
—	21030-100-000	2" SPIGOT + 3/4" SMOOTH-BARB	—

BARB ADAPTERS & PLUGS



ORDERING GUIDE

REF	CMP / IN	DESCRIPTION	BOX/BAG
BARB TEES & WYES			
A	21051-300-000	FOUR PORT 1/8" RIBBED TEE	1000/100
B	21051-100-000	TWO PORT 3/4" SMOOTH BARB x 1" SP	1000/100
C	21051-100-000	TWO PORT 3/4" RIBBED BARB x 1" SP	1000/100
D	21051-000-000	THREE PORT 3/4" SMOOTH BARB	1000/100
E	21050-140-000	TWO PORT 1/4" SMOOTH BARB x 1/4" SMOOTH BARB	1000/100
F	21051-140-000	THREE PORT 1/4" SMOOTH BARB	1000/100
G	21051-050-000	3/8" BARB TEE RIBBED BARB	1000/100
H	21050-000-000	TWO PORT 3/4" SMOOTH BARB x 3/8" SMOOTH BARB	1000/100
I	21002-000-000	70° WYE 3/4" SMOOTH BARB	100/100
J	21051-240-000	3/8" SMOOTH BARB TEE	EACH
90 DEGREE 3/4" BARB ADAPTERS			
K	21034-100-000	3/4" SPIGOT x 3/4" RIBBED BARB ELL	1000/50
L	21034-200-000	1" SPIGOT x 3/4" RIBBED BARB ELL	1000/50
M	21034-400-000	1" SPIGOT x 3/8" SMOOTH BARB ELL	1000/50
N	21034-350-000	1/2" SPIGOT x 3/4" SMOOTH BARB ELL	1000/50
O	21034-050-000	1/2" SPIGOT x 3/4" RIBBED BARB ELL	1000/50
—	25234-719-000	3/4" SOCKET x 3/4" SMOOTH BARB ELL	1000
MANIFOLD PLUGS & CAPS			
P	21027-000-010	3/4" RIBBED BARB MANIFOLD PLUG	2000/200
P	21025-000-001	3/8" SMOOTH BARB MANIFOLD PLUG	2000/20
Q	21022-000-000	1" SLIP PLUG	100/25
Q	21022-200-000	2" SLIP PLUG	400
R	21081-000-020	1" CAP	1000/100
—	21100-000-100	1" SPIGOT MANIFOLD PLUG FOR 21100-100 & 21100-140	1000/100
S	21099-100-000	3/4" STEP PLUG	5000/100
—	21028-000-020	1/8" VINYL ROSE PLUG	—

ELBOWS & FITTINGS



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	PLUMBING SIZE	BOX QTY
ELBOWS & FITTINGS				
A	21095-000-030	1.5" U-BEND	1.5" SOCKET + 1.5" SOCKET	50
A	21095-000-060	2" U-BEND	2" SOCKET + 2" SOCKET	60
B	21016-000-050	1" COUPLING	1" SOCKET + 1" SOCKET	500
B	21016-000-060	1.5" COUPLING	1.5" SOCKET + 1.5" SOCKET	300
C	21018-000-002	1" 90° STREET ELL	1" SOCKET + 1" SPIGOT	500
C	21018-100-000	SHORT 1" 90° STREET ELL	1" SOCKET + 1" SPIGOT	500
C	21018-000-000	1.5" 90° STREET ELL	1.5" SOCKET + 1" SPIGOT	150
D	21285-000-000	2" 90° STREET ELL, 1/2" FPT LEFT OUTLET	2" SOCKET + 2" SPIGOT	100
—	21013-150-000	1.5" 90° ELL	1.5" SPIGOT + 1.5" SPIGOT	—
E	21008-000-000	2" 90° ELL	2" SOCKET + 2" SOCKET	100
E	21013-200-000	2" 90° STREET ELL	2" SOCKET + 2" SPIGOT	100
F	21105-000-000	1.5" SWEEP 90° ELL	1.5" SOCKET + 1.5" SOCKET	100
F	21085-000-000	WIDE THROAT 2" SWEEP 90° ELL	2" SOCKET + 2" SOCKET	100
G	21106-000-000	1.5" SWEEP 90° STREET ELL	1.5" SOCKET + 1.5" SPIGOT	100
G	21006-000-000	WIDE THROAT 2" 90° STREET ELL	2" SOCKET + 2" SPIGOT	100
H	21000-000-000	1" 45° ELL	1" SOCKET + 1" SOCKET	500
I	21010-000-000	1.5" 45° STREET ELL	1.5" SOCKET + 1.5" SPIGOT	200
I	21010-200-000	2" 45° STREET ELL	2" SOCKET + 2" SPIGOT	100
J	21011-000-000	LEFT 1.5" 90° DRAIN ELL	1.5" SOCKET + 1.5" SPIGOT	150
J	21012-000-000	RIGHT 1.5" 90° DRAIN ELL	1.5" SOCKET + 1.5" SPIGOT	150
—	21014-000-000	PUMP TEE	1" SOCKET + 1" SOCKET + 1.5" SPIGOT	200
—	21017-150-000	1.5" TEE	1.5" SOCKET + 1.5" SOCKET + 1.5" SPIGOT	300
—	21017-200-000	2" TEE	2" SOCKET + 2" SOCKET + 2" SOCKET	—
K	21007-000-000	2" NARROW WYE	2" SOCKET	50
L	21004-000-000	2" 120° WYE	2" SOCKET	50
L	21004-150-000	2" 120° WYE	2" SOCKET + 1.5" SOCKET + 1.5" SOCKET	50
M	21009-000-000	1" LOW ANGLE WYE	1" SOCKET	200
N	25398-010-000	1.5" x 2" REDUCER BUSHING	1.5" SOCKET + 2" SPIGOT	200
—	25232-200-000	FILTER INSERT FITTING NUT WRENCH	—	—

UNIONS



ORDERING GUIDE

REF	EMP P/N	DESCRIPTION	BOX/BAG
UNIONS			
A	21021-000-000	1.5" SLIP PUMP UNION WITH T-GASKET	200
—	26180-495-350	OPTIONAL O-RING FOR 21021-000-000	1000
A	21023-000-000	2" SLIP PUMP UNION WITH T-GASKET	100
A	21023-250-000	2.5" UNION ASSEMBLY WITH T-GASKET	75
B	21023-100-000	2" 45° PUMP UNION	100
C	21045-150-000	1.5" SELF-ALIGNING INLINE UNION, 1.5" SOCKET	100
C	21045-200-000	2" SELF-ALIGNING INLINE UNION, 2" SOCKET	100
C	21047-000-000	1.5" INLINE UNION, 1.5" SOCKET (NUT, SLEEVE, O-RING, THREADED TAIL)	200
C	21048-000-000	2" INLINE UNION, 2" SOCKET (NUT, SLEEVE, O-RING, THREADED TAIL)	200
D	21083-000-000	2" SLIP WIDE-THROAT SWEEP UNION WITH T-GASKET, 2" EIP THREAD	60
—	21083-050-000	REPLACEMENT GASKET FOR 21083 SWEEP UNIONS	600/50
F	21046-000-000	1.5" UNION TAILPIECE, 1.5" BUTTRESS THREAD + 1.5" SOCKET	200
F	25300-004-070	1.5" SPLIT UNION NUT WITH TWO SCREWS	400/20
—	21046-200-100	HEATER TAILPIECE + 2" SPIGOT	—
—	21046-200-000	HEATER TAILPIECE + 2" SOCKET	—

THREADED FITTINGS



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/PACK
THREADED FITTINGS			
A	21001-107-000	HOT WATER RETURN, 1.5" SLIP, WITH GRATE	100
B	21001-204-000	HOT WATER RETURN FITTING, 1" SLIP, BLACK	—
—	21001-207-000	HOT WATER RETURN FITTING, 1" SLIP, GRAPHITE GRAY	—
—	21001-209-000	HOT WATER RETURN FITTING, 1" SLIP, CLASSIC GRAY	—
C	25232-000-000	FILTER INSERT FITTING FOR ZS252-800-000, 1.5" ACME THREAD	200
D	25232-200-000	FILTER INSERT FITTING FOR GRATE, 2" SLIP + 2" FIP (MOUNT FITTING SOLD SEPARATELY)	200
—	25232-200-020	STANDARD GRATE FOR 25232-200-000	200
—	25232-719-208	L-GASKET FOR 25232-200-000	200
—	25232-004-200	FLAT NUT FOR 25232-200-000	200
E	25300-200-010	THREADED FILTER FITTING, 1.5" SLIP/3" MIP + 1.5" FIP	300/20
F	25205-070-000	NO" ADAPTER, 1.5" SLIP + 2" FIP	150
G	25204-050-000	2" SLIP ADAPTER NUT, 2" FIP	150
H	25123-500-010	2" FIP ADAPTER NUT, 1.5" SLIP/3" SPIGOT	50
I	26207-705-990	GASKET FOR FILTER FITTING & 94 GPM SUCTION	1000
—	26200-252-051	GASKET FILTER FITTING EPDM, GRAY	1000
J	25350-050-000	THREADED FITTING NUT	500

CHECK VALVES



ORDERING GUIDE

REF	CAT #/IN	DESCRIPTION	BOX/BAG
CHECK VALVES			
A	25063-000-000	1/4 LB UNIONIZED AIR CHECK VALVE, 2" SPIGOT x 1.5" SOCKET	112
B	25069-000-000	1/4" UNIONIZED AIR CHECK VALVE, 1.5" SOCKET	112
C	25065-000-000	1" AIR CHECK VALVE, 1" SOCKET	280/20
D	25067-000-000	1/4 LB AIR CHECK VALVE, 2" SPIGOT/1.5" SOCKET	150
E	25062-000-000	1" SOCKET SWING CHECK VALVE	120
E	25062-160-000	1.5" THREADED SWING CHECK VALVE	120
E	25062-200-000	2" SOCKET SWING CHECK VALVE, CLEAR	40
E	25062-150-000	1.5" SOCKET SWING CHECK VALVE, CLEAR	120
F	25070-000-000	1/2" RIF POP CHECK VALVE	400
G	25070-000-100	1/2" SLIP POP CHECK VALVE	400
H	25066-375-000	TUBING CHECK VALVE FOR 3/8" VINYL TUBING	—
I	21064-500-000	1/3" SLIP CHECK VALVE	—
J	25060-000-000	AIR CHECK VALVE	—
—	23750-000-040	CHECK VALVE FOR TYPHOON JET BODY	EACH

LOCKING SLICE VALVES


A complete line of slice valves in a variety of configurations for pool and spa applications. CMP slice valves are assembled as one complete unit with 100% shut-off capabilities. These are the best line of slice valves for every installation.

PRODUCT FEATURES

- 100% Shut-Off
- Lockable in Open Position
- Includes Press-Fit Valve Lock to Ensure a Constant Full Flow Open Position
- All Slice Valves are White Unless Otherwise Noted



Press-Fit
Valve Lock



ORDERING GUIDE

REF	CMP P/N	DESCRIPTION	BOX/BAG
LOCKING SLICE VALVES			
A	25850-150-000	1.5" SOCKET + SOCKET	70
A	25850-200-000	2" SOCKET + SOCKET	64
A	25850-250-000	2.5" SOCKET + SOCKET	42
A	25851-150-000	1.5" SPIGOT + SPIGOT	70
A	25851-200-000	2" SPIGOT + SPIGOT	64
A	25851-250-000	2.5" SPIGOT + SPIGOT	42
A	25852-150-000	1.5" SPIGOT + SOCKET	70
A	25852-200-000	2" SPIGOT + SOCKET	64
A	25852-250-000	2.5" SPIGOT + SOCKET	42
A	25853-150-000	1.5" SPIGOT + MALE UNION	70
A	25853-200-000	2" SPIGOT + MALE UNION	64
A	25853-250-000	2.5" SPIGOT + MALE UNION	42
A	25854-150-000	1.5" SLIP + MALE UNION	70
A	25854-200-000	2" SLIP + MALE UNION	64
A	25854-250-000	2.5" SLIP + MALE UNION	42
B	25854-150-000	1.5" MIP + FIP	70
C	25855-150-000	1.5" FIP + SPLIT NUT	35
D	25856-150-000	WHITE 1.5" MIP + HOSE ADAPTER	70
D	25856-154-000	BLACK 1.5" MIP + HOSE ADAPTER	70
E	25857-150-000	WHITE 1.5" SPLIT NUT + HOSE ADAPTER	35
E	25857-154-000	BLACK 1.5" SPLIT NUT + HOSE ADAPTER	35
—	25850-000-100	REPLACEMENT SLICE VALVE LOCK	1000/200

TWO-WAY BALL VALVES

The CMP collection of ball valves has one of the largest varieties in the industry. Our two-way ball valves include easy to adjust replaceable handles.

PRODUCT FEATURES

- Durable PVC Construction
- Socket x Socket in 3/4" to 4" Sizes
- Unionized Valves in 1.5" to 2" Sizes



ORDERING GUIDE

#	CMP #/N	DESCRIPTION	BOX/QTY
UNIONIZED BALL VALVES			
A	25802-151-000	1.5" SOCKET UNION BALL VALVE	32
A	25802-210-000	2" SOCKET UNION BALL VALVE	32
B	25802-651-000	1.5" FIP + MIP UNION BALL VALVE	32
SOCKET x SOCKET BALL VALVES			
—	25800-751-000	3/4" S x S BALL VALVE	100
—	25800-110-000	1" S x S BALL VALVE	100
—	25800-151-000	1.5" S x S BALL VALVE	150
—	25800-210-000	2" S x S BALL VALVE	30
—	25800-251-000	2.5" S x S BALL VALVE	30
—	25800-310-000	3" S x S BALL VALVE	30
—	25800-410-000	4" S x S BALL VALVE	30
BALL VALVE ACCESSORIES			
—	25800-751-130	SILVER HANDLE FOR 3/4" BALL VALVE	500
—	25800-101-130	SILVER HANDLE FOR 1" BALL VALVE	550
—	25800-151-130	SILVER HANDLE FOR 1.5" BALL VALVE	250
—	25800-201-130	SILVER HANDLE FOR 2" BALL VALVE	250
—	25800-251-130	RED HANDLE FOR 2.5" BALL VALVE	200
—	25800-310-130	RED HANDLE FOR 3" BALL VALVE	30
—	25800-410-130	RED HANDLE FOR 4" BALL VALVE	30
—	25802-151-000	HANDLE FOR 1.5" UNION BALL VALVE	100
—	25802-651-000	HANDLE FOR 1.5" FIP + MIP	100
—	26100-130-462	O-RING FOR 1.5" UNION BALL VALVE	200
—	26100-651-462	INSIDE O-RING FOR 1.5" FIP + MIP	200


INFORMATION & REFERENCE

TECHNICAL REFERENCES *148*

PART NUMBER INDEX *153*

TERMS & CONDITIONS *159*

FLUIDRA® LIMITED WARRANTY *161*



SPA PRODUCT HOLE SIZE CHART

SPA SHELL RECOMMENDED HOLE SIZES

SPA PRODUCT DESCRIPTION	HOLE SAW SIZE		
	IMPERIAL (DEC)	IMPERIAL (FRACTION)	METRIC
SPA JETS			
200 SERIES PRO-LOC OR TYPHOON THREADED JET BODY W/ 1" GASKET	1.500"	1-1/2"	38.1 MM
300 SERIES PRO-LOC OR TYPHOON THREADED JET BODY W/ 1" GASKET	2.313"	2-5/16"	58.8 MM
400 SERIES PRO-LOC OR TYPHOON THREADED JET BODY W/ 1" GASKET	2.750"	2-3/4"	69.9 MM
500 SERIES PRO-LOC OR TYPHOON THREADED JET BODY W/ 1" GASKET	3.938"	3-15/16"	100.0 MM
300 SERIES PRO-LOC OR TYPHOON THREADED JET BODY W/ FLAT GASKET	1.500"	1-1/2"	38.1 MM
300 SERIES PRO-LOC OR TYPHOON THREADED JET BODY W/ FLAT GASKET	2.188"	2-1/16"	55.6 MM
400 SERIES PRO-LOC OR TYPHOON THREADED JET BODY W/ FLAT GASKET	2.825"	2-5/8"	66.7 MM
500 SERIES PRO-LOC OR TYPHOON THREADED JET BODY W/ FLAT GASKET	3.750"	3-3/4"	95.3 MM
EURO JET BODY	0.875"	7/8"	22.2 MM
CLUSTER JET BODY	1.000"	1"	25.4 MM
AIR X BODY	1.388"	1-3/16"	35.2 MM
2" NECK JET BODY	1.750"	1-3/4"	44.5 MM
1-3/4" SWIM JET	1.525"	1-9/16"	39.4 MM
3-5/8" WHIRLPOOL JET W/ 1" GASKET	2.688"	2-11/16"	68.3 MM
3-1/4" WHIRLPOOL JET W/ FLAT GASKET	2.563"	2-9/16"	65.1 MM
2" MULTI-PORT OR MASSAGE POWER JET	1.750"	1-3/4"	44.5 MM
1" WHIRLPOOL DIVERTER JET	1.313"	1-5/16"	33.3 MM
WHIRLPOOL DIVERTER JET BODY W/ 1" GASKET	1.850"	1-15/16"	47.0 MM
SWIM-POWER TURBO JET	4.825"	4-5/8"	122.5 MM
7" JUMBO JET	1.750"	1-3/4"	44.5 MM
AIR INJECTOR - ECONOMY	0.563"	9/16"	14.3 MM
AIR INJECTOR - DELUXE	0.688"	11/16"	17.5 MM
LED SPA LAMINAR JET	1.500"	1-1/2"	38.1 MM
7" JUMBO JET W/ 1" GASKET	1.9375"	1-15/16"	49.5 MM
VALVES / CONTROLS			
AIR BUTTONS	1.375"	1-5/8"	34.9 MM
1" AIR CONTROL VALVE	1.888"	1-11/16"	47.9 MM
1" AIR CONTROL LED SEZEL	1.938"	1-15/16"	49.2 MM
3/4" & 1" ON/OFF VALVE W/ STANDARD WALL FITTING	2.063"	2-1/16"	52.4 MM
3/4" & 1" ON/OFF VALVE W/ LED WALL FITTING	2.250"	2-1/4"	57.2 MM
2" DIVERTER VALVE W/ STANDARD WALL FITTING	1.188"	1-3/16"	30.0 MM
2" DIVERTER VALVE W/ LED WALL FITTING	1.438"	1-7/16"	36.3 MM
SUCTIONS & DRAINS			
94 GPM SUCTION FITTING	2.313"	2-5/16"	58.8 MM
STRAIGHT FLOOR DRAIN FITTING	1.813"	1-13/16"	46.0 MM
LOW PROFILE RE DEG. FLOOR DRAIN FITTING W/ 3" GASKET	1.375"	1-5/8"	34.9 MM
STANDARD SPA DRAIN VALVE	2.563"	2-9/16"	65.1 MM
ECONOMY SPA DRAIN VALVE	1.313"	1-5/16"	33.3 MM
CABINET FLUSH MOUNT SPA DRAIN VALVE	2.000"	2"	50.8 MM
170 GPM VSB SUCTION FITTING W/ FLAT GASKET	1.313"	1-5/16"	33.3 MM
170 GPM VSB SUCTION FITTING W/ L GASKET	1.500"	1-1/2"	38.1 MM

SPA PRODUCT HOLE SIZE CHART

SPA SHELL RECOMMENDED HOLE SIZES

SPA PRODUCT DESCRIPTION	HOLE SAW SIZE		
	IMPERIAL (DEC)	IMPERIAL (FRACTION)	METRIC
AQUA EFFECTS WATER FEATURES			
GRAB BAIL WATERFALL	1.000"	3"	25.4 MM
ARCHFALL WATERFALL	(1.688" (1-11/16") + 0.563" (9/16"))		
4" SCORCE WATERFALL	1.000"	3"	25.4 MM
CRYSTAL FALLS WATERFALL	1.063"	1-1/16"	27.0 MM
FAH/BUBBLES/STREAM POP-UP WATER FEATURES	1.688"	1-11/16"	42.9 MM
8" LOW PROFILE E-Z WATERFALL	1.688"	1-11/16"	42.9 MM
LED COLOR CRYSTAL BASE	2.313"	2-5/16"	58.7 MM
LIQUID AROMA INJECTOR BODY	1.625"	1-5/8"	41.3 MM
OPTIX SPA LIGHTING			
3/8" & 7/8" SMALL STEM LED LIGHT FITTINGS	0.413"	SIZE "2"	10.3MM
1" & 2 1/8" LARGE STEM LED LIGHT FITTING	0.563"	9/16"	14.3 MM
MINI R-SIDED PVC LED LIGHT FITTINGS	0.344"	11/32"	8.7 MM
OPTIX MINI-OVAL LED LIGHT FITTINGS	0.563"	9/16"	14.3 MM
CABINET STEP LED LIGHT FITTING	0.375"	3/8"	9.5 MM
2" SPA LIGHT	1.625"	1-5/8"	41.3 MM
1" SPA LIGHT	2.500"	2-1/2"	63.5 MM
3" SPA LIGHT	3.75"	3-3/4"	95.3 MM
LED CUP HOLDER W/FLAT GASKET	2.625"	2-5/8"	66.7 MM
SPA PILLOW PIN RECEIVER CLIPS	0.563"	9/16"	14.3 MM
SKIMMERS & FILTERS			
TOP MOUNT SKIM FILTERS W/ FLAT GASKET	6.875"	6-7/8"	174.6 MM
TOP MOUNT PRESSURE FILTER W/ FLAT GASKET	6.875"	6-7/8"	174.6 MM
STRIP SKIMMER	2.313"	2-5/16"	58.7 MM
FRONT ACCESS FILTER - 2-PORT / 1-WAY	15.25" W x 8.5" H RECTANGULAR CUT-OUT		
MISCELLANEOUS			
OZONE RETURN WALL FITTING FOR 1" HOLE	1.000"	3"	25.4 MM
OZONE RETURN WALL FITTING	1.250"	1-1/4"	31.7 MM
TEMPERATURE SENSOR FITTING	0.875"	7/8"	22.2 MM
FILTER VENT FITTING	1.250"	1-1/4"	31.7 MM
ALL SEASON CABINET VENT	3.5"	3-1/2"	88.9 MM

JET INSTALLATION REFERENCE

JET PERFORMANCE GPM CHART



JET PERFORMANCE

JET INTERNAL	ORIFICE SIZE	PSI	GPM
200 SERIES TYPHOON OR PRO-LOC JET INTERNALS	1/4"	15	7
300 SERIES TYPHOON OR PRO-LOC JET INTERNALS	3/16"	15	10
400 SERIES TYPHOON OR PRO-LOC JET INTERNALS	5/16"	15	12
500 SERIES TYPHOON OR PRO-LOC JET INTERNALS	3/8"	15	15
500 SERIES TYPHOON OR PRO-LOC WHIRLPOOL JET	1/2"	15	25
500 SERIES TYPHOON OR PRO-LOC WHIRLPOOL JET	3/4"	15	45
500 SERIES TYPHOON OR PRO-LOC WHIRLPOOL JET	1"	15	65
7" MESSAGE JIMBO JET	7/8"	15	75

RECOMMENDED TORQUE VALUES FOR CMP THREADED JET BODIES

JET BODY	TPE/TPR W/SHR GASKET		EPDM COMPRESSION GASKET		SILICONE O-RING -NO GASKET	
	FOOT LBS	INCH LBS	FOOT LBS	INCH LBS	FOOT LBS	INCH LBS
200 SERIES TYPHOON OR PRO-LOC JET BODY	3	60	4.2	90	4.2	90
300 SERIES TYPHOON OR PRO-LOC JET BODY	12	144	7.8	180	7.9	180
400 SERIES TYPHOON OR PRO-LOC JET BODY	14	168	9.2	110	9.2	110
500 SERIES TYPHOON OR PRO-LOC JET BODY	34	288	15.4	185	15.4	185
200 SERIES PRO-LOC JET BODY W/SHR REPAIR GASKET	3	60	—	—	—	—
300 SERIES PRO-LOC JET BODY W/SHR REPAIR GASKET	12.5	150	—	—	—	—
400 SERIES PRO-LOC JET BODY W/SHR REPAIR GASKET	15	180	—	—	—	—
500 SERIES PRO-LOC JET BODY W/SHR REPAIR GASKET	20	240	—	—	—	—
SFA FILTER BODY W/SHR REPAIR GASKET	25	300	—	—	—	—
2" WHIRLPOOL DIVERTER JET	25	300	—	—	25	300
AIR-X JET WALL FITTING	2.2	26	—	—	—	—
2" DIVERTER VALVE W/STANDARD WALL FITTING (NON-LED)	10.3	160	—	—	—	—
3/4" & 1" ON/OFF VALVE W/STANDARD WALL FITTING (NON-LED)	5	60	—	—	5.9	70
1" AIR CONTROL VALVE (NON-LED)	6.7	80	—	—	—	—
170 GPM SUCTION FITTING	25	300	25	300	25	300
170 GPM SUCTION FITTING W/L GASKET	30	360	—	—	—	—
2" SPA LIGHT	2.5	30	—	—	—	—
1" SPA LIGHT	12.3	160	8	96	—	—
1" SPA LIGHT	25	300	—	—	—	—
1MM-POWER TURBO JET OR 7" JIMBO JET	—	—	25	300	—	—
1" SCORCE WATERFALL	3	36	—	—	—	—
LED CUP HOLDER W/LAT GASKET	8	96	—	—	—	—
7" JIMBO JETS W/"L" GASKET	25	300	—	—	—	—

SQR INSTALLATION & PRODUCT REFERENCE



SQR PRODUCT SPA SHELL RECOMMENDED HOLE SIZES

SQR PRODUCT DESCRIPTION	HOLE SAW COLOR CODES	HOLE SAW SIZE			HOLE SIZE TOLERANCE	
		IMPERIAL SIZE	IMPERIAL FRAC.	METRIC	MIN	MAX
200 SERIES SQR PRO-LOC BODY	YELLOW	1.594"	1-19/32"	40.4 MM	1.581"	1.625"
200 SERIES SQR PRO-LOC BODY (G2)	WHITE	1.650"	—	41.9 MM	1.619"	1.681"
300 SERIES SQR PRO-LOC BODY	PURPLE	2.344"	2-11/32"	59.5 MM	2.313"	2.375"
400 SERIES SQR PRO-LOC BODY	BLUE	2.844"	2-27/32"	72.2 MM	2.813"	2.875"
500 SERIES SQR PRO-LOC BODY	RED	3.988"	3-31/32"	100.8 MM	3.956"	4.000"
SQR CLUSTER JET (G2)	WHITE	1.650"	—	41.91 MM	1.619"	1.681"
SQR LED SPA LAMINAR JETS (G2)	WHITE	1.650"	—	41.91 MM	1.619"	1.681"
SQR SUCTION FITTING	RED	3.988"	3-31/32"	100.8 MM	3.956"	4.000"
SQR FILTER BULKHEAD FITTING	—	3.195"	—	81.2 MM	3.164"	3.228"
SQR HEATER RETURN FITTING	PURPLE	2.344"	2-11/32"	59.54 MM	2.313"	2.375"
SQR OZONE RETURN FITTING	—	1.375"	—	34.93 MM	1.344"	1.406"
1" SQR AIR CONTROL VALVE	PURPLE	2.344"	2-11/32"	59.5 MM	2.313"	2.375"
3/4" & 1" SQR ON/OFF VALVE	DK GREEN	2.511"	2-17/32"	64.3 MM	2.500"	2.582"
2" SQR DIVERter VALVE	BROWN	3.719"	3-23/32"	94.5 MM	3.688"	3.750"
SQR POP-UP WATER FEATURES	PURPLE	2.344"	2-11/32"	59.5 MM	2.313"	2.375"
SQR ECONOMY AIR INJECTOR	—	0.672"	43/64"	17.1 MM	0.661"	0.700"
1" SQR LED LIGHT FITTING	—	0.672"	43/64"	17.1 MM	0.661"	0.700"
2" SQR SPA LIGHT	—	1.664"	1-65/64	50.4 MM	1.653"	2.013"
3" SQR SPA LIGHT	BLUE	2.844"	2-27/32"	72.2 MM	2.813"	2.875"
5" SQR SPA LIGHT	RED	3.988"	3-31/32"	100.8 MM	3.956"	4.000"
SQR LED CUP HOLDER	ORANGE	2.988"	2-31/32"	75.4 MM	2.956"	3.000"
TOP MOUNT SQR SKIM FILTERS	BLACK	2.234"	2-15/64"	56.7 MM	2.200"	2.250"


SQR GROMMET REFERENCE

OMP P/N	COMPATIBLE SQR PRODUCTS	COLOR
29222-219-042	200 SERIES SQR JET BODIES, SQR LAMINARS	GRAY
29222-219-442	200 SERIES SQR JET BODIES, SQR LAMINARS	BLACK
29232-219-040	300 SERIES SQR JET BODIES, SQR POP UP WATER FEATURES	GRAY
29232-219-440	300 SERIES SQR JET BODIES, SQR POP UP WATER FEATURES	BLACK
29242-219-040	400 SERIES SQR JET BODIES	GRAY
29242-219-440	400 SERIES SQR JET BODIES	BLACK
29252-219-040	500 SERIES SQR JET BODIES	GRAY
29252-219-440	500 SERIES SQR JET BODIES	BLACK
25138-000-000	SQR ON/OFF VALVE (LED)	TRANSLUCENT
25148-000-000	SQR 2" DIVERter VALVE (LED)	TRANSLUCENT
25197-000-000	SQR 1" AIR CONTROL VALVE	TRANSLUCENT
23029-214-040	SQR LED SPOT FITTINGS, SQR AIR INJECTOR	GRAY
23029-214-040	SQR LED SPOT FITTINGS, SQR AIR INJECTOR	BLACK
23029-219-040	SQR LED SPOT FITTINGS, SQR AIR INJECTOR	GRAY
23029-214-040	SQR LED SPOT FITTINGS, SQR AIR INJECTOR	BLACK
29242-250-040	3" SQR SPA LIGHT	WHITE
29241-250-011	5" SQR SPA LIGHT	WHITE
25241-307-000	SQR DECÓ CUP HOLDER	GRAY
35453-907-000	SQR FILTER BODIES	GRAY
35451-900-000	SQR FILTER BODIES	GRAY
35453-904-000	SQR FILTER BODIES	BLACK

SPA PUMP WET END REFERENCE



± 0.75



PART#	PG	PART#	PG	PART#	PG	PART#	PG
21000-254-380	140	21031-050-000	140	21110-020-000	136	22309-000-000	144
21000-380-000	140	21031-000-000	140	21110-040-000	136	23001-007-000	125
21000-750-000	140	21031-100-000	97, 140	21110-090-000	136	23009-102-000	77, 103
21000-701-250	140	21031-200-000	140	21111-040-000	136	23005-109-000	77
21000-754-371	140	21031-400-000	97, 140	21111-090-000	136	23005-107-000	77
21001-107-000	144	21031-500-000	140	21112-040-000	136	23004-107-000	77
21001-204-000	144	21032-000-000	140	21113-100-000	136	23004-109-000	77
21001-304-000	18	21032-100-000	140	21116-060-000	136	23006-000-000	32
21002-000-000	141	21032-000-000	129	21120-020-100	136	23006-100-000	32
21003-000-000	143	21034-000-000	73	21120-040-000	136	23006-100-000	32
21004-000-000	142	21034-050-000	141	21121-040-000	136	23006-000-000	32
21004-150-000	142	21034-100-000	141	21121-060-000	136	23012-000-000	76
21005-000-000	142	21034-200-000	97, 141	21121-040-000	136	23015-001-000	76
21006-000-000	142	21034-300-000	73	21123-060-000	136	23015-002-000	76
21007-000-000	142	21034-350-000	141	21125-050-000	136	23017-000-000	76
21008-000-000	142	21034-400-000	97, 141	21127-020-000	136	23017-007-000	76
21009-000-000	142	21034-700-000	94	21127-040-000	136	23020-001-000	77
21010-000-000	142	21034-800-000	94	21130-020-100	137	23020-102-000	77
21010-200-000	142	21034-000-000	140	21130-220-100	138	23020-109-000	77
21011-000-000	142	21037-000-000	140	21130-320-100	138	23020-250-000	19
21012-000-000	142	21037-100-000	97, 140	21130-420-100	137	23020-290-040	19, 22
21013-000-000	142	21038-000-000	140	21130-520-100	137	23020-302-000	19
21013-200-000	142	21039-000-000	140	21130-620-100	138	23029-001-000	77
21014-000-000	142	21040-000-000	90	21131-100-010	136	23030-001-000	77
21015-000-000	142	21041-000-000	90	21133-040-000	137	23040-000-100	103
21016-000-000	142	21046-000-000	143	21133-080-000	137	23040-000-140	102, 103
21018-000-000	142	21047-000-000	143	21134-140-000	138	23040-007-000	102
21018-100-000	142	21048-000-000	143	21134-240-000	138	23040-007-100	102
21020-000-000	142	21049-150-000	143	21134-340-000	137	23040-009-000	102
21021-000-000	143	21049-300-000	143	21134-440-000	137	23000-300-010	144
21022-000-000	141	21050-000-000	141	21136-040-000	137	23012-001-000	78
21022-200-000	122, 141	21050-140-000	141	21151-100-000	136	23400-017-100	32
21023-000-000	143	21051-000-000	141	21153-090-000	139	23400-224-000	16
21023-100-000	143	21051-100-000	141	21156-020-000	139	23400-234-100	19
21023-250-000	143	21052-000-000	139	21157-040-000	139	23400-327-000	19
21024-000-100	137	21060-000-000	136	21158-020-000	139	23400-307-000	32
21024-100-100	137	21061-050-000	141	21158-030-000	139	23400-317-000	32
21024-120-100	138	21067-100-000	141	21159-040-000	139	23400-400-000	71
21025-000-001	138, 141	21067-140-000	141	21159-050-000	139	23400-500-000	71
21025-000-002	138, 140	21067-240-000	141	21160-060-100	141	23400-600-000	71
21025-000-100	137	21067-300-000	141	21160-140-000	139	23400-700-000	71
21025-010-000	138	21064-500-000	140	21161-080-000	139	23410-500-000	75
21025-060-000	138	21080-000-000	129	21162-080-000	139	23410-600-000	75
21025-100-000	138	21081-000-000	139	21162-080-100	139	23410-600-000	75
21025-200-000	138	21081-000-100	139	21162-120-000	139	23411-000-000	75
21026-000-000	137	21081-060-000	139	21162-120-100	139	23411-200-000	75
21027-000-010	137, 141	21081-860-000	141	21205-080-000	142	23411-610-000	75
21027-000-100	137	21081-000-000	129	22005-100-000	134	23412-000-000	75
21027-040-100	138	21081-000-100	138	22007-100-000	134	23412-100-000	75
21027-100-100	137	21084-000-000	139	22010-050-000	134	23412-200-000	75
21027-120-100	138	21085-100-000	138	22015-050-000	134	23412-300-000	75
21027-200-100	137	21087-120-000	138	22020-050-000	134	23420-000-010	66
21027-300-100	138	21090-000-000	138	22025-050-000	134	23420-000-040	66
21027-340-000	138	21090-100-000	141	22143-500-000	134	23420-000-050	66
21028-000-000	139	21092-050-000	143	22144-650-000	134	23422-000-310	66
21028-000-010	139	21093-000-000	142	22145-400-000	102, 134	23422-299-000	102
21028-100-000	139	21094-000-000	142	22146-300-000	134	23422-600-000	66
21030-000-000	140	21105-000-000	142	22171-150-000	134	23422-000-010	66
21031-020-000	71	21106-000-000	142	22305-070-000	134	23422-000-025	66

PART#	PG	PART#	PG	PART#	PG	PART#	PG
23432-000-040	68	23512-321-500	94	25036-887-000	87	25090-887-000	87
23432-000-050	68	23512-321-000	94	25036-917-000	86	25090-999-999	90
23432-999-999	68	23512-331-002	94	25039-001-000	88	25091-200-011	90
23442-000-010	68	23512-331-200	94	25039-009-000	88	25095-107-000	86
23442-000-040	68, 109	23512-331-300	94	25039-107-000	86	25095-111-000	86
23442-000-050	68	23512-331-400	94	25039-207-000	88	25096-119-000	90
23442-999-999	68	23512-331-402	94	25042-007-000	88	25096-119-000	90
23452-000-010	68	23512-331-500	94	25042-009-000	88	25095-020-000	90
23452-000-040	68	23512-999-999	94	25042-107-000	89	25096-407-000	88
23452-000-050	68	23512-001-000	78	25042-109-000	88	25096-409-000	88
23452-999-999	68	23512-881-000	78	25042-300-000	83	25096-707-000	85
23470-000-000	71	23551-502-000	78	25043-107-000	86	25100-000-000	20
23470-100-000	71	23551-601-700	78	25048-000-011	90	25100-004-000	20
23470-200-000	71	23551-602-999	79	25048-000-020	90	25100-007-000	20
23470-259-000	71	23551-687-000	79	25048-007-000	88	25100-317-000	20
23470-300-000	71	23551-699-999	78	25048-017-000	88	25102-107-000	20
23470-062-000	70	23552-002-000	78	25048-019-000	88	25140-000-000	20
23500-002-700	74	23553-001-000	79	25048-707-000	85	25153-120-000	20
23500-007-000	74	23553-501-500	79	25048-807-000	87	25150-101-000	20
23501-000-090	75	23553-502-700	79	25048-887-000	87	25150-102-000	20
23501-001-000	74	23570-127-000	78	25048-999-999	90	25150-111-000	20
23501-001-040	75	23570-142-000	78	25053-101-000	82	25150-200-000	25
23501-002-000	74	23570-142-999	78	25056-101-000	82	25150-400-000	20
23501-100-000	74	23570-147-000	78	25056-111-000	82	25150-999-999	25
23501-102-000	74	23570-242-000	78	25056-302-000	83	25150-004-000	20
23501-202-400	74	23570-247-000	78	25056-310-000	83	25150-007-000	20
23501-202-700	74	23571-121-000	78	25058-101-000	82	25150-101-000	20
23501-204-000	74	23571-141-000	78	25058-300-000	83	25150-113-000	20
23501-207-000	74	23572-172-000	78	25058-302-000	83	25150-201-000	82
23501-209-000	74	23790-000-040	68	25059-101-000	82	25150-999-999	25
23501-302-400	74	23800-000-500	67	25059-210-000	94	25150-009-000	20
23501-302-700	74	23800-000-750	67	25059-213-000	94	25150-007-000	20
23501-304-000	74	24375-000-000	134	25059-213-000	94	25150-101-000	20
23501-307-000	74	24523-009-000	72	25059-214-000	94	25150-103-000	20
23501-309-000	74	25000-000-011	90	25059-215-000	94	25150-400-000	20
23509-072-000	72	25000-000-200	90	25059-300-000	83	25150-457-000	20
23509-107-000	72	25000-007-200	90	25060-000-000	145	25150-707-000	20
23504-200-020	70	25000-009-200	90	25062-000-000	145	25150-807-000	20
23505-104-000	72	25000-090-000	90	25062-139-000	145	25150-101-000	20
23512-089-000	94	25000-999-999	90	25062-160-000	145	25150-307-000	20
23512-089-001	94	25002-107-000	88	25062-209-000	145	25107-000-000	20
23512-089-002	94	25002-277-000	88	25063-000-000	145	25200-000-250	134
23512-089-003	94	25002-219-000	88	25065-000-000	145	25200-000-450	134
23512-089-000	94	25003-107-000	86	25066-375-000	102, 145	25200-040-010	134
23512-201-500	94	25011-207-000	88	25067-000-000	145	25200-060-000	134
23512-289-000	94	25033-209-000	88	25069-000-000	145	25200-100-000	24
23512-291-500	94	25033-307-000	88	25070-000-000	145	25200-202-000	134
23512-301-000	94	25033-027-000	87	25070-000-100	145	25201-007-000	134
23512-311-000	94	25036-000-001	88	25090-000-000	88	25201-004-000	134
23512-311-200	94	25036-000-200	88	25090-017-000	88	25201-007-000	134
23512-311-300	94	25036-009-200	88	25090-019-000	88	25201-049-000	134
23512-311-400	94	25036-107-000	88	25090-079-200	90	25201-104-000	24
23512-311-401	94	25036-217-000	88	25090-080-220	90	25201-107-100	24
23512-311-500	94	25036-219-000	88	25090-080-200	90	25201-107-250	24
23512-321-000	94	25036-507-300	84	25090-130-000	90	25201-107-400	24
23512-321-200	94	25036-707-000	85	25090-209-070	90	25201-294-100	134
23512-321-300	94	25036-717-000	85	25090-557-100	84	25201-307-100	134
23512-321-400	94	25036-807-000	87	25090-707-000	85	25201-309-100	134
23512-321-401	94	25036-817-000	87	25090-807-000	87	25201-307-000	24

PART#	PG	PART#	PG	PART#	PG	PART#	PG
25201-000-999	124	25241-000-999	109	25256-113-000	20	25274-007-000	930
25204-000-000	144	25241-000-997	109	25258-101-000	20	25274-109-016	930
25205-070-000	144	25241-000-999	109	25258-113-000	20	25280-000-019	100
25208-002-000	120	25241-000-998	109	25259-002-900	100	25290-000-000	904
25208-007-000	120	25241-010-007	109	25259-007-000	100	25290-000-060	904
25208-102-000	128	25241-010-999	109	25259-009-014	100	25290-009-010	904
25208-107-000	128	25241-307-000	21	25259-009-016	100	25300-001-000	74
25208-207-000	128	25241-307-000	21	25259-100-014	100	25300-004-000	143
25208-222-000	128	25241-308-000	21	25259-209-014	100	25300-200-000	133
25209-002-000	128	25241-327-000	21	25262-004-000	101	25340-004-001	116
25209-007-000	128	25241-330-000	22	25262-007-000	101	25340-007-001	116
25211-004-000	130	25241-330-100	22	25265-107-000	98	25340-009-001	116
25211-004-100	130	25241-350-000	22	25267-000-170	140	25351-700-000	123
25211-004-200	130	25241-350-100	22	25267-000-960	98	25351-800-000	123
25212-004-000	130	25241-352-000	22	25267-029-014	97	25351-804-100	116
25212-104-000	129	25241-352-100	22	25267-104-000	99	25351-804-200	116
25212-114-000	130	25241-907-000	108	25267-107-000	99	25351-907-100	116
25212-204-000	129	25241-508-700	108	25267-300-000	97	25351-907-200	116
25212-214-000	130	25241-517-000	108	25267-324-400	97	25351-909-100	116
25213-004-000	130	25241-518-700	108	25267-324-800	97	25351-909-200	116
25229-004-000	132	25241-527-000	108	25267-327-700	97	25351-964-000G	116
25230-001-000	132	25241-600-999	25	25267-327-750	21	25351-967-000G	116
25230-007-000	132	25241-000-000	111	25267-328-400	97	25351-969-000G	116
25230-009-000	132	25242-000-001	112	25267-328-700	97	25352-804-100	116
25232-000-000	144	25242-002-000	111	25267-328-710	21	25352-907-100	116
25232-004-200	144	25242-010-000	112	25267-404-400	97	25352-909-100	116
25232-200-000	144	25241-000-000	109	25267-404-800	97	25352-964-000G	116
25232-200-020	144	25241-304-000	107	25267-427-700	97	25352-967-000G	116
25232-719-208	144	25241-307-000	107	25267-427-800	97	25352-969-000G	116
25233-007-000	122	25241-404-000	107	25267-428-400	97	25358-800-000	123
25233-307-000	122	25241-407-000	107	25267-428-700	97	25358-800-200	123
25234-000-000	110	25241-600-000	107	25267-428-710	21	25358-964-000G	116
25234-000-200	110	25245-007-000	122	25267-490-083	99	25358-967-000G	116
25234-009-000	110	25245-107-000	122	25267-528-710	21	25358-969-000G	116
25234-009-200	110	25245-999-999	122	25267-624-400	97	25358-800-000	123
25234-100-000	110	25248-001-000	121	25267-624-800	97	25359-964-000G	116
25234-100-100	110	25248-004-000	121	25267-627-700	97	25359-967-000G	116
25234-100-200	110	25248-007-700	121	25267-627-800	97	25359-969-000G	116
25234-109-000	110	25248-800-000	123	25267-628-400	97	25364-807-000G	116
25234-109-200	110	25248-901-000	121	25267-628-700	97	25366-807-000G	116
25234-110-000	110	25249-607-000	121	25268-108-020	99	25366-003-000G	116
25234-110-100	110	25252-117-000	121	25269-001-500	98	25367-907-000G	116
25234-110-200	110	25252-000-000	123	25269-007-000	100	25367-907-100	116
25234-110-400	110	25252-800-200	123	25269-009-000	100	25367-907-200	116
25234-119-200	110	25252-917-000	121	25269-102-700	98	25368-800-000	123
25234-140-000	110	25253-000-000	120	25269-107-000	98	25376-000-211	116
25234-200-000	22	25253-000-000	120	25269-202-700	98	25376-007-000	116
25234-300-000	22	25253-117-000	121	25269-207-000	98	25376-007-000	119
25237-000-000	110	25253-127-000	121	25269-300-700	98	25376-105-000	119
25237-200-000	22	25253-900-000	123	25269-307-000	98	25384-907-000G	119
25237-299-000	22	25253-911-000	121	25269-404-000	21	25384-909-000G	119
25238-009-000	110	25253-917-000	121	25269-602-700	98	25385-907-000G	116
25239-000-000	112	25253-900-000	122	25269-602-400	21	25385-909-000G	119
25240-000-000	112	25253-921-150	122	25269-801-700	21	25390-000-000	123
25240-100-020	112	25253-907-000	121	25271-004-000	101	25391-000-000	123
25241-000-000	111	25253-927-200	120	25271-007-000	101	25392-000-000	123
25241-000-050	112	25254-800-000	123	25272-079-000	109	25392-000-100	123
25241-000-100	111	25254-927-000	121	25273-007-000	101	25393-000-000	123
25241-000-190	112	25256-111-000	20	25274-002-900	100	25393-200-000	123

PART#	PG	PART#	PG	PART#	PG	PART#	PG
25395-001-000	122	26101-505-530	119	29145-012-700	56	29232-999-999	25
25396-007-000	122	26101-009-205	125	29145-017-000	54	29232-999-999	25
25397-007-000	122	26200-201-746	116, 118	29146-012-700	61	29240-000-000	66
25398-000-000	122	26200-200-321	77	29146-017-000	60	29240-010-000	66
25398-010-000	142	26200-234-001	75	29146-112-700	62	29240-020-000	66
25398-016-000	122	26200-234-032	75	29152-142-000	65	29242-000-100	66
25523-500-010	144	26200-234-221	68	29152-147-000	54	29242-009-000	66
25530-030-000	144	26200-234-321	68	29155-012-700	56	29242-080-000	16
25534-089-000	70	26200-234-401	68	29155-017-000	54	29242-089-000	16
25800-101-130	147	26200-234-621	68	29156-012-720	62	29242-200-000	66
25800-110-000	147	26200-234-701	71	29156-017-000	60	29242-200-200	66
25800-151-000	147	26200-235-010	75	29210-000-000	17	29242-200-300	66
25800-151-130	147	26200-235-030	77	29210-009-000	17	29242-200-340	66
25800-201-130	147	26200-237-201	68	29210-280-000	60	29242-280-000	66
25800-210-000	147	26200-237-301	68	29210-290-000	17	29242-280-200	66
25800-251-000	147	26200-237-401	68	29210-299-000	17	29242-280-600	66
25800-251-130	147	26200-237-601	68	29211-001-500	49, 69	29242-200-000	16
25800-310-000	147	26200-250-901	90	29211-011-000	17, 69	29242-200-000	16
25800-310-130	147	26200-252-001	124	29211-011-100	17, 69	29242-200-000	16
25800-400-000	147	26200-252-081	128	29222-000-000	66	29242-800-999	25
25800-410-130	147	26200-253-001	116, 118	29222-010-000	66	29250-000-100	67
25800-751-000	147	26200-786-300	112	29222-020-000	66	29250-000-300	67
25800-751-130	147	26205-704-130	90	29222-020-100	66	29250-001-000	67
25802-151-000	147	26205-714-130	90	29222-080-000	66	29250-080-000	16
25802-151-080	147	26207-509-311	112	29222-090-000	16	29250-100-000	67
25802-210-000	147	26207-705-930	144	29222-090-600	16	29250-110-000	67
25802-051-000	147	26210-307-030	124	29222-100-000	66	29250-117-000	64
25802-051-080	147	26210-886-040	124	29222-200-000	66	29250-100-000	16
25810-000-100	146	26211-609-530	112	29222-200-200	66	29250-317-000	37
25810-150-000	146	27051-009-000	122	29222-200-300	66	29250-417-000	67
25810-200-000	146	27203-200-000	125	29222-200-340	66	29252-000-000	66
25810-250-000	146	27203-200-300	125	29222-280-000	66	29252-010-000	66
25811-150-000	146	27203-380-000	125	29222-280-200	66	29252-020-000	66
25811-200-000	146	27203-300-010	125	29222-280-300	66	29252-020-100	66
25811-250-000	146	27203-300-020	125	29222-290-000	16	29252-080-000	66
25812-150-000	146	27203-300-030	125	29222-290-000	16	29252-090-000	16
25812-200-000	146	27203-300-070	125	29222-290-020	68	29252-090-000	16
25812-250-000	146	27203-300-300	125	29222-290-040	21	29252-200-000	66
25813-150-000	146	27241-004-000	125	29222-290-042	16	29252-200-200	66
25813-200-000	146	27247-004-000	125	29222-290-742	60	29252-200-300	66
25813-250-000	146	28073-000-100	20	29222-999-999	25	29252-200-340	66
25814-150-000	146	29122-102-000	65	29232-000-000	66	29252-280-000	66
25815-150-000	146	29122-107-000	64	29232-010-000	66	29252-300-200	66
25816-150-000	146	29125-012-700	55	29232-020-000	66	29252-280-300	66
25816-154-000	146	29125-017-000	54	29232-020-100	66	29252-200-000	16
25817-150-000	146	29126-012-700	67	29232-080-000	66	29252-200-200	16
25817-154-000	146	29126-017-000	60	29232-090-000	16	29252-200-340	16
25818-150-000	146	29132-142-000	65	29232-090-000	16	29252-999-999	25
25818-200-000	146	29132-147-000	64	29232-100-000	66	29253-117-000	64
25818-250-000	146	29135-012-700	55	29232-200-000	66	29253-317-000	37
26100-150-271	90, 119	29135-017-000	54	29232-200-200	66	29253-412-700	63
26100-300-220	122	29136-012-700	67	29232-200-300	66	29420-011-100	42
26100-350-270	90	29136-017-000	60	29232-200-340	66	29420-011-600	42
26100-420-263	102	29142-122-000	65	29232-280-000	66	29420-021-100	42
26100-495-350	143	29142-127-000	64	29232-280-200	66	29420-021-600	42
26100-530-462	147	29142-012-000	65	29232-280-300	66	29420-081-100	45
26100-615-263	90	29142-017-000	64	29232-290-000	16	29420-081-600	42
26100-651-462	147	29142-432-000	65	29232-290-040	16, 21	29420-611-200	42
26101-121-263	125	29142-437-000	64	29232-300-240	66	29420-011-600	42

PART#	PG	PART#	PG	PART#	PG	PART#	PG
25430-021-100	43	25450-081-100	43	25530-141-500	38	25540-081-100	44
25430-021-600	42	25450-091-600	42	25530-141-700	38	25540-112-100	44
25430-031-100	43	25450-091-100	43	25530-181-500	39	25540-140-100	44
25430-031-600	42	25450-091-600	42	25530-181-700	39	25540-180-100	44
25430-041-100	43	25451-117-000	64	25530-191-500	39	25544-020-500	47
25430-041-600	42	25520-011-500	39	25530-191-700	39	25544-032-500	47
25430-081-100	43	25520-011-700	39	25533-012-100	44	25547-001-500	49
25430-081-600	42	25520-021-500	39	25533-040-100	44	25547-011-500	49
25430-091-100	43	25520-021-700	39	25533-092-100	44	25547-012-700	51
25430-091-600	42	25520-041-500	39	25533-112-100	44	25547-021-500	49
25430-111-100	43	25520-041-700	39	25533-142-100	44	25547-101-500	49
25430-111-600	42	25520-111-500	39	25533-192-100	44	25547-111-500	49
25430-121-100	43	25520-112-000	10	25534-022-500	47	25547-121-500	49
25430-121-600	42	25520-121-500	39	25534-032-500	47	25550-011-500	40
25430-131-100	43	25520-141-500	39	25534-112-500	47	25550-011-520	40
25430-131-600	42	25520-161-200	18	25534-122-500	47	25550-011-550	40
25430-141-100	43	25520-161-500	39	25534-132-500	47	25550-011-700	40
25430-141-600	42	25520-192-000	19	25537-001-500	49	25550-011-720	40
25430-181-100	43	25520-192-700	57	25537-011-500	49	25550-011-750	40
25430-181-600	42	25520-321-500	39	25537-012-700	51	25550-021-500	40
25430-191-100	43	25520-322-400	18	25537-027-000	51	25550-021-700	40
25430-191-600	42	25520-611-500	39	25537-101-500	49	25550-031-500	40
25440-011-100	43	25520-011-700	39	25537-111-500	49	25550-031-700	40
25440-011-600	42	25521-012-100	44	25537-121-500	49	25550-041-500	40
25440-021-100	43	25521-022-100	44	25540-011-500	39	25550-041-700	40
25440-021-600	42	25521-042-100	44	25540-011-520	39	25550-051-500	40
25440-031-100	43	25521-112-700	65	25540-011-550	39	25550-051-700	40
25440-031-600	42	25521-312-700	57	25540-011-700	39	25550-061-500	40
25440-041-100	43	25524-012-500	47	25540-011-720	39	25550-061-700	40
25440-041-600	42	25527-011-500	49	25540-011-750	39	25550-071-500	40
25440-081-100	43	25527-012-700	57	25540-021-500	39	25550-071-700	40
25440-081-600	42	25527-021-500	49	25540-021-700	39	25550-081-500	40
25440-091-100	43	25530-011-500	39	25540-031-500	39	25550-081-700	40
25440-091-600	42	25530-011-520	39	25540-031-700	39	25550-081-900	40
25440-111-100	43	25530-011-550	39	25540-041-500	39	25550-091-700	40
25440-111-600	42	25530-071-700	39	25540-041-700	39	25550-101-500	40
25440-121-100	43	25530-011-720	39	25540-081-500	40	25550-101-500	41
25440-121-600	42	25530-011-750	39	25540-081-700	40	25550-101-520	41
25440-131-100	43	25530-021-500	39	25540-091-500	40	25550-101-575	41
25440-131-600	42	25530-021-700	39	25540-091-700	40	25550-101-700	41
25440-141-100	43	25530-021-900	39	25540-101-500	40	25550-101-750	41
25440-141-600	42	25530-031-700	39	25540-111-500	39	25550-101-775	41
25440-181-100	43	25530-041-500	39	25540-111-520	39	25550-111-500	41
25440-181-600	42	25530-041-700	39	25540-111-530	39	25550-111-520	41
25440-191-100	43	25530-081-500	39	25540-111-700	39	25550-111-575	41
25440-191-600	42	25530-081-700	39	25540-111-720	39	25550-111-700	41
25450-011-100	43	25530-081-900	39	25540-111-750	39	25550-111-750	41
25450-011-600	42	25530-091-700	39	25540-121-500	39	25550-111-775	41
25450-011-900	42	25530-101-500	39	25540-121-700	39	25550-012-100	44
25450-021-100	43	25530-111-500	39	25540-131-500	39	25553-022-100	44
25450-021-600	42	25530-111-520	39	25540-131-700	39	25553-040-100	44
25450-031-100	43	25530-111-550	39	25540-141-500	39	25553-050-100	44
25450-031-600	42	25530-111-700	39	25540-141-700	39	25553-060-100	44
25450-041-100	43	25530-111-720	39	25540-181-500	40	25553-080-700	44
25450-041-600	42	25530-111-750	39	25540-181-700	40	25553-100-100	44
25450-051-100	43	25530-121-500	39	25540-191-500	40	25554-020-500	47
25450-051-600	42	25530-121-700	39	25540-191-700	40	25557-001-500	49
25450-061-100	43	25530-131-500	39	25543-012-100	44	25557-011-500	49
25450-061-600	42	25530-131-700	39	25543-040-100	44	25557-012-700	51

PART#	PG	PART#	PG	PART#	PG	PART#	PG
29557-021-300	48						
29557-041-300	49						
29557-062-700	51						
29557-007-000	51						
29557-501-300	49						
29560-011-300	40						
29560-501-500	41						
29563-022-100	44						
29563-042-100	44						
29563-092-100	44						
29833-019-000	44						
29833-129-000	44						
29833-149-000	44						
35030-000-100	20						
35033-000-100	20						
35038-000-100	20						
35351-009-999	114						
35351-904-000G	114						
35351-907-000G	114						
35351-909-000G	114						
35353-904-000G	114						
35353-907-000G	114						
35353-909-000G	114						
35451-904-000G	23						
35451-907-000G	23						
35451-907-300	122						
35453-704-000G	23						
35453-707-000G	23						
35453-804-000G	23						
35453-807-000G	23						
35453-904-000G	23						
35453-907-000G	23						
35453-907-020	23						
35453-999-999	25						
51001-001-101	80						
51001-021-101	80						
51001-081-101	80						
51001-141-101	80						
51002-002-102	80						
51002-012-101	80						
51002-022-101	80						
51002-082-101	80						
51004-001-908	28						
58326-009-000	133						
58328-000-000	133						
58328-080-100	133						
58328-004-000	133						
58328-100-000	133						
58328-104-000	133						
61000-050-012	124						

TERMS & CONDITIONS OF SALE

Cushman Molded Products, LLC, a Fluidra Company – TERMS AND CONDITIONS OF SALE

WE RESERVE THE RIGHT TO CHANGE OUR TERMS AND CONDITIONS OF SALE AT ANY TIME WITHOUT PRIOR NOTICE. THE TERMS AND CONDITIONS OF SALE IN EFFECT AT THE TIME WE ACCEPT ANY ORDER SHALL CONTROL. THE TERMS AND CONDITIONS OF SALE BELOW WERE CURRENT AS OF THE DATE OF PRINTING, BUT MAY CHANGE AT ANY TIME.

The following terms and conditions shall apply to all products sold by Cushman Molded Products, LLC, a Fluidra Company ("Fluidra"). By submitting an order for products, the ordering party (the "Purchaser") shall be deemed to have agreed to these terms and conditions. Fluidra does not accept any deviation from these terms. Any additional or different terms in any purchase orders or other document submitted by a Purchaser shall be of no force or effect and are hereby expressly rejected. If any additional or different terms or conditions are included in a Purchaser's order, Fluidra may choose to fulfill the order, but the additional or different terms and conditions will not apply or be deemed accepted by Fluidra. In all cases of conflict between these terms and conditions and the requirements of any Purchaser's order, these terms and conditions shall prevail. No order shall be binding on Fluidra unless and until accepted by Fluidra.

Contact

For written communications, including payment of invoices, please send to:

Cushman Molded Products, LLC

Email: AP@C-M-Fluidra.com

Phone: 1-800-733-9360

Ordering

Customers should place orders directly with Cushman Molded Products by email at DEMSPT@TEAM@C-M-Fluidra.com or by Phone at 1-800-733-9360 Option 3. To ensure prompt and proper shipment, please order by using complete part numbers and descriptions. All telephone orders must be followed up with a written confirmation purchase order.

Our catalog contains leading quantities for most parts. Currently CMP does not apply a surcharge for broken custom orders. Please hold us to maintain this policy by ordering in full order quantities.

Thank you for your cooperation!

Credit Limits

Based on the account type and information provided to Fluidra during the account set up process, a credit limit will be established in an amount determined by Fluidra in its sole discretion. Orders that place the Purchaser's account balance over its established credit limit will not be released for shipping until arrangements are made for payment of outstanding invoices. Any request for an increase or adjustment in Purchaser's credit limit must be made in writing to Fluidra. Credit limits may be adjusted in Fluidra's sole discretion based on a Purchaser's payment history and Fluidra's credit policies as in effect from time to time. Fluidra reserves the right to change its credit policies at any time for any reason without prior notice.

Prices

Prices, discounts, quotations and specifications are subject to change without notice and will be applied as in effect at time of shipment. All prices are in U.S. dollars. All requests for price quotations shall be addressed to Fluidra via e-mail at DEMSPT@TEAM@C-M-Fluidra.com or by calling 1-800-733-9360 Option 3.

Taxes

Any federal, sales, excise or similar tax for which Fluidra may be liable on any sale will be charged to and paid by the Purchaser. If Purchaser is a reseller, Purchaser is responsible for furnishing a resale certificate prior to purchase.

Payment Terms

Orders otherwise expressly agreed to by Fluidra in writing, and subject to Fluidra's right to establish and change Purchaser's credit limit, all invoices shall be payable in full and without deduction or offset of any kind as set forth on each invoice. Purchaser acknowledges that payment is an independent obligation of Purchaser and is not contingent or dependent upon the services and performance of any third party. Fluidra may apply any payment received from Purchaser to any obligation of Purchaser then outstanding to Fluidra, regardless of any statement accompanying such payment. The acceptance by Fluidra of a partial payment shall not constitute a waiver of Fluidra's right to pursue any remaining balance.

Default in Payment/Late Charges

Purchaser shall pay late charges in any amount not paid when due at the rate of 10% per annum (or if lower, the maximum rate allowed by law) from the due date until paid. Fluidra may, without notice, declare all obligations of Purchaser to Fluidra immediately due and payable in the event of a default in the payment of any invoice. Fluidra reserves the right to power Purchaser's account to a Cash in Advance account or to close Purchaser's account, without further notice, if Purchaser fails to pay any amount when due. Purchaser agrees to pay all costs of collection incurred by Fluidra (including reasonable attorney's fees or amounts paid to or deducted by a collection agency) in connection with collecting any amount not paid when due.

Shipping/ Inspection

All sales are F.O.B. Fluidra's shipping point. Orders will be shipped to a single location only. For orders that do not qualify for free freight, purchaser agrees to pay any and all shipping charges when a freight is required to deliver an order that does not qualify for free freight. Fluidra will not ship ship, outside a published Fluidra program. Tender of delivery within thirty (30) days after the date ordered by Purchaser shall constitute timely delivery. Delivery of a quantity which does not vary by more than 10% from the quantity ordered by Purchaser shall constitute timely delivery of an order and Purchaser shall pay for the actual quantity so delivered. Orders in delivery of are voided by more than thirty (30) days shall entitle Purchaser to cancel an order for such shipment (here only, provided, however that such cancellation is made by written notice to Fluidra and shall constitute Purchaser's sole and exclusive remedy hereof). Claims of late delivery are barred unless made prior to delivery by Fluidra to Purchaser's designated shipper, and such delivery shall constitute a waiver of any claim that the order was delivered late. Purchaser may be assessed shipping and handling charges for orders requiring special order or expedited delivery. Purchaser shall inspect all products immediately upon receipt. If Purchaser determines that the quantity or quality of the products are not in conformity with the order or the applicable Product Warranties (as defined), Purchaser will notify Fluidra of the shortage or non-conformity within five (5) working days of receipt by e-mailing DEMSPT@AP@C-M-Fluidra.com with the subject line "Credit Request" or calling 1-800-733-9360 Option 3. Fluidra will stop resending or conforming items within thirty (30) days of receipt of notice. If Purchaser fails to notify Fluidra within the foregoing five (5) day period, the products and the statement thereof shall be deemed accepted by Purchaser and shall bar Purchaser from asserting at a later date any discrepancy (including but not limited to) in quantity or quality. Claims will not be accepted if products have been transferred by the original recipient to another branch or location.

Invoices

Please pay by invoice per the terms on the invoice itself. There will be a \$20.00 minimum service charge on all NSF or returned checks.

Billing Errors

Appropriate debits or credits will be applied to accounts or invoices that are in error. Please contact Cushman Molded Products if you have questions regarding your invoice or if you think your account is in error.

Returned Policy

All product returns must have prior authorization from Fluidra, based on RMA issued by completing the appropriate form at FluidraUSA.com/WarrantyRMA. Purchaser must receive an RMA number from Fluidra prior to shipping returned goods. Returned goods must be packaged securely in original packaging (or a reasonable substitute) and marked with the RMA number on the outside of the box. Defect shipments or shipments without a clearly identifiable RMA number will be refused. Freight must be prepaid. Returned goods damaged due to inadequate return packaging may not receive full credit. Items returned for warranty consideration must include date of purchase, installation date, serial number and description of defect. A request to return goods for reasons other than warranty may not be honored. If accepted, these returned goods are subject to a 30% restocking charge. Visit FluidraUSA.com/WarrantyRMA for additional information.

Title to Products

Title to each product shall pass to Purchaser only upon full payment. But risk of loss shall pass upon delivery by Fluidra to the carrier regardless of whether payment has been made. To the extent any product contains or includes any software, such software is to be deemed as licensed (not sold) to Purchaser on a non-exclusive basis. Purchaser shall not use or transfer any software except in connection with the use or re-sale of the product with which it is supplied, nor shall Purchaser or any transferee copy, modify, reverse engineer, disassemble, decompile or translate any such software or attempt to derive the source code thereof.

Use of Products

Purchaser shall not display, market and use the products in accordance with any documentation supplied with the products and all applicable laws, licenses and other restrictions. Purchaser shall not remove or modify any trademark, patent or other notices of Fluidra or any of its third party vendors from products, or any documentation supplied therewith. In addition, Purchaser may not, without Fluidra's prior written authorization, add any trademark, patent or other notice to the products.

Receipt of Goods While Insolvent; Material Adverse Change in Purchaser's Financial Condition

In the event that Purchaser receives any goods from Fluidra while Purchaser is insolvent (as such term is defined in Section 2-702 of the Uniform Commercial Code), the selling shall constitute Fluidra's demand for retention of such goods. All obligations of Purchaser to Fluidra shall become immediately due and payable, on ten (10) days written notice, if Fluidra determines, in its sole discretion, that there has been a material adverse change in the financial condition or business affairs of the Purchaser so that Purchaser's ability to pay its obligations to Fluidra has become impaired.

Notice

Custom Made Products reserves the right to change at any time and without notice colors, materials, specifications, part numbers and prices in any products appearing in this publication.

FLUIDRA® LIMITED WARRANTY

All products are warranted by Fluidra in accordance with the applicable limited warranties set forth in Fluidra's most recent product catalog (the "Product Warranties"). Copies of the current Product Warranties and Warranty Procedures are available upon request. Fluidra reserves the right to modify the terms of the Product Warranties at any time without notice, provided that such changes shall only apply to products delivered after the effective date of the change. The Product Warranties provide specific legal rights; other rights may apply that vary from state to state.

Exclusion of Certain Damages. IN NO EVENT SHALL FLUIDRA OR ITS AFFILIATES BE LIABLE TO PURCHASER OR ANY THIRD PARTY FOR ANY INCIDENTAL, INDIRECT, SPECIAL, PUNITIVE, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF BUSINESS, LOSS OF PROFITS, LOSS OF GOODWILL, OR BUSINESS REPUTATION, DAMAGE TO OTHER PROPERTY, BUSINESS INTERRUPTION, LOSS OF DATA, OR LOSS OF BUSINESS INFORMATION, ARISING OUT OF OR CONNECTED IN ANY WAY WITH THE PURCHASE, SALE, DISTRIBUTION OR USE OF ANY PRODUCTS EVEN IF FLUIDRA HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the foregoing limitation may not apply.

Limitation of Liability. Under no circumstance shall Fluidra's liability in respect of any products (whether arising in contract, tort (including negligence or strict liability), or under any other legal theory) exceed the purchase price actually paid to Fluidra therefor.

Force Majeure. Fluidra will have no liability in respect of any failure to perform or delay in performance when such failure or delay results from causes beyond its reasonable control, including without limitation, acts of God, acts of rioters or public enemy, fire, floods, earthquakes or other catastrophes, riots, war, civil disorders, strikes, lockouts, interruptions of utilities, supplies, transportation or communication, work stoppages or other labor difficulties, court order or other legal prohibitions. In the event of any force majeure event, Fluidra reserves the right to allocate available products among Fluidra's customers in any manner Fluidra reasonably determines.

WAIVER OF ARBITRATION. THE PARTIES HEREBY IRREVOCABLY WAIVE ALL RIGHT TO TRIAL BY JURY IN ANY ACTION, PROCEEDING OR COUNTERCLAIM ARISING OUT OF OR RELATING TO THE PRODUCTS OR THE PURCHASE AND SALE THEREOF.

Governing Law, Miscellaneous. All disputes arising out of or related to the sale of any products to Purchaser or the interpretation of these terms and conditions shall be governed by the laws of the State of Georgia (other than its principles of conflicts of law). The United Nations Convention on the International Sale of Goods shall not apply in any sale of products. Except for actions seeking injunctive relief (where applicable brought in any appropriate jurisdiction), suit in respect of any such dispute shall only be brought in a court of competent jurisdiction in the County of Fulton, State of Georgia. This choice of venue is intended by the parties to be mandatory and not permissive in nature, and to preclude the possibility of litigation between the parties with respect to, or arising out of, the sale of any products in any jurisdiction other than that specified in this Section. Each party waives any right it may have to assert the doctrine of forum non conveniens or similar doctrine or to object to venue with respect to any proceeding brought in accordance with this Section.

