

FILBUR™

POOL AND SPA FILTRATION

Spa Filters • DE Grids • Pool Filters • Filter



LIMITED WARRANTY • FILBUR Manufacturing

Limited Warranty. FILBUR Manufacturing warrants that its cartridges and grids will be free from defects in material and/or workmanship for one (1) year from date of purchase. This warranty does not extend to ordinary wear and tear, misuse, and/or failure to maintain the products. Documentation of date of purchase is required. FILBUR may require the return of product for determination of warranty eligibility in the reasonable discretion of FILBUR Manufacturing. FILBUR Manufacturing disclaims all other express or implied warranties, including without limitation, any implied warranties of merchantability or fitness for a particular purpose.

Limitations of Liability. FILBUR Manufacturing's Limited Warranty applies only to new FILBUR Manufacturing filter cartridges, grids, and accessories purchased from FILBUR Manufacturing or an approved affiliate of FILBUR Manufacturing. FILBUR Manufacturing disclaims any warranty against claims of patent or trademark infringement. In the event of any judicially established claim of patent or trademark infringement, FILBUR Manufacturing may obtain an appropriate license on purchaser's behalf. Only in the event that FILBUR Manufacturing does not obtain such a license for purchaser, purchaser's sole remedy shall be to return any unused goods that are in resalable condition for refund. Purchaser assumes all risks whatsoever from the use of FILBUR Manufacturing products. In the event of delivery of non-conforming or defective product, purchaser's sole and exclusive remedy shall be to return such non-conforming or defective product for replacement at no additional charge by FILBUR Manufacturing or, in the event the product cannot be replaced, for refund or credit.

General Statement of Quality. FILBUR Manufacturing is a private label manufacturer of filter cartridges and grids for original equipment manufacturers (OEMs) under their brand names according to their specifications. FILBUR Manufacturing also manufactures replacement grids and cartridges under the FILBUR Manufacturing brand for those OEMs' products and for other OEMs for which it is not a private label OEM supplier. FILBUR Manufacturing has endeavored to make its aftermarket replacement products equal to or better than the OEM products for which they serve as replacements. FILBUR Manufacturing makes no claim that its FILBUR Manufacturing branded cartridges and grids are manufactured or endorsed by the OEMs.

DISCLAIMERS: FILBUR MANUFACTURING SHALL HAVE NO LIABILITY FOR ANY OTHER DAMAGE OF ANY KIND, INCLUDING WITHOUT LIMITATION SHIPPING, LABOR, INSTALLATION OR ANY OTHER LOSSES OR DAMAGES. FILBUR MANUFACTURING SHALL NOT BE NOT LIABLE TO PURCHASER OR ANY THIRD PARTY FOR DIRECT, INDIRECT, CONSEQUENTIAL, INCIDENTAL, PUNITIVE, EXEMPLARY, OR ANY OTHER DAMAGES OF ANY KIND WHATSOEVER (INCLUDING, BUT NOT LIMITED TO, LOST PROFITS OR LOST SALES), REGARDLESS WHETHER IT IS BROUGHT AT LAW OR INEQUITY OR ON ANY THEORY OF CONTRACT OR TORT LIABILITY OR ANY OTHER THEORY OF LIABILITY.

For Terms and Conditions of Sale please visit www.filburmfg.com

Copyright ©2025 FILBUR Manufacturing

All rights reserved. No portion of the FILBUR Manufacturing Product Catalog and Grids Selling Guide may be reproduced, retransmitted, or otherwise used, without written permission of FILBUR Manufacturing.

4101 Kruse Way • Lake Oswego, Oregon 97035 • p 888.424.9185 | www.filburmfg.com

FILBUR®

POOL AND SPA FILTRATION

Thank you for choosing FILBUR Manufacturing pool and spa filter cartridges and D.E. grids. We want to be your partner for all of your pool and spa filtration needs. As a valuable partner we want to make your job easier. Listings by cartridge dimensions, manufacturer, and part number in addition to a user-friendly index allow versatile information look-up. You are sure to find the right product for your pool or spa filter system. We've designed this catalog with that in mind, simplifying cartridge and grid reference regardless of the information you have. Listings by cartridge dimensions, manufacturer and part number allow versatile information look-up. And, with a new and improved index along with the most comprehensive line-up of cartridges and grids you are sure to find the right product for your pool or spa filter system.


FILBUR® cartridges are made to the highest standards and specifications demanded by original equipment manufacturers (OEMs) of pools and spas. The DirtMaster™ seal assures you that only time-tested, industry-specified media is used. Just look for this seal and you'll know that you are using cartridges that are tested, trusted, and proven.



Extruded PVC cores – the strongest on the market – further add to the dependability of FILBUR cartridges, making them the first choice of pool and spa equipment manufacturers.

FILBUR D.E. grids continue to receive acclaim by customers as the strongest and most durable. With beefy skeletal frames, thick media covers and strong stitching, FILBUR grids are engineered to hold up to multiple cleanings for several seasons. Just look for the blue stitching and you'll know you've found the best.

But, a broad line of quality products is not enough. At FILBUR Manufacturing we build more than cartridges... we build relationships, too. Exceptional customer service, flexibility and on-time shipping reflect our dedication to our partners. A website full of resources – including an interactive Filter Finder tool – help you get out what we put in. Visit www.filburmfg.com. While you're there hit the link to our Facebook, Twitter, YouTube and Pinterest pages and join the conversation. You'll find helpful and interesting information ...and, some fun, too!



Communication is critical to any successful relationship and we expect no less of our partnership. Should you have any questions, specific needs, or recommendations please do not hesitate to call our customer service department toll free at 888-424-9185. We welcome the opportunity to assist you with all of your pool and spa filtration needs.

FILBUR is committed to the best

Which is why our pool and spa filter cartridges are built better to last longer with DirtMaster™



Look for the DirtMaster icon.

It's your assurance of premium filtration media with its maximum dirt-holding capacity and flow for long life.

FILBUR Cartridges with DirtMaster Technology are:

- **Tested**
Subjected to rigorous testing by top spa producers.
- **Trusted**
Consistent, quality materials mean reliable performance.
- **Proven**
Industry standard for over 25 years. Premium media and the strongest cores mean long life and premium

Table of Contents

Product Information	6–12
Why FILBUR?	6
Anatomy of a FILBUR Cartridge	7
End Cap Configurations	8
Identifying a Replacement Cartridge	9
Why ECO3	10
Cartridge Care and Cleaning Accessories	12
 Pool and Spa Cartridges	 13–56
FILBUR Freedom™ Antimicrobial Cartridges	14
Dimensional Cartridge Listing	17–26
When & How to Clean your filter	26
Cartridges by Manufacturer (OEM) Listing	27–55
 Diatomaceous Earth (D.E.) Grids	 57–62
 Reverse Cross Reference	 63–66
UNICEL → FILBUR	64
 Engineering Data & Measurements	 67–72
 Index	 73
Sales Representatives	79





Why FILBUR?

CENTER CORES

SAME FLOW RATE and ENERGY DRAW

(filtering)



STRONGER

WEAKER
(less material in the core, corners prone to cracking)

EXTRUDED PVC CENTER CORES


Why does FILBUR use extruded PVC center cores in their cartridges? Because they are the strongest, hands down! Round holes provide for even distribution of stress whereas square holes create a build-up of stress at 90 degree angles resulting in cracking and eventual collapse of the center core and cartridge. Independent testing also confirms **there is no difference in flow rates or energy draw between the 2 types of center cores (left).** As long as the total area of the holes in the center core are equal to or greater than the opening at the bottom of the end cap there will be no restriction in flow...that's basic hydraulics.

REINFORCED CENTER CORES

Larger FILBUR cartridges incorporate reinforcement "wheels" to allow for increased debris loading and pressure differential while protecting the structural integrity of the cartridge.



END CAPS



INTEGRATED THREADS
(no flow reduction or adapter needed)


PAD ADAPTER
(decreases flow rates)

THREADS MOLDED DIRECTLY INTO THE END CAP

This makes for easy installation and removal and provides for a structurally sound cartridge. Independent testing confirmed that cartridges using PAD adapters actually decreased flow rates and filtration when compared to cartridges with integrated threads. Adapters create unnecessary restrictions whereas our threaded cartridges allow for the unrestricted flow of water.

★ REINFORCED ANTIMICROBIAL END CAPS

Screen mesh is inserted directly into the end cap which provides for added strength and integrity. Think about rebar in concrete, it's the same principal. Antimicrobial end caps repel odor causing bacteria and mold and are highly resistant to chemicals commonly found in pool and spa applications.




EMBOSSED PART NUMBERS

This allows for easy identification and re-ordering. They should be clearly molded into the end cap.



FILTER ME-




4-OUNCE FILTER MEDIA

FILBUR pool cartridges use 4oz. weight industry-specified media. This is the OEM spec and the NSF® requirement for turbidity reduction in pool applications. By substituting 4oz. media with 3oz. media you are allowing more debris to pass through the filter creating cloudy, less clear water. You also greatly shorten the cycle time between cleanings and the overall life of the filter by using 3oz. media in pool applications. Check the spec and demand the best for your customer! (While the 3oz. media is the standard for portable spa filters we do not recommend using this for pool filter applications.)


Anatomy of a FILBUR Cartridge



REINFORCED CENTER
CORES ON LARGER CAR-



OEM SPECIFIED
FILTER MEDIA



REINFORCED **ANTIMICROBIAL**
END CAPS



EMBOSSED PART NUM-



EXTRUDED PVC CENTER



MOLDED END CAPS
NO ADAPTERS NEEDED



BREAK-RESISTANT BANDS

Bands keep pleats evenly spaced for optimum flow and filtration allowing water to pass through the pleats unrestricted, thereby making use of all the surface area of the filter media.



End Cap Configurations



Open



Open Graded Step



Open Graded Step



Open Graded Step



Open Stepped



Ridged Open



Open Slanted



Open Female MPT Threaded



Open No Core



Open with Flat Bottom



Open with Slots



Open with Twist Lock Fitting



Open with Small Holes



Open with Slots



1/4", 1/2", 3/4" SAE Threads



MPT Thread



Closed SAE



Push Fitting



Push Fitting with Ridge



Integrated Cone Adapt



Stepped Slip Fitting with MPT



Slotted Crescent Handle



Closed Crescent Handle



Bar Handle



Integrated Knob Handle



Closed Cone Handle



Closed



String Handle



Closed Loop



Castle



Castle Crossed



Castle Stepped



Closed with Stand-offs




Hose Fitting

Identifying a Filter Cartridge

Visit the
Filter Finder on
filburnfg.com

HOW TO FIND A REPLACEMENT CARTRIDGE FOR YOUR POOL OR SPA



- Measure the outside diameter of the cartridge in inches (+/- 1/16).
- Measure the overall length of the cartridge in inches (+/- 1/16), including the end caps. Do not include any handles, strings, etc. A more accurate measurement is made by measuring through the center of the cartridge when possible.
- If the top and/or bottom is open, measure the inside diameter of the opening (+/- 1/16 inch). If the end cap is closed make note of its identifying features (i.e. 'Handle', 'Cone', etc.).
- Make note of the manufacturer (OEM) and model number of the filter into which the replacement cartridge will be installed.
- Take note whether or not there is a center core (PVC pipe in center). Also count the number of pleats (+/- 2).

The FILBURN Catalog for replacement cartridges is divided into two sections: Dimensional and by Pool/Spa Manufacturer. The cartridges are listed alphabetically by original manufacturer, and then each cartridge for that manufacturer is listed from the smallest O.D. (outside diameter) to the largest, then by overall length, top (measurement or handle, etc.), bottom diameter, and description (manufac-

HOW TO COMPUTE THE SQUARE FOOTAGE OF A CARTRIDGE

- Count the number of pleats and measure the pleat depth in inches.
- Measure the length of the cartridge in inches excluding the end caps.
- Multiply the number of pleats by 2 and multiply that number by the pleat depth. Multiply the total by the length of the cartridge (excluding the end caps) and divide that number by 144.

of Pleats X 2 X Pleat Depth X Pleat Length ÷ 144 = cartridge square footage

Example:

$$\begin{array}{|c|} \hline \# \text{ of pleats} \\ \hline 100 \\ \hline \end{array} \times 2 \times \begin{array}{|c|} \hline \text{pleat depth} \\ \hline 0.750 \\ \hline \end{array} \times \begin{array}{|c|} \hline \text{length} \\ \hline 12.25 \\ \hline \end{array} \div 144 = 12.76$$

Why ECO3 from FILBUR?

The New/Smart/Easy Choice for System:3® Replacement Cartridges



- ✓ The same unique flow design as the original
- ✓ The same professional-grade filtration fabric
- ✓ Superior FILBUR DirtMaster technology
- ✓ Guaranteed savings



FILBUR's ECO3 Retrofit offers you a smart choice. It features the same unique flow design as the original, but with cartridge replacement options that guarantee savings. Plus FILBUR's ECO3 Retrofit features superior FILBUR DirtMaster technology: professional-grade filtration fabric for premium dirt-holding.

Why DirtMaster Technology?

- Professional-grade filtration fabric
- Premium end caps
- The strongest high-flow cores in the industry
- Tested. Trusted. Proven.

PROFESSIONAL CLEANING SOLUTION			
FILBUR #	DESCRIPTION	DIMENSIONS	WEIGHT
FC-ECO3-301	Inner Cartridge	8 1/2" O.D. x 22 1/2" L	5.5 lbs.
FC-ECO3-302	Outer Cartridge	15" O.D. x 19 1/2" L	10.3 lbs.
FC-ECO3-303	Manifold	17" O.D. x 48" H	3.8 lbs.

Assembled Kit: 17" O.D. x 28 1/2" H

ECO3 RETROFIT From FILBUR

PURE 'N CLEAN™

THE ULTIMATE CARTRIDGE & D.E. FILTER AND POOL & TILE CLEANERS

Just spray and rinse – this 100% biodegradable, multi-purpose cleaner uses a unique blend of environmentally friendly agents to clean safely, clean fast!

Pure 'n Clean™ effectively removes buildup on cartridges

and grids, restoring efficiency and flow rate for like-new operation without filter fabric damage. Plus as a mild degreaser, Pure 'n Clean easily removes lingering perspiration, suntan lotions and other oils from your filters.



PROFESSIONAL CLEANING SOLUTION

FILTR #	DESCRIPTION	PER CASE	OZ./BOTTLE	LBS./CASE
FC-6350	Pure 'n Clean Filter Cleaner - 32 oz	12	32	27
FC-6351	Pure 'n Clean Filter Cleaner - 128 oz	4	128 (1 gallon)	36
FC-6355	Pure 'n Clean Tile Cleaner - 32 oz	12	32	27
FC-6356	Pure 'n Clean Tile Cleaner - 128 oz	4	128 (1 gallon)	36

MICRO-KLEAN™ FILL FILTERS

Filter your water before you fill your pool or spa with the Micro-Klean fill cartridges. Available in both a pleated and disposable version these filters reduce total dissolved solids (TDS) from your water and increase the quality of your pool or spa water.

- Attaches to the end of any garden hose.
- Extends filter life.
- Removes solids from water.
- Reduces hard mineral deposits.
- Easier to balance chemicals from the start.
- Great for plaster crews!



MICRO-KLEAN™ FILL FILTERS

FILTR #	DESCRIPTION	O.D.	LENGTH	TOP	BOTTOM	SQ. FT.	OZ.	CASE
FC-3125	Pleated sediment filter w/hose adapter	2 1/4"	10"	Hose Fitting	Closed	4	4	12
FC-3128	Disposable sediment filter w/hose adapter	2 1/4"	10"	Hose Fitting	Closed	N/A	N/A	12
FC-3129	Big Daddy disposable sediment filter w/hose adapter	4 1/4"	13 1/2"	Hose Fitting	Closed	N/A	N/A	6

POOL & SPA CARTRIDGES



FILBUR Manufacturing filter cartridges and grids are produced to exact strict OEM specifications. Don't be fooled by cheap imitations. Demand cartridges that are produced with industry specified filter media and the strongest cores in the industry. FILBUR Freedom cartridges feature exclusive Microban® antimicrobial filter media. All FILBUR cartridges carry a one year warranty.

FILBUR®
POOL AND SPA FILTRATION

PREMIUM ANTIMICROBIAL CARTRIDGES

FILBUR Freedom™




At FILBUR, we're focused on value.

And our blue, FILBUR Freedom antimicrobial cartridges are a case in point. We recognize the value this breakthrough technology brings to the industry, keeping pool and spa water cleaner, clearer, more protected. Here's how it works:

- Antimicrobial protection prevents the growth of bacteria on cartridges.
- Less bacteria means fewer odors, algae, and mold that can foul a cartridge and contaminate water.
- Applied during the manufacturing process, antimicrobial protection will not wash out or wear away. It lasts as long as the cartridge itself.
- When microorganisms come in contact with the treated blue filter media, they are no longer able to function, grow, or reproduce.

Available in more than 50 sizes, FILBUR Freedom cartridges offer the same strength, durability, and reliability as the original FILBUR material and are easier to clean than any other filter. Their distinct blue color makes them easy to differentiate from other cartridges and easily identifies them as antimicrobial. FILBUR Freedom cartridges carry a one-year warranty.



FILBUR FREEDOM[®]

PREMIUM ANTIMICROBIAL CARTRIDGES

FILBUR #	I.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	Lq. ft.	Q2	CASE QTY
PREMIUM ANTIMICROBIAL CARTRIDGES								
FC-0131M	4 1/8	8 1/8	Handle	1 1/2" MPT	4 1/2" x 9 1/2" w/1 1/2" MPT	35	3	6
FC-0132M	4 1/8	11 1/8	Handle	1 1/2" MPT	Saratoga 11", 1 1/2" MPT	37	3	6
FC-0133M	4 1/8	15 1/8	Handle	1 1/2" MPT	Saratoga 15", 1 1/2" MPT	40	3	6
FC-0134M	4 1/8	11 1/8	Handle	1 1/2" SAE	Saratoga 11", 1 1/2" SAE	37	3	6
FC-0141M	4 1/8	11 1/8	Handle	1 1/2" MPT	40" x 11 1/2" w/1 1/2" MPT	30	3	6
FC-0150M	4 1/8	14 1/8	Handle	1 1/2" MPT	UNICEL 4CH-SURA	50	3	6
FC-0170M	4 1/8	8 1/8	Handle	1 1/2" Fern SAE	Master Spas 30 Telewell	30	3	6
FC-0172M	4 1/8	13 1/8	Handle	2" Fern SAE	Rising Dragon antimicrobial	50	3	6
FC-0173M	5	8 1/8	Handle	1 1/2" Fern SAE	Master Spas 30 Telewell, stackable bottom	30	3	6
FC-0189M	4 1/8	11 1/8	Handle	1 1/2" open	One Plastco PWD adapters*	27	3	4
FC-0195M	5 1/8	12 1/8	Handle	2" MPT	30 sq. ft. Top Load	30	3	6
FC-0196M	5 1/8	12 1/8	Handle	2" MPT	Cal Spas Avalon	35	3	6
FC-0143M	4 1/8	7 1/8	Handle	open w/ flange	Future Spa (Bathing Industries)	20	3	2
FC-0202M	5 1/8	16 1/8	Handle	2" MPT	Avalon/Victory	65	3	4
FC-0203M	5 1/8	12 1/8	Handle	2" MPT	Cal Spas removable top	50	3	4
FC-0204M	5 1/8	16 1/8	Handle	2" MPT	Cal Spas removable top	65	3	4
FC-0300M	5 1/8	8	Handle	1 1/2" MPT	5 1/2" x 8"	35	3	4
FC-0304M	5 1/8	12 1/8	Handle	2" MPT	Cal Spas Screw in Cartridge	75	3	6
FC-0311M	6 1/8	8	Handle	2" MPT	Artesian Spas	35	3	4
FC-0315M	6	9	Handle	1 1/2" MPT	6" x 9" w/1 1/2" MPT	45	3	6
FC-0317M	6	9 1/4	Handle	2" MPT	Master Spas Twilight	40	3	6
FC-0329M	6	8 1/4	Handle	1 1/2" SAE	6" x 8 1/2" w/SAE	40	3	6
FC-0340M	6	8 1/4	Handle	1 1/2" Male Slip	6" x 8 1/2" w/1 1/2" Slip/Tipper	40	3	6
FC-0341M	6	8 1/4	1 1/2" open	1 1/2" SAE	6" x 8 1/2" w/SAE Lower	40	3	6
FC-0415M	7 1/8	7 1/8	Handle	2" MPT	Master Spas Legacy / Freedom	40	3	4
FC-0421M	7	5 1/8	Handle	2" MPT	Master Spas 40, short version	40	3	4
FC-0517M	8	18	Handle	2" MPT	Diamond Spas 120	120	3	1
FC-0536M	7 1/8	5 1/8	Handle	2" SAE	Bullfrog Spas 10-1035	35	3	4
FC-1001M	4	7 1/8	2 1/2" open	2 1/2" open	Master Spas Eco-Pure (Inlet cartridge)	10	3	6
FC-1003M	7	7 1/8	4" open	4" open	Master Spas EP-Cylinder (old style)	30	3	4
FC-1004M	8 1/8	12	N/A	N/A	Master Spas	40	3	6
FC-1007M	8	7 1/8	4 1/2" open	4 1/2" open	Eco-Pure outer filter (new style)	40	3	4
FC-1269M	8 1/8	23 1/8	4" open	4" open	X-Stream M1500	150	4	1
FC-1330M	5 1/4	10 1/4	Spring Handle	2 1/4	Locust front load, Aero, Caresa	25	3	6
FC-2375M	4 1/4	13 1/4	2 1/2" open	2 1/2" open	Rainbow Dynamic in-line	25	3	6
FC-2385M	4 1/4	9 1/4	2 1/2" open	2 1/2" open	Rainbow Dynamic in-line	35	3	6
FC-2784M	4 1/4	4 1/4	2 1/2" open	2 1/2" open	Rainbow DGF (2 filters per set)	35	3	6 sets
FC-2387M	4 1/4	6 1/4	2 1/2" open	2 1/2" open	Rainbow DGF (2 filters per set)	50	3	6 sets
FC-2390M	4 1/4	13 1/4	2 1/2" open	2 1/2" open	Rainbow Dynamic in-line	50	3	6
FC-2391M	4 1/4	20 1/4	2 1/2" open	2 1/2" open	Rainbow RTL	75	3	6
FC-2715M	6 1/8	15 1/8	Removable Cap	2" SAE	Sundance J-300 Series	40	3	1
FC-2716M	6	17 1/8	Handle	2" SAE	J-300 w/removable cap 6" I.D.	60	3	1



FILBUR FREEDOM™

PREMIUM ANTIMICROBIAL CARTRIDGES

continued

FILBUR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	Sq. Ft.	GZ	CASE QTY
FC-2800M	4 1/4"	15 1/2"	Handle	2" SAE	Jocusi Premium	52	3	3
FC-2810M	4 1/4"	14"	Closed w/SAE	2"	Sundance MicroClean	40	3	3
FC-2940M	4 1/4"	23 1/2"	2 1/2" open	2 1/2" open	Waterway In-line	100	3	4
FC-2971M	5 1/4"	14 1/2"	2 1/2" open	2 1/2" open	Cal Spas LP	75	3	4
FC-2972M	5 1/4"	14 1/2"	2 1/2" open	2 1/2" open	LP 45sq. ft.	45	3	4
FC-2975M	5 1/4"	21 1/2"	2 1/2" open	2 1/2" open	Coast Spas	100	3	3
FC-3029M	4 1/4"	13 1/2"	Closed	1 1/2" MPT	Viva Spas MPT	25	3	4
FC-3032M	4 1/4"	7"	Handle	2" MPT	Coc Pump	30	3	4
FC-3071M	4 1/4"	4"	1 1/2" open	1 1/2" open	4" Skin Filter	10	3	4

THE FILBUR®

QUAD PACK

An *aquadic* way to
save time and money.

All cartridges are shrink
wrapped and packed four per
box for a complete filter set.
When ordering file "QUAD"



FILBUR QUAD PACKS

FILBUR #	DESCRIPTION	O.D.	LENGTH	SQ. FT.	CASE
FC-6480	Quad D-E-60 (Quad Pack)	6 1/4"	20 1/2"	15	1
FC-6482	Quad D-E-80 (Quad Pack)	6 1/4"	26 1/2"	20	1
FC-6484	Quad D-E-100 (Quad Pack)	6 1/4"	32 1/2"	25	1
FC-6405	Jandy CL340	7"	27"	85	4
FC-6410	Jandy CL440	7"	27"	115	4
FC-6415	Jandy CL580	7"	35"	145	4
FC-6420	Hayward CX600RE	7"	14 1/2"	50	4
FC-6425	Hayward CX800RE	7"	19 1/2"	81	4
FC-6430	Hayward CX800RE	7"	25 1/2"	104	4
FC-6435	Hayward CX1200RE	7"	32 1/2"	131	4
FC-6440	Hayward CX570RE	7"	19 1/2"	70	4
FC-6445	Hayward CX870RE	7"	25 1/2"	100	4
FC-6450	Hayward CX1200RE	7"	32 1/2"	125	4
FC-6455	Hayward CX1300RE	7"	32 1/2"	132	4
FC-6460	Clean & Clear Plus 240	7"	19 1/2"	60	4
FC-6465	Clean & Clear Plus 320	7"	30"	80	4
FC-6470	Clean & Clear Plus 420	7"	35 1/2"	105	4



Dimensional Cartridge Listing

FILTRU®	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	PLEATCO	UNICEL	52	52	CASE QTY
TWO-INCH DIAMETERS										
FC-3047	2 1/8	19 1/2	1 1/2" open	1 1/2" open	Encon Spa	PW1SWC	C-2610	10	4	20
FC-3100	2 1/8	3 1/2	1 1/2" open	1 1/2" open	3.5 sq. ft. Spa-H/A/Box	PSB33	C-2305	3.5	3	9
FC-3020	2 1/8	4	Closed	1 1/2" open	Icon 3.7 sq. ft.	PH33-B	C-2304	5	3	6
FC-3040	2 1/8	8 1/2	1 1/2" open	1 1/2" open	Universal 5 1/4, Hammer 6, Salmagund 6	PH6-PME2/M	T-380	6	4	24
FC-3061	2 1/8	8 1/2	1 1/2" open	1 1/2" open	Hammer 6, 7 pack (7 cartridges per set)	N/A	T-380H	6	4	3 sets
FC-3042	2 1/8	7 1/2	1 1/2" open	1 1/2" open	Residential 5 1/4	PH63	C-2306	6	4	24
FC-2305	2 1/8	14 1/4	Closed	1 1/2" open	Smart Tub	N/A	N/A	12	3	20
FC-2308	2 1/8	8 1/2	1 1/2" open	1 1/2" open	Rainbow 8 sq. ft.	N/A	C-2308	8	3	36
FC-2310	2 1/8	8 1/2	1 1/2" open	1 1/2" open	Lifeguard CL 3	PH6	C-2404	4	4	36
FC-2068	2 1/8	8 1/2	1 1/2" open	1 1/2" open	6 sq. ft. 19" x 5	N/A	C-2406	6	4	100
FC-2311	2 1/8	10	1 1/2" open	1 1/2" open	Rainbow 10 sq. ft.	N/A	C-2309	6	4	100
FC-3125	2 1/8	10	Hose Fitting	Closed	4 sq. ft. 10 filter	N/A	C-2699	4	4	12
FC-3128	2 1/8	10	Hose Fitting	Closed	Disposable sediment filter w/ hose adapter	N/A	N/A	N/A	N/A	12
FC-2365	2 1/8	14 1/4	1 1/2" open	1 1/2" open	12 sq. ft. Rainbow 14 1/4, Wet Institute 6	PW1SWC	C-2612	12	3	20
FC-2368	2 1/8	14 1/4	1 1/2" open	1 1/2" open	Wet Institute 6	PW1SWC	C-2607	6	4	20
FC-2320	2 1/8	17 1/4	1 1/2" open	1 1/2" open	Rainbow 14 1/2	PSB14 1/2/M	C-2302	15	3	12
FC-2324	2 1/8	17 1/4	2 1/2" open	2 1/2" open	Rainbow 14 1/2	PSB14 1/2/M	C-2303	9	3	12
FC-2338	2 1/8	19 1/4	1 1/2" open	1 1/2" open	Lifeguard CL 19	N/A	C-2608	8	4	20
FC-2340	2 1/8	19 1/4	1 1/2" open	1 1/2" open	Lifeguard CL 19s	PSB12-4	C-2612	12	4	20
FC-2358	2 1/8	29 1/4	1 1/2" open	1 1/2" open	Lifeguard CL 29	PSB18-4	C-2613	13	4	20
FC-2360	2 1/8	29 1/4	1 1/2" open	1 1/2" open	Lifeguard CL 29s	PSB18-4	C-2610	18	4	20
THREE-INCH DIAMETERS										
FC-3070	3 1/8	31 1/4	1 1/2" open	1 1/2" open	Two Pack "E" version 2 cartridges per set	PH3PW8	C-3302	2	3	1 set
FC-3075	3 1/8	7 1/2	1 1/2" open	1 1/2" open	Alcon 8	PSB-4	C-3608	8	3	12
FC-3069	3 1/8	14 1/4	1 1/2" open	1 1/2" open	12 sq. ft. Nylon	PS12	C-3612	12	4	45
FOUR-INCH DIAMETERS										
FC-1001M	4	7 1/2	2 1/2" open	2 1/2" open	Master Spa Eco Pure 6mm cartridge	FMA10-M	N/A	10	3	6
FC-3073	4 1/8	2 1/2	2 1/2" open	2 1/2" open	Sand 16" Sun, Wet Mart, Aqua Leisure	PSWPA8	C-4310	2.5	3	12 sets
FC-3077	4 1/8	4	1 1/2" open	1 1/2" open	Skin Filter 10	PWW10	C-4310	10	3	6
FC-	4 1/8	4	1 1/2" open	1 1/2" open	Skin Filter 10	PWW10-M	C-4308A	10	3	6
FC-3090	4 1/8	4	1 1/2" open	1 1/2" open	Aqua Leisure	N/A	C-4313	3	3	6
FC-0185	4 1/8	4 1/2	Handle	2" open	Icon 10	PC10	N/A	10	3	6
FC-3069	4 1/8	6	1 1/2" open	1 1/2" open	Colosa F-120, no case	N/A	C-4606	5	4	12
FC-3210	4 1/8	6	1 1/2" open	1 1/2" open	Colosa F-120, w/case	PCF-120/PMB	C-4607	5	4	12
FC-3742	4 1/8	6	1 1/2" open	1 1/2" open	General Foam 5	FCP5	C-4306	5	3	12
FC-0179	4 1/8	23 1/2	Handle	2" open	Icon 30	PC30	C-4360	60	3	6
FC-0186	4 1/8	23 1/2	Handle	2 1/2" open	Icon 30	PC30H	C-4351	30	3	6
FC-3870	4 1/8	8	2 1/2" open	2 1/2" open	Muske 8	PM5BN/C	C-4605	6	4	12
FC-3811	4 1/8	8	2 1/2" open	2 1/2" open	Muske 8, no case	PM5BN/C	C-4602	6	4	12
FC-3930	4 1/8	8	Closed	2 1/2" open	Muske 42000	PM5BTC	C-4600	10	4	1
FC-	4 1/8	7 1/2	Closed	1 1/2" MPT	Vita Spa Top Load MPT	N/A	N/A	25	3	4
FC-2818	4 1/8	9 1/2	1 1/2" open	1 1/2" open	Star-Bee TA-10	PSRTS-1	C-4410	15	4	6
FC-0122	4 1/8	4 1/2	Handle	1 1/2" MPT	4 1/2 x 4 1/2, MPT	PSG13-SP4	4C4-19	13	3	6
FC-0183	4 1/8	4 1/2	Handle	1 1/2" open	4 1/2 x 4 1/2	PTL18/PS173	C-4302	12	3	6

FILTER #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	PLEATCD	UNICEL	SQ. FT.	OZ.	CASE QTY.
FOUR INCH DIAMETERS continued										
FC-0124	4 1/8	6 1/8	Handle	1 1/2" SAE	Saratoga PSC11.5	PSC11.5	4CH-600	15	3	2
FC-0125	4 1/8	6 1/8	Handle	1 1/2" MPT	20 sq. ft. Top Load	PHC25	4CH-20	25	3	6
FC-0188	4 1/8	8 1/8	Handle	1 1/2" open	Flexflo Skim, Softsider, Vira	PSC25P4	C-4301	15	3	2
FC-0121	4 1/8	8	Handle	1 1/2" MPT	19 sq. ft. Top Load	PTL18-4	4CH-21	19	3	6
FC-0134	4 1/8	8 1/8	Handle	1 1/2" MPT	Top Load	PDM25P	4CH-21	25	3	4
FC-0137	4 1/8	8 1/8	Handle	1 1/2" MPT	Dakota Spec (special thread)	N/A	N/A	25	3	6
FC-0101	4 1/8	9 1/8	Handle	1 1/2" MPT	25 sq. ft. Top Load	PSC25P4	4CH-24	25	3	6
FC-0111M	4 1/8	9 1/8	Handle	1 1/2" MPT	4 1/2" x 9 1/2" 1 1/2" MPT - antimicrobial	PSC25P4-M	4CH-24RA	25	3	2
FC-0187	4 1/8	9 1/8	Handle	1 1/2" open	25 sq. ft. Flexflo Skim Filter	FTL20H5/	C-4324	25	3	6
FC-3031	4 1/8	9 1/8	Handle	1 1/2" w/ft.	Aqua Spa, Gatsby	PAQ25M	C-4402	20	4	6
FC-	4 1/8	11 1/8	Handle	1 1/2" SAE	Saratoga 11", 1 1/2" SAE - antimicrobial	PSC21MMP2	N/A	27	3	6
FC-	4 1/8	11 1/8	Handle	1 1/2" MPT	Saratoga 11", 1 1/2" MPT - antimicrobial	PSC21MMP4	N/A	27	3	6
FC-0141	4 1/8	11 1/8	Handle	1 1/2" MPT	30 sq. ft. Top Load	FTL25P-4	4CH-30	30	4	2
FC-0141M	4 1/8	11 1/8	Handle	1 1/2" MPT	4 1/2" x 11 1/2" w/1 1/2" MPT	FTL25P-M4	4CH-30RA	30	3	6
FC-1210	4 1/8	11 1/8	2 1/2" open	2 1/2" open	Hayward C-125	PA12	C-4312	12	3	6
FC-1215	4 1/8	11 1/8	2 1/2" open	2 1/2" open	Hayward C-200, Commander II	PA20-4	C-4320	20	3	6
FC-1220	4 1/8	11 1/8	2 1/2" open	2 1/2" open	Hayward C-225, Commander II	PA225-4/M	C-4325	25	3	6
FC-0173	4 1/8	11 1/8	Handle	1 1/2" SAE	25 sq. ft. Top Load, D-1 Spec, Saratoga	PDO-UF25P2	4CH-950	25	3	4
FC-0189	4 1/8	11 1/8	Handle	1 1/2" open	Use Flexflo/PAD adapters*	N/A	N/A	27	3	4
FC-0151	4 1/8	14 1/8	Handle	1 1/2" MPT	50 sq. ft. Top Load	FTL50P-4	4CH-50	50	3	6
FC-0151M	4 1/8	14 1/8	Handle	1 1/2" SAE	50 sq. ft.	N/A	4CH-50RA	25	3	2
FC-0177	4 1/8	15	Handle	1 1/2" SAE	40 sq. ft. Top Load, D-1 Spec	PDO-UF40P2	4CH-940	40	3	4
FC-	4 1/8	15 1/8	Handle	1 1/2" MPT	Saratoga 15", 1 1/2" MPT - antimicrobial	N/A	N/A	40	3	6
FC-2710	4 1/8	16 1/8	Castle	2 1/2" open	Sundance 40	PSC40-4	C-4440	40	4	4
FC-2701	4 1/8	12 1/8	Top handle	2" SAE	J-400 Cartridge 12 1/2"	N/A	N/A	3	20	6
FC-2710	4 1/8	16 1/8	Castle	2 1/2" open	Sundance 40	PSC40-4	C-4440	40	4	4
FC-0640	4 1/8	11 1/8	2 1/2" open	2 1/2" open	Amer. Commander II - 25	N/A	C-4325	25	3	6
FC-2767	4 1/8	4 1/8	Closed		50 Micron Whiteflow	N/A	N/A	N/A	N/A	8
FC-0126	4 1/8	8	Handle	1 1/2" SAE	Strong Spec - Antigua	PDM25P-M	4CH-F25	20	3	6
FC-3743	4 1/8	8	1 1/2" open	1 1/2" open	General Foam 10	PGF10	C-4309	10	3	12
FC-3744	4 1/8	8	1 1/2" open	1 1/2" open	General Foam 7	PGF7	C-4307	7	3	12
FC-3730	4 1/8	11	1 1/2" open	2 1/2" open	Calco F-112, CR-11, white	PC11-4	C-4611	8	4	12
FC-0194	4 1/8	11 1/8	Handle	1 1/2" MPT	Saratoga 27.5	PSC27.5P4	N/A	30	3	2
FC-0197	4 1/8	11 1/8	Handle	1 1/2" SAE	Saratoga SAE	N/A	N/A	30	3	6
FC-0368	4 1/8	4 1/8	Handle	2" Fern SAE	Waterway Rising Dragon filter	N/A	N/A	10	3	1
FC-3120	4 1/8	5 1/8	Closed	1 1/2" open	Splash Tub 16	N/A	C-4316	16	3	6
FC-2386	4 1/8	4 1/8	2 1/2" open	2 1/2" open	Rainbow DSF 35, Waterway 4 1/2" 34m	PRB25SF	C-4401	30	3	6 sets
FC-0168	4 1/8	13 1/8	Handle	1 1/2" Fern	Waterway Telewax 25	PYW25L	4CH-F26	25	3	2
FC-	4 1/8	4 1/8	2 1/2" open	2 1/2" open	Rainbow DSF G filter (per set)	PRB25SF-PAR-	C-4401RA	30	3	6 sets
FC-	4 1/8	5 1/8	2 1/2" open	2 1/2" open	Rainbow DSF G filter (per set) antimicrob.	N/A	C-4405RA	50	3	6 sets
FC-2387	4 1/8	6 1/8	2 1/2" open	2 1/2" open	Rainbow DSF 50, Waterway 6 1/2" 34m	PRB25SF-PAR/	C-4403	50	3	6 sets
FC-2388	4 1/8	6 1/8	2 1/2" open	2 1/2" open	Consists of (1) FC-2386 and (1) FC-2387	PRB25SF-PAR/	C-4405	50	3	6 sets
FC-2389	4 1/8	6 1/8	2 1/2" open	1 1/2" MPT	Freeflow 25, CLX	FFF25P4	4CH-22	25	3	6
FC-2400	4 1/8	6 1/8	Closed	1 1/2" MPT	Freeflow 25, closed top, CLX	FFF25TC-P4	4CH-23	25	3	6
FC-2385	4 1/8	9 1/8	2 1/2" open	2 1/2" open	Rainbow Dynamic 30, Waterway 35-in-line	PRB35-IN	C-4435	30	3	6
FC-	4 1/8	9 1/8	2 1/2" open	2 1/2" open	Rainbow Dynamic in-line	N/A	N/A	30	3	6
FC-0170	4 1/8	9 1/8	Handle	1 1/2" Fern	Waterway Rising Dragon filter	N/A	4CH-935	30	3	1
FC-	4 1/8	9 1/8	Handle	1 1/2" Fern	Master Spec 30 Telewax	PMA30SK-M	N/A	30	3	6

FILTRON #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	PLEATED	UNICEL	SO.	OZ.	CASE	QTY.
FOUR-INCH DIAMETERS continued											
FC-2420	4 1/4"	9 1/2"	2 1/4" open	2 1/4" open	Sentinel 25, open top	PP125-4	C-4428	25	4	A	
FC-2450	4 1/4"	9 1/2"	Closed	2 1/4" open	Sentinel 25, C/Top	PP125	C-4428	25	4	A	
FC-3075	4 1/4"	10 1/2"	Closed	2 1/4" open	Skin Filter 30, C/Top	N/A	C-4431	30	3	A	
FC-3883	4 1/4"	10 1/2"	2 1/4" open	2 1/4" open	Nemco 30	OSP35-30	C-4409	30	3	A	
FC-3915	4 1/4"	11 1/2"	2 1/4" open	2 1/4" open	Waterway 40 In-line	PWW40	C-4339	40	3	A	
FC-1481	4 1/4"	11 1/2"	2 1/4" open	2 1/4" open	Sorfastral 25 - 220022	N/A	C-4332	25	3	A	
FC-1432	4 1/4"	11 1/2"	2 1/4" open	2 1/4" open	Sorfastral 30 - 220032	FTM25	C-4332	25	3	A	
FC-3080	4 1/4"	11 1/2"	2 1/4" open	2 1/4" open	Dimension One 40	PM140	C-4340	40	3	A	
FC-1420	4 1/4"	11 1/2"	2 1/4" open	2 1/4" open	Baker Hydro Mini-Mite 25, Marlex 32	PM125	C-4332	32	3	B	
FC-2884	4 1/4"	12 1/4"	2 1/4" open	2 1/4" open	Dykstra Spex 40	PD545	C-4371	40	3	A	
FC-2910	4 1/4"	13 1/4"	2 1/4" open	2 1/4" open	Waterway 25 - RT 2500	N/A	C-4326	25	3	A	
FC-2370	4 1/4"	13 1/4"	2 1/4" open	2 1/4" open	Rainbow Dynamic 25	PRB25-IN-4	C-4625	25	4	A	
FC-3372	4 1/4"	13 1/4"	Closed	2 1/4" open	Rainbow Leaf Cartridge	PRB25-IN-FC	C-4321	25	3	A	
FC-2371	4 1/4"	13 1/4"	2 1/4" open	2 1/4" open	Rainbow Dynamic 25, Waterway 25 In-line	PRB25-IN	C-4326	25	3	A	
FC-2375M	4 1/4"	13 1/4"	2 1/4" open	2 1/4" open	Rainbow Dynamic in-line - antimicrobial	PRB35-IN-M	C-4335RA	25	3	A	
FC-2380	4 1/4"	13 1/4"	2 1/4" open	2 1/4" open	Rainbow Dynamic 37	PRB37-IN-4	C-4637	35	4	A	
FC-2358	4 1/4"	13 1/4"	2 1/4" open	2 1/4" open	Rainbow Dynamic 50	PRB50-IN-MIN	C-4950	50	3	B	
FC	4 1/4"	13 1/4"	2 1/4" open	2 1/4" open	Rainbow Dynamic in-line - antimicrobial	N/A	C-4950RA	50	3	A	
FC-2372	4 1/4"	13 1/4"	2 1/4" open	2 1/4" open	Pomax - Rainbow Disposable Depth Filter	N/A	N/A	N/A	N/A	12	
FC-0172	4 1/4"	13 1/4"	Handle	2" Fern SAE	Ring Dragon	N/A	4Cw-040	50	3	A	
FC-3129	4 1/4"	13 1/4"	Closed	None	Big Diddy disposable sediment filter w/	N/A	N/A	N/A	N/A	6	
FC-1477	4 1/4"	14 1/4"	2 1/4" open	2 1/4" open	Sorfastral 30 - 220154	FTM50	C-4347	50	3	A	
FC-0142	4 1/2"	7 1/2"	Handle	open w/	Future Spa (Strong Industries)	PSANT30-XP4	N/A	20	3	A	
FC-0204	4 1/2"	8 1/2"	Handle	open w/	Septuga Spa Two Level	PS015-XP4	N/A	15	3	A	
FC-0207	4 1/2"	8 1/2"	Handle	1 1/2" MPT	Dream Maker Spa	PCW20P4	N/A	25	3	A	
FC-0208	4 1/2"	7 1/2"	Handle	1 1/2" MPT	Future Spa (Strong Industries)	PSANT30P4	N/A	20	3	A	
FC-0209	4 1/2"	10 1/2"	Handle	1 1/2" MPT	Sundance Mark II Model	PTL40P-4	N/A	40	3	A	
FC-0211	4 1/2"	8 1/2"	Handle	open w/	Dream Maker Spa	PCW25-XP4	N/A	25	3	A	
FC-4305	4 1/4"	14 1/4"	2 1/4" open	2 1/4" open	Advantage Electric 25-1	PCX25-IN	C-4308	25	3	A	
FC-1430	4 1/4"	14 1/4"	2 1/4" open	2 1/4" open	Advantage Electric 25, Marlex 27.5	PM127.5	C-4301	25	3	A	
FC-1430	4 1/4"	14 1/4"	2 1/4" open	2 1/4" open	Marlex 30	PM150	C-4305	30	3	A	
FC-2660	4 1/4"	14 1/4"	Closed	2 1/4" open	Sentinel 45, C/Top	PS195	C-4345	45	3	A	
FC-4310	4 1/4"	17 1/4"	2 1/4" open	2 1/4" open	Advantage Electric 50	PAE50	C-4349	50	3	A	
FC-2595	4 1/4"	20 1/4"	2 1/4" open	2 1/4" open	Rainbow Dynamic 75	PRB75	C-4975	75	3	A	
FC	4 1/4"	20 1/4"	2 1/4" open	2 1/4" open	Rainbow RTL - antimicrobial	PRB75-M	C-4975RA	75	3	A	
FC-2910	4 1/4"	23 1/4"	2 1/4" open	2 1/4" open	Waterway 75, Waterway 75 In-line	PCAL75	C-4970	75	3	A	
FC-2940	4 1/4"	23 1/4"	2 1/4" open	2 1/4" open	Waterway 100, Waterway 100 In-line	PCAL100	C-4995	95	3	A	
FC	4 1/4"	23 1/4"	2 1/4" open	2 1/4" open	Waterway in-line - antimicrobial	PCAL100-M	C-4995RA	100	3	A	
FC-2997	4 1/4"	24 1/4"	2 1/4" open	2 1/4" open	Rainbow Dynamic 100	PRB100	C-4999	100	3	A	4
FIVE-INCH DIAMETERS											
FC-1415	5	13 1/4"	2 1/4" open	2 1/4" open	Jacuzzi CFR 15	N/A	C-5615	15	4	A	
FC-1425	5	13 1/4"	2 1/4" open	2 1/4" open	Jacuzzi CFR 25	F125-IN-4-M	C-5625	25	4	A	
FC-1437	5	13 1/4"	2 1/4" open	2 1/4" open	Jacuzzi CFR 37	F137-IN-4	C-5635	37	4	A	
FC-0303	5 1/4"	8 1/4"	Handle	3 1/2" MPT	LA Spa replacement for bag filter	PLA525	SCH-203	30	3	A	
FC	5 1/4"	16 1/4"	Handle	2" MPT	Avalon/Vicings - antimicrobial	PCAL60	N/A	60	3	A	
FC-3910	5 1/4"	18 1/4"	1 1/4" open	1 1/4" open	Working 303P40P4	PRO30P	C-5431	30	3	A	
FC-2033	5 1/4"	11 1/2"	1 1/4" open	1 1/4" open	Premier 22	PFM25	C-5622	22	6	A	
FC-3091	5 1/4"	11 1/2"	Blow	1 1/4" open	Advanced Spa - Chlor	PTL25H-IN-4	C-5621	25	3	A	

FILTER #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	PLEATED	UNICEL	SQ. FT.	QTY.	CASE QTY.
FIVE INCH DIAMETERS continued										
FC-3623	5 1/4"	11 1/2"	Closed	1 1/2" open	Marquis 38, old design	PPM38TC	C-5428	35	1	2
FC-3626	5 1/4"	11 1/2"	1 1/2" open	1 1/2" open	Marquis 25	PPM25-4	C-5626	25	4	6
FC-	5 1/4"	12 1/2"	Removable	2" MPT	Cal Spa removable top - antimicrobial	N/A	N/A	60	1	4
FC-0795	5 1/4"	12 1/2"	Handle	2" MPT	Marquis 38, new design	PPM-	3CH-102	50	1	6
FC-	5 1/4"	12 1/2"	Handle	2" MPT	55 sq. ft. Top Load - antimicrobial	PPM-	N/A	50	1	6
FC-0796	5 1/4"	12 1/2"	Handle	2" MPT	Marquis 35, new design	N/A	3CH-152	35	1	6
FC-	5 1/4"	12 1/2"	Handle	2" MPT	Cal Spas Avalon antimicrobial	PCAL42	N/A	35	1	6
FC-3638	5 1/4"	14 1/2"	Closed	1 1/2" open	Marquis 38 old design	PPM38TC	C-5346	50	1	6
FC-3070	5 1/4"	14 1/2"	1 1/2" open	1 1/2" open	Marlborough	PPM30	C-5627	27	4	6
FC-0202	5 1/4"	16 1/2"	Handle	2" MPT	Victory	PCAL60-F2M	N/A	60	3	4
FC-	5 1/4"	16 1/2"	Removable	2" MPT	Cal Spa removable top - antimicrobial	N/A	N/A	60	1	4
FC-3634	5 1/4"	19 1/2"	Closed	1 1/2" open	Pacific Marquis 38, C/top	PPM38TC	C-5434	60	3	6
FC-3637	5 1/4"	19 1/2"	1 1/2" open	1 1/2" open	Pacific Marquis 40	PPM40-4	C-5637	40	4	6
FC-3010	5 1/4"	23 1/2"	1 1/2" open	1 1/2" open	Frontier Mist Sweep	PPR75	C-5371	75	1	4
FC-2401	5 1/4"	18	2 1/2" open	1 1/2" MPT	45 sq. ft. Top Load	PPF50P	3CH-45	45	1	6
FC-2970	5 1/4"	10 1/2"	2 1/2" open	2 1/2" open	Raritone, Waterway, Rec. Warehouse LP	PLB550/M	C-5349	50	1	6
FC-2971	5 1/4"	14 1/2"	2 1/2" open	2 1/2" open	LF 65 sq. ft.	PLB575/M	C-5374	65	1	6
FC-2972	5 1/4"	17 1/2"	2 1/2" open	2 1/2" open	LF 90 sq. ft.	PLB5100/M	C-5297	90	1	6
FC-2973	5 1/4"	21 1/2"	2 1/2" open	2 1/2" open	Crest 100	PC3100/M	C-5299	100	1	1
FC-	5 1/4"	21 1/2"	2 1/2" open	2 1/2" open	Crest Spa - antimicrobial	N/A	C-5296RA	100	1	1
FC-2974	5 1/4"	30 1/2"	2 1/2" open	2 1/2" open	Crest 135	PC4700	C-5261	135	1	1
FC-2415	5 1/4"	10 1/2"	Handle	2" MPT	Lux 2 Bay 60, Raritone Series	N/A	N/A	50	1	4
FC-3011	5 1/4"	11	Handle	2" MPT	Hampton, Redwood III	PJW45C-F2M	3CH-402	45	1	6
FC-3007	5 1/4"	17	1 1/2" open	2 1/2" open	Osprey 40 w/ concentric holes	PDC40-4	C-5404	40	4	1
FC-0300	5 1/4"	8	Handle	1 1/2" MPT	Elite Spa by Coleman	PA532P	3CH-35	35	1	6
FC-	5 1/4"	8	Handle	1 1/2" MPT	5-R' x 8" - antimicrobial	PA535P-N	3CH-35RA	35	1	4
FC-0301	5 1/4"	8 1/2"	Handle	1 1/2" MPT	Top Load	N/A	N/A	25	1	6
FC-0302	5 1/4"	9	Handle	1 1/2" MPT	Top Load	N/A	N/A	25	1	6
FC-2769	5 1/4"	18 1/2"	-open	-open	Melbliss 980 MicroClean Ultra Inner	N/A	N/A	N/A	N/A	6
FC-1300	5 1/4"	10 1/2"	Spring Handle	2 1/2" open	Jacuzzi Whirlpool 50, C/top	PJW50	C-5300	50	3	6
FC-1300	5 1/4"	10 1/2"	Spring Handle	2 1/2" open	Jacuzzi Aera, Canessa, C/top	PJW25-1M	C-5601	25	1	6
FC-1300M	5 1/4"	10 1/2"	Spring Handle	2 1/2" open	Jacuzzi front load, Aera, Canessa	N/A	C-5601RA	25	1	6
FC-2402	5 1/4"	9 1/2"	Spring Handle	1 1/2" MPT	Watkins 303279	N/A	N/A	40	1	5
FC-3752	5 1/4"	16	1 1/2" open	1 1/2" open	Easy Set Pool "B" version	PP20	C-5315	15	1	6
FC-1305	5 1/4"	11 1/2"	2 1/2" open	2 1/2" open	Jacuzzi Whirlpool 25	PJW25	C-5624	25	1	6
FC-2009	5 1/4"	6 1/2"	Handle	2" MPT	Jazz 17 SF	PJ216-F2L	N/A	17	1	4
FC-2971M	5 1/4"	14 1/2"	2 1/2" open	2 1/2" open	LF 45 sq. ft.	PLB575/M-M	C-5374	65	1	6
FC-3748	5 1/4"	12 1/2"	2" open	2" open	Intex 520 "D" version, 56621	PP625	C-5338	30	1	6
FC-3101	5 1/4"	12 1/2"	Handle	Male Slip	Season Master 50/Molded	PLW50-4	C-5350	50	1	1
FC-3103	5 1/4"	25 1/2"	Handle	Male Slip	Season Master 100/Molded	PLW100-4	C-5349	100	3	1
SIX INCH DIAMETERS										
FC-0308	6	15 1/2"	Handle	1 1/2" MPT	25 sq. ft. Top Load	PTL20W-SV-F-4	6CH-25	25	1	6
FC-2763	6	6 1/2"	Removable	open w/	30 SQ. FT. Pleated	N/A	N/A	30	1	6
FC-0318	6	7	Handle	1 1/2" MPT	25 sq. ft. Top Load	PTL25W-SV-F-4	6CH-26	25	1	6
FC-0312	6	7	1 1/2" open	2" MPT	American Spa Spinda	N/A	6CH-152	N/A	N/A	1
FC-0306	6	6	Handle	1 1/2" MPT	Supreme Top Load Spa	PSR25P	N/A	50	1	4
FC-0317	6	9 1/2"	Handle	2" MPT	Master Spa Twilight	PMA40L-F2M	N/A	40	1	6
FC-0317M	6	9 1/2"	Handle	2" MPT	Master Spa Twilight - antimicrobial	PMA40L-F2M	N/A	40	1	6

FILTER #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	PLEATED	UNICEL	SQ.	G2	CASE QTY
SIX INCH DIAMETERS (continued)										
FC-0318	6	7 1/2	1 1/2" open	2" MPT	New Artesian 6" D Spa	PA540-F2M	ACH-352	40	3	6
FC-0319	6	8	Handle	1 1/2" MPT	Top Load Cartridge - Summa New Models	N/A	ACH-48	35	3	1
FC-0339	6	8 1/2	Handle	1 1/2" SAE	6 x 8 1/2" Male SAE Thread, Waterway 30	PWW50F3	ACH-540	40	3	6
FC	6	8 1/2	Handle	1 1/2" SAE	6x8 1/2" w/SAE - antimicrobial	N/A	ACH-540RA	40	3	6
FC-0360	6	8 1/2	Handle	1 1/2"	40 sq. ft. Skin 1454 -exp	PWW100ST-F3	ACH-540	40	3	6
FC	6	8 1/2	Handle	1 1/2"	6" x 10" w/1 1/2" Slip 12 open - antimicrobial	N/A	N/A	40	3	6
FC-0361	6	8 1/2	1 1/2" open	1 1/2" SAE	40 sq. ft. Skin filter - bottom	PWW100STP3	CH-W42	40	3	6
FC	6	8 1/2	1 1/2" open	1 1/2" SAE	6 x 8 1/2" Male SAE Thread - antimicrobial	N/A	ACH-562	40	3	6
FC-2264	6	8 1/2	Removable	open w/	40 SQ FT Pleated	N/A	N/A	40	3	6
FC-0315	6	9	Handle	1 1/2" MPT	40 sq. ft. Top Load	PTL47W-F-M	ACH-47	50	3	1
FC	6	9	Handle	1 1/2" MPT	6x9" w/1 1/2" MPT - antimicrobial	N/A	ACH-47RA	45	3	6
FC-3920	6	9	1 1/2" open	1 1/2" open	Watkins 30	PWK30	C-4431	33	3	6
FC-0320	6	9 1/2	Handle	1 1/2" MPT	35 sq. ft. Top Load	PTL35W-F-4	ACH-35	35	3	6
FC-3915	6	10 1/2	1 1/2" open	1 1/2" open	Watkins 30	PWK30	C-4430	30	3	6
FC	6	10 1/2	1 1/2" open	1 1/2" open	Watkins/Not Springs - antimicrobial	PWK30-M/4	C-4430RA	30	3	6
FC-2265	6	12	Removable	open w/	50 SQ FT Pleated	N/A	N/A	50	3	9
FC-0330	6	12 1/2	Handle	1 1/2" MPT	45 sq. ft. Top Load	PTL45W-F-4	ACH-45	45	3	1
FC-0340	6	13 1/2	Handle	1 1/2" MPT	50 sq. ft. Top Load	PTL50W-5W-F-4	ACH-50	50	3	1
FC-2717	6	13 1/2	Removable	2" SAE	Sundance ProClear 8	N/A	N/A	45	3	1
FC-3009	6	14 1/2	Handle	1 1/2" MPT	Advanced Spa 75	PTL50W-F	C-4495	50	3	1
FC-0350	6	16 1/2	Handle	1 1/2" MPT	60 sq. ft. Top Load	PTL60W-F	ACH-60	60	3	1
FC-2716	6	17 1/2	Handle	2" SAE	3,200 w/Removable cap 6" O.D.	N/A	N/A	60	3	1
FC-2718	6	18 1/2	Sundance Removable Cap	2" SAE	Sundance	N/A	N/A	70	3	1
FC-3020	6	7 1/2	Handle	1 1/2" w/20m	Waterway Front Access Skinner 12	PWW50-RP4	N/A	40	3	6
FC-2716M	6	17 1/2	Handle	2" SAE	J-300 w/Removable Cap 6" O.D. - w/20m	N/A	N/A	60	3	1
FC-1961	6 1/2	20 1/2	3" open	3" open	Quad O.E. 80 Four 15 sq. ft. cartridges	N/A	C-6880	15 Mesh		1
FC-1962	6 1/2	26 1/2	3" open	3" open	Quad O.E. 80 Four 20 sq. ft. cartridges	N/A	C-6880	20 Mesh		1
FC-1963	6 1/2	32 1/2	3" open	3" open	Quad O.E. 100 Four 25 sq. ft. cartridges	N/A	C-6880	25 Mesh		1
FC-3135	6 1/2	5 1/2	Closed	3 1/2" open	Splash Tub 24	N/A	C-6126	24	3	6
FC-3130	6 1/2	11 1/2	3	3 1/2" open	Watkins 45	PWK25-47	C-4400	45	3	1
FC-3254	6 1/2	13 1/2	2 1/2" open	2 1/2" open	Dyna Flow 3L	N/A	C-6176	75	3	1
FC-3215	6 1/2	17 1/2	2 1/2" open	2 1/2" open	Dyna Flow 3L	N/A	C-6110	100	3	1
FC-2713	6 1/2	15 1/2	Removable	2" SAE	Sundance J200 Series	PJW07L-OT	ACH-961	60	3	1
FC-2715M	6 1/2	15 1/2	Removable	2" SAE	Sundance J-300 Series - antimicrobial	N/A	N/A	60	3	1
FC-3900	6 1/2	15 1/2	Handle	2" SAE	Jacuzzi Premium	PJW07L-F25	ACH-960	52	3	1
FC	6 1/2	15 1/2	Handle	2" SAE	Jacuzzi Premium - antimicrobial	N/A	ACH-960RA	52	3	1
FC-0311	6 1/2	8	Handle	2" MPT	Artesian Spas	PA550SV-F2M	ACH-302	35	3	4
FC-0313	6 1/2	8	Handle	2" MPT	Artesian Spas 50 with Qualifo	N/A	N/A	N/A		4
FC-0311M	6 1/2	8	Handle	2" MPT	Artesian Spas - antimicrobial	N/A	N/A	35	3	4
FC-1426	6 1/2	11 1/2	3 1/2" open	3 1/2" open	Jacuzzi OF 25	F25-4	C-6025	25	6	1
FC-1540	6 1/2	14 1/2	3 1/2" open	3 1/2" open	Jacuzzi Whirlpool 30	FJW10-4	C-6300	30	3	1
SEVEN INCH DIAMETERS										
FC-4005	7	6 1/2	Handle	1 1/2" open	Drughoby 20	PD20SL-4	C-1401	20	4	1
FC	7 1/2	7 1/2	Handle	2" MPT	Master Spas Legacy / Freedom (Artesian)	PMA40-F2M/M	N/A	40	3	4
FC-0416	7 1/2	7 1/2	Handle	2" MPT	Master Spas Legacy / Freedom	PMA40-F2M	N/A	40	3	4
FC-0417	7 1/2	7 1/2	Handle	2" MPT	Upgrade to Newer Artesian Spas	PA550-F2M	N/A	50	3	4

FILTR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	PLEATCD	UNICEL	SQ. FT.	OZ.	CASE QTY
SEVEN-INCH DIAMETERS continued										
FC	7	6 1/4	Handle	2" MPT	Master Spas 40, short version	N/A	N/A	40	3	4
FC-0418	7	7 1/4	Handle	2" MPT	7x7 1/4, Master Spas	N/A	N/A	30	3	4
FC-1003	7	7 1/4	4" open	4" open	Master Spas EP Cylinder	PM430-2002-F	C-7330	30	3	4
FC	7	7 1/4	4" open	4" open	Master Spas EP Cylinder antimicrobial fold	PM430-2002	N/A	30	3	4
FC-0419	7	7 1/4	Handle	2" MPT	7x7 1/4	PA535-2-M	N/A	35	3	4
FC-0420	7	8	Handle	2" MPT	32 sq. ft. Top Load, Coleman, Artesian	PA535-2	ACH-122	32	3	4
FC-0425	7	8	Handle	1 1/2" MPT	32 sq. ft. Top Load	PCS30P	ACH-32	32	3	4
FC-0443	7	8	Handle	1 1/2" open	Pleuro Skim, Schneider Spas	PCS32	C-7402	32	3	1
FC-4010	7	9 1/4	Handle	1 1/2" open	Doughboy 40	PD40SL-4	C-3402	40	4	1
FC-0430	7	9 1/4	Handle	2" MPT	40 sq. ft. Coleman	PCS40-F2M	ACH-402	40	3	4
FC-0435	7	9 1/4	Handle	1 1/2" MPT	40 sq. ft. Top Load	PCS40P	ACH-40	40	3	4
FC-0486	7	9 1/4	Handle	1 1/2" MPT	40 sq. ft. Top Load	N/A	N/A	40	4	4
FC-0600	7	9 1/4	3" open	3" open	Amer. Commander 25, Hercules 2-25 sq.	RRC25	C-3625	25	3	1
FC-0615	7	9 1/4	3" open	3" open	Amer. Commander 25, 4, Hercules 2-25 sq.	N/A	C-7425	25	4	1
FC-0718	7	9 1/4	Handle	Cone	Baker Hydro HM 25	PBH25-4	C-7604	25	4	1
FC-1230	7	9 1/4	3" open	3" open	Hayward CX 250	PA25-4/M4	C-3626	25	4	4
FC-0475	7	10 1/4	Handle	1 1/2" SAE	52 sq. ft. Top Load	PDO15P3	ACH-975	50	3	1
FC-3084	7	10 1/4	Handle	2" Slip	Calders 50	PCD50	C-7451	50	3	1
FC-3083	7	10 1/4	Handle	2 1/2" open	Calders 50, new	PCD50N	C-7350	50	3	1
FC	7	10 1/4	Handle	2 1/2" open	Calders 50 (new style) - antimicrobial	N/A	C-7350RA	50	3	1
FC-2120	7	11 1/4	2 1/2" open	2 1/2" open	Pures CF 40	PPF40	C-7440	40	4	1
FC-0680	7	11 1/4	3" open	3" open	Amer. Quantum 175	PCM44-4	C-7637	44	4	1
FC-1430	7	13 1/4	3" open	3" open	Jacuzzi CE 40	PJB40	C-7304	40	3	1
FC-2123	7	14	2 1/2" open	2 1/2" open	Pures 35/100	PPF33	C-7433	33	4	1
FC-1223	7	14 1/4	3" open	3" open	Hayward CX 400	PA50SW/M4	C-3658	56	4	1
FC-1228	7	14 1/4	3" open	3" open	Hayward CX 410	PA40/N4	C-3442	40	4	1
FC-1975	7	14 1/4	3" open	3" open	Clean & Clear Plus 240	PCC60/N	C-7466	60	4	1
FC-1235	7	14 1/4	3" open	3" open	Hayward CX 470, Spa Rite PRC 50	PA50SW/M4-A	C-7407	50	4	1
FC-0440	7	14 1/4	Handle	2" MPT	50 sq. ft. Coleman	PCS50-F2M	ACH-502	50	3	1
FC-0443	7	14 1/4	Handle	1 1/2" MPT	50 sq. ft. Top Load	PVT30P	ACH-50	50	3	1
FC-0470	7	14 1/4	Handle	2" MPT	75 sq. ft. 2-1 Spas	PTL75KW-F2M	ACH-752	75	3	1
FC-0491	7	14 1/4	Handle	1 1/2" open	Pleuro Skim, Vita Spas	N/A	N/A	50	3	1
FC-3098	7	14 1/4	Handle	1 1/2" open	Goldkey 50, Handle Top	PTL50KW-OB	C-3400	50	4	1
FC-3085	7	14 1/4	Handle	2" Male Slip	Calders 75	PCD75	C-7479	75	3	1
FC-3084	7	14 1/4	Handle	2 1/2" open	Calders 75, new	PCD75N	C-3375	75	3	1
FC	7	14 1/4	Handle	2 1/2" open	Calders 75 (new style) - antimicrobial	N/A	C-3375RA	75	3	1
FC-2170	7	16	2 1/2" open	2 1/2" open	Pures CF 62.5	PPF62.5-4	C-7467	62.5	4	1
FC-0690	7	16 1/4	3" open	3" open	Amer. Quantum 350	PCM68-4/M4	C-7474	67	4	1
FC-1435	7	17 1/4	3" open	3" open	Jacuzzi CE 60	PJB60	C-7306	60	3	1
FC-4015	7	17 1/4	Handle	1 1/2" open	Doughboy 60	PD60SL-4	C-3408	60	4	1
FC-2190	7	18 1/4	2 1/2" open	2 1/2" open	Seahorse 300 stainless/fiberglass tank	PH300-4	C-7491	75	4	1
FC-2770	7	19	2 1/2" open	1 1/2" MPT	Sundance Double End 90	PSC90P	ACH-90	90	3	1
FC-2580	7	19 1/4	3" open	3" open	Pool-Clean TX 100, TX 30	RRC30	C-7432	30	4	1
FC-0630	7	19 1/4	3" open	3" open	Amer. Commander 50 Hercules R, 50 sq.	N/A	C-7650	50	3	1
FC-0625	7	19 1/4	3" open	3" open	Amer. Commander 50, 4 sq. Product can be	N/A	C-7650	50	3	1
FC-0670	7	19 1/4	3" open	3" open	Amer. Commander 150 Hercules R	N/A	C-7453	75	4	1
FC-0720	7	19 1/4	Handle	Cone	Baker Hydro HM 30	PBH30	C-7606	30	4	1
FC-0770	7	19 1/4	Handle	Cone	Baker Hydro UM 25	PBH-UM25	C-7404	25	4	1



FILTRU®	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	PLEATED	UNICEL	SO.	O.D.	CASE QTY.
SEVEN INCH DIAMETERS continued										
FC-1226	7	19 1/4	3" open	3" open	Hayward 580	PA212-4/PAK4	C-2483	81	4	1
FC-1245	7	19 1/4	3" open	3" open	Hayward CX 550	PA55	C-2455	55	4	1
FC-1260	7	19 1/4	3" open	3" open	Hayward CX 570, Sea-Rite PRC 75	PA215V	C-2477	75	4	1
FC-2150	7	19 1/4	2 1/4" open	2 1/4" open	Purex CF 80	N/A	C-2460	80	4	1
FC-2160	7	19 1/4	2 1/4" open	2 1/4" open	Purex CF 80	N/A	C-2460	80	4	1
FC-3116	7	18 1/4	3" open	3" open	Forlco 90	FFC090	N/A	90	4	1
FC-0625	7	20	3" open	3" open	Amer. Quant. Clean/Clear Plus 90	N/A	C-2426	90	4	1
FC-1876	7	20	3" open	3" open	Clean & Clear Plus, Waterway C.W.	PC0301/M/	C-2470	80	4	1
FC-2112	7	24 1/4	2 1/4" open	2 1/4" open	Seahorse 400 stainless/fiberglass tank	PSA2100SH-4	C-2492	100	4	1
FC-3117	7	25 1/4	3" open	3" open	Forlco 120	N/A	N/A	70	3	1
FC-1228	7	25 1/4	3" open	3" open	Hayward 880	PA1061-M/-4/	C-2488	106	4	1
FC-1270	7	25 1/4	3" open	3" open	Hayward CX 870	PA1090/M/-4/	C-2487	100	4	1
FC-1275	7	25 1/4	3" open	3" open	Hayward CX 875	PA1121/M/-4	C-2489	112	4	1
FC-2180	7	25 1/4	2 1/4" open	2 1/4" open	Purex CF 275	N/A	C-2496	105	4	1
FC-0695	7	30	3" open	3" open	Amer. Quant. Clean/Clear Plus 125	N/A	C-2498	125	4	1
FC-1877	7	26 1/4	3" open	3" open	Clean & Clear Plus 420	PC0309/M/	C-2497	105	4	1
FC-0020	7	26 1/4	Handle	1 1/2" open	Doughline 70	FD9051-4	C-2408	90	4	1
FC-0600	7	27	3" open	3" open	Jandy CL 340	PJAN351/M/	C-2458	85	4	1
FC-0810	7	27	3" open	3" open	Jandy CL 460	PJAN1151/M/	C-2468	115	4	1
FC-0630	7	29 1/4	3" open	3" open	Amer. Commander 75	N/A	C-2475	75	4	1
FC-0636	7	29 1/4	3" open	3" open	Amer. Commander 75, 4	N/A	C-2475	75	4	1
FC-0650	7	29 1/4	3" open	3" open	Amer. Commander 100-Hercules E, 100	PCM100SV	C-2499	100	4	1
FC-0730	7	29 1/4	Handle	Cone	Baker Hydris HM 75	BSH75	C-2608	75	4	1
FC-0730	7	29 1/4	Handle	Cone	Baker Hydris UM 100	BSH-UM100	C-2607	100	4	1
FC-1250	7	29 1/4	3" open	3" open	Hayward CX 750	PA751-M/-4	C-2606	75	3	1
FC-1291	7	29 1/4	3" open	3" open	Hayward C-1000	N/A	C-2698	100	4	1
FC-2110	7	30 1/4	2 1/4" open	2 1/4" open	Seahorse 500 stainless/fiberglass tank	PSA2125-4	C-2493	125	4	1
FC-1878	7	32 1/4	3" open	3" open	Clean & Clear Plus, Waterway C.W.	PC0310/M/	C-2472	125	4	1
FC-1227	7	32 1/4	3" open	3" open	Hayward CX 1200	PA1211-A/PAK4	C-2694	131	4	1
FC-1296	7	32 1/4	3" open	3" open	Hayward CX 1360	PA1261/M/-4/	C-2495	125	4	1
FC-1297	7	32 1/4	3" open	3" open	Hayward CX 1360	PA1371-M/-4/	C-2490	137	4	1
FC-0620	7	33	3" open	3" open	Jandy CL 580	PJAN1451/M/	C-2482	145	4	1
FC-0790	7	38 1/4	Handle	Cone	Baker Hydris HM 100, 2 piece	BSH100	C-2607	100	4	1
FC-0790	7	38 1/4	Handle	Cone	Baker Hydris UM 150, 2 piece	BSH-UM150	C-2608	150	4	1
FC-3058	7 1/4	5 1/4	Closed w/	Twist lock	Dimension One Spz Berry 20	N/A	C-7135	25	3	1
FC-3059	7 1/4	10 1/4	Closed w/	Twist lock	Dimension One 25	PO075-2000	C-7267	75	3	1
FC-6125	7 1/4	9 1/4	3 1/4" open	3 1/4" open	Waterco C-25	HWC25/PWC50	C-2427	25	4	1
FC-6115	7 1/4	14 1/4	2 1/4" open	2 1/4" open	Advantage Electric 75	PA075	C-2381	75	3	1
FC-6120	7 1/4	21 1/4	2 1/4" open	2 1/4" open	Advantage Electric 100	PA0100	C-2382	100	3	1
FC-6125	7 1/4	28 1/4	2 1/4" open	2 1/4" open	Advantage Electric 150	PA0150	C-2383	150	3	1
FC-9180	7 1/4	29 1/4	3 1/4" open	3 1/4" open	Waterco CC-100, CT Series (Waterco)	PJAN100	C-2497	100	4	1
FC-9185	7 1/4	29 1/4	2 3/4" open	3 1/4" open	Waterco Trimline CC-150	N/A	C-2494	150	4	1
FC-3730	7 1/4	14 1/4	Castle	2 1/4" open	Sundance 65, 2 1/4" I.D.	PSD65	C-2463	65	3	1
FC-3740	7 1/4	14 1/4	Castle	2 1/4" open	Sundance 65, 2 1/4" I.D.	PSD65-2	C-2466	65	3	1
FC-2760	7 1/4	18	Castle	2 1/4" open	Sundance 75, w/ beveled edge	PSD75	C-2120	75	3	1
FC-3840	7 1/4	30 1/4	2 1/4" open	2 1/4" open	Leisure Bay 100	PLB100	C-2418	100	4	1
FC-3560	7 1/4	28 1/4	2 1/4" open	2 1/4" open	Leisure Bay 50	PLB150	C-2414	150	4	1
FC-3812	7 1/4	5	4 1/2" open	4 1/2" open	Sundance Disposable Depth Filter	N/A	N/A	N/A	N/A	12
FC-6105	7 1/4	8 1/4	2 1/4" open	3 1/2" FPT	Hamco TFC-55	PH0055	C-2653	35	4	1

FILTR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	PLEATCD	UNICEL	SQ. FT.	QTY.	CASE QTY.
SEVEN-INCH DIAMETERS continued										
FC-6107	7 1/8	15 1/2	2 1/2" open	3 1/2" FPT	Hammond TFC-75	PH75-4	C-7674	75	4	1
FC-6010	7 1/8	16 1/2	2 1/2" open	3 1/2" FPT	Hammond	PH105-4	C-7685	105	4	1
FC-6110	7 1/8	16 1/2	2 1/2" open	3 1/2" FPT	Hammond TFC-105	PH105-4	C-7685	105	4	1
FC-1492	7 1/8	22 1/4	Closed	4" open	Janus Tr-Close (Round 118)	PJC150-MM	N/A	110	4	1
FC-6015	7 1/8	28 1/2	2 1/2" open	3 1/2" FPT	Hammond	PH155-4	C-7697	150	3	1
FC-1493	7 1/8	28 1/2	Closed	4" open	Janus Tr-Close (Round 147)	PJC147-MM	N/A	147	4	1
FC-6115	7 1/8	29 1/4	2 1/2" open	3 1/2" FPT	Hammond TFC-155	PH155-4	C-7697	155	4	1
FC-1498	7 1/8	34 1/2	Closed	4" open	Janus Tr-Close (Round 185)	PJC185-MM	N/A	180	4	1
FC-1008	7 1/4	6 1/2	5 1/2" open	4" open	Eco-Pure system (outer filter Eco-Pure)	N/A	N/A	25	3	6
FC-1920	7 1/4	11 1/2	3 1/2" open	3 1/2" open	Pac-Pak MPT 50	PFM50	C-7678	50	4	1
FC-3112	7 1/4	13 1/2	Handle	3 1/2" open	Fox-Wall-Pak 80	PFW80	C-7663	80	4	1
FC-1930	7 1/4	14	3 1/2" open	3 1/2" open	Pac-Pak MPT 120, Wat 180	PFM180/M	C-7668	80	4	1
FC-3094	7 1/4	18 1/2	String	3 1/2" open	Fox-Wall-Pak 120	N/A	N/A	125	4	1
FC-1940	7 1/4	22 1/2	3 1/2" open	3 1/2" open	Pac-Pak MPT 80	PFM80	C-7680	80	4	1
FC-1950	7 1/4	22 1/2	3 1/2" open	3 1/2" open	Pac-Pak MPT 100, Wat 330	PFM100/M	C-7691	100	4	1
FC-1960	7 1/4	33 1/2	3 1/2" open	3 1/2" open	Pac-Pak MPT 150	PFM150	C-7679	150	4	1
EIGHT-INCH DIAMETERS										
FC-0536	8	5 1/2	Handle	2" SAE	Bulfinch 50	PBF50-F25	8CH-500	30	3	4
FC	7 1/4	5 1/2	Handle	2" SAE	Bulfinch Spas 15-1000	PBF25-M	8CH-500	35	3	4
FC-1007	8	7 1/2	4" open	4" open	Master Spas 40, Eco-Pure	PMA45-2004-R	C-8381	40	3	4
FC-1007M	8	7 1/2	4 1/2" open	4 1/2" open	Eco-Pure water filter (new style) - antim.	PMA45-2004	N/A	40	3	4
FC-3310	8	9	2 1/2" open	Male Slip	Coleman 50	PCS50N	C-8450	50	3	1
FC	8	9	2 1/2" open	Male Slip	Coleman Spas - antimicrobial	PCS50N/M	C-8450RA	50	3	1
FC-0515	8	9 1/2	Handle	2" MPT	60 sq. ft. Top Load	PMA60-F2M	8CH-60	60	3	1
FC-0516	8	9 1/2	Handle	2" MPT	70 sq. ft. Top Load/Upgrade	PMA70-F2M	N/A	70	3	1
FC-3320	8	13	2 1/2" open	Male Slip	Coleman 75	PCS75N	C-8475	75	3	1
FC	8	13	2 1/2" open	Male Slip	Coleman Spas - antimicrobial	PCS75N-M	C-8475RA	75	3	1
FC-0591	8	15 1/2	Handle	2" MPT	J250, J-250, J-250 series spas	N/A	8CH-102	95	3	1
FC-3665	8	16 1/2	Handle	3 1/2" open	Cardena 100	PCD100W	C-8399	100	3	1
FC	8	16 1/2	Handle	3 1/2" open	Cardena 100 (new style) - antimicrobial	PCD100W-M	C-8399RA	100	3	1
FC-3666	8	16 1/2	3" open	3" open	Cardena	N/A	N/A	100	3	1
FC-0517	8	18	Handle	2" MPT	Diamond Spas 120	PVST120-F2M	8CH-102	120	3	1
FC-1301	9	22 1/2	4" open	4" open	Hayward A-Series CC 150	PACT125	C-8317	175	3	1
FC-1302	9	24	4" open	4" open	Waterline Clearwater II, Pro-Clear 125	PWWCT125		125	4	1
FC-3727	8 1/2	10 1/2	3" open	3" open	Hot Spring Spas, Tiger Firm	PWK45N	N/A	45	3	4
FC-2771	8 1/2	19 1/2	2 1/2" open	Open nipple	Planted 650 MicroClean Ultra-Dur	N/A	N/A		3	5
FC-2772	8 1/2	19 1/2	3 1/2" open	Open nipple	FC-2769A FC-2771 Kit	N/A	N/A		3	5
FC-3052	8 1/2	7	Handle	2" MPT	PVTS6WH	PVTS6WH-F2L	8CH-102	50	3	4
FC	8 1/2	7	Handle	2" MPT	Circ. Pure - antimicrobial	N/A	N/A	30	3	4
FC-3053	8 1/2	7 1/2	1 1/2" open	2 1/2" with	50 sq. ft. Wet Spa	PVTS0W	C-8310	50	3	1
FC-3668	8 1/2	10 1/2	3" open	3" open	Watkins 65	PWK65	C-6665	65	3	1
FC	8 1/2	10 1/2	3" open	3" open	Watkins w/ Hot Springs - antimicrobial	PWK65-M	C-8445RA	65	3	1
FC-2870	8 1/2	14	Closed w/	2 1/2" open	Sundance MicroClean	N/A	C-6680	80	3	1
FC	8 1/2	14	Closed w/	2 1/2" open	Sundance MicroClean - antimicrobial	N/A	C-8300RA	80	3	1
FC-3570	8 1/2	15 1/2	3 1/2" open	2 1/2" open	Atlantic Fox 100, Leisure Bay JC-100	PRW100	C-8310	100	3	1
FC-1004	8 1/2	17	N/A	N/A	Master Spas EP Flat Filter	PMA50-2002-F	N/A	25	3	4
FC	8 1/2	17	N/A	N/A	Master Spas - antimicrobial	N/A	N/A	40	3	6
FC-1280	8 1/2	17 1/2	4" open	4" open	Hayward C-1883 Hayward C-1908 2 req	PAB83-W/M	C-8630	75	4	1

FILTRON #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	PLEATED	UNICEL	SO.	OZ.	CASE	QTY.
EIGHT INCH DIAMETERS continued											
FC-3751	8.8	17.5	Castle	2 1/2" open	Surfence	N/A	N/A	115	3	1	1
FC-3790	8.8	18	Closed w/	2 1/2" open	Surfence Universal Length	PSD125J	C-8325	125	3	1	1
FC-3790	8.8	18.8	Castle	2 1/2" open	Surfence 120	PSD125	C-8328	120	3	1	1
FC-3780	8.8	19	2 1/2" open	2" Slip	Surfence Double End 120	PSD125	C-8326	125	3	1	1
FC-3791	8.8	19	2 1/2" open	beveled edge 2 1/2" Slip	Surfence MicroGrip II Plus	N/A	N/A	N/A	N/A	1	1
FC-3575	8.8	22.5	2 1/2" open	2 1/2" open	Atlantic Pool 150	PRW150	C-8335	150	3	1	1
FC-1290	8.8	23.6	4" open	4" open	Hayward C-1100	PA105/M/4	C-8610	105	4	1	1
FC-2520	8 1/4	9.6	4 1/4" open	4 1/4" open	Sta-Rite TX 33	PSR33-4	UHD-SR33	33	4	1	1
FC-2530	8 1/4	12.5	4 1/4" open	4 1/4" open	Sta-Rite TX 50	PSR50-4/M	UHD-SR50	50	4	1	1
FC-2540	8 1/4	18.6	4 1/4" open	4 1/4" open	Sta-Rite TX 70	PSR70-4/M	UHD-SR70	70	4	1	1
FC-2830	8 1/4	25 1/4	4 1/4" open	4 1/4" open	Sta-Rite TX 100	PSR100-4/M	UHD-SR100	100	4	1	1
FC-2551	8 7/8	25 7/8	4 1/4" open	4 1/4" open	Sta-Rite TX 100 (2 sec.)	N/A	SC1-SR100	100	3	1	1
FC-2520	8 1/4	31.6	4 1/4" open	4 1/4" open	Sta-Rite PFM 100	PSR104	UHD-SR100	100	4	1	1
FC-2560	8 1/4	34.8	4 1/4" open	4 1/4" open	Sta-Rite TX 131	PSR135-4	UHD-SR135	135	4	1	1
FC-1265M	8 1/4	23.6	4" open	4" open	X-Stream commercial MC100	N/A	N/A	150	4	1	1
FC-1070	8.8	19.6	4" open	4" open	Purex DM 75	PDM75	C-8401	75	4	1	1
FC-1258	8 1/4	17.6	4" open	4" open	Hayward C-76L Pool Clear PXC 75	PWWPC75-4	C-8411	75	4	1	1
FC-1285	8 1/4	17.6	4" open	4" open	X-Stream C-1000	PWWPC100-4	C-8409	100	4	1	1
FC-1292	8 1/4	17.6	4" open	4" open	Hayward C-100L Pool Clear PXC 91	PA90/M/4	C-8409	90	4	1	1
FC-0902	8 1/4	19 1/4	3 1/2" open	3 1/2" open	Astral Terra 100	PAST100	C-8499	100	4	1	1
FC-1284	8 1/4	23.6	4" open	4" open	X-Stream C-1000	PWWPC	C-8316	150	4	1	1
FC-1266M	8 1/4	23.6	4" open	4" open	X-Stream commercial MC150	PXST150-M	N/A	150	4	1	1
FC-1288	8 1/4	23.6	4" open	4" open	Clearwater 8 Pool Filter	PWWCT200	C-8408	200	4	1	1
FC-0821	8 1/4	23.6	4" open	4" open	Jandy CS-100	FIANC5100-4	C-8410	100	3	1	1
FC-0822	8 1/4	23.6	4" open	4" open	Jandy CS-150	FIANC5150-4	C-8414	150	3	1	1
FC-1273	8 1/4	23.6	4" open	4" open	Hayward F-Stream CCT50	PXST175	C-8317	175	3	1	1
FC-1214	8 1/4	23.6	4" open	4" open	Hayward X-Stream CC200	PXST200	C-8319	200	3	1	1
FC-0903	8 1/4	24.1	3 1/2" open	3 1/2" open	Astral Terra 150	PAST150	C-8413	150	4	1	1
FC-2575	8 1/4	28.6	4" open	4" open	Pool Clear PXC 125	PWWPC	C-8415	125	4	1	1
FC-2516	8 1/4	28.6	4" open	4" open	Pool Clear PXC 150	N/A	C-8416	150	4	1	1
FC-1211	8 1/4	28.6	4" open	4" open	Hayward CX900PPE	PA190/PWWP	C-8420	190	4	1	1
FC-1294	8 1/4	28.6	4" open	4" open	Hayward C-175L Pool Clear PXC 175	PACT5/M/4	C-8417	175	4	1	1
FC-0823	8 1/4	33.6	4" open	4" open	Jandy CS-200	FIANC5200-4	C-8418	200	3	1	1
FC-0824	8 1/4	33.6	4" open	4" open	Jandy CS-250	FIANC5250-4	C-8425	250	3	1	1
NINE INCH DIAMETERS											
FC-6250	9	22.6	3 1/4" open	3 1/4" open	Cooper CF-150 Performax	N/A	C-9603	150	4	1	1
FC-1298	9 1/4	14.6	3" open	3" open	Hayward CX 850	PA85/M/4	C-9485	85	4	1	1
FC-1295	9 1/4	19.6	3" open	3" open	Hayward CX 1250	PA125/M/4	C-9499	125	4	1	1
FC-1460	9 1/4	10	3 1/4" open	4 1/4" open	Jacuzzi CFR 30	FJ30-4/M	C-9650	30	4	1	1
FC-1480	9 1/4	14.1	3 1/4" open	4 1/4" open	Jacuzzi CFR 75	FJ75-4	C-9473	75	4	1	1
FC-1480	9 1/4	19.6	3 1/4" open	4 1/4" open	Jacuzzi CFR 100	FJ100-4	C-9489	100	4	1	1
FC-1495	9 1/4	28	3 1/4" open	4 1/4" open	Jacuzzi CFR 150	FJ150-4	C-9478	150	4	1	1
FC-1498	9 1/4	34	3 1/4" open	4 1/4" open	Jacuzzi CFR 200	FJ200-4	C-9420	200	4	1	1
TEN INCH DIAMETERS											
FC-2960	10	13.1	5 1/4" open	6 1/4" open	Waterway Pool Leisure Bay WW-50	PWWT5-F	C-9401	75	4	1	1
FC-1400	10	14.1	Handle	6" open	Sherlock 80	PJ80-4/M	C-9480	80	4	1	1
FC-2965	10	19.1	5 1/4" open	6 1/4" open	Waterway Pool Leisure Bay WW-100	PWWT100-4/M	C-9403	100	4	1	1
FC-1401	10	20.6	Handle	6" open	Sherlock 120	PJ120-4/M	C-9481	120	4	1	1

Accessories

FILTER #	O.D. LENGTH	TOP	BOTTOM	DESCRIPTION	PLEAT CO.	UNICEL	EQ.	OZ.	CASE QTY.
TEN-INCH DIAMETERS (continued)									
FC-1402	10"	24 1/4"	Handle	6" open	Sherlock 160	FJ160-4	C-9482	160	4
FC-2999	10"	25 1/4"	5 1/2" open	6 1/2" open	Waterway Pool Leisure Bay WB-150	PWW150-4/MF	C-9403	150	4
FC-1403	10"	29 1/4"	Handle	6" open	Sherlock 200	FJ200-4/M4	C-9483	200	4
FC-2978	10"	25 1/4"	6" open	6" open	Waterway 200 Clearwater Cartridge	PWW200-4	N/A	200	4
FC-0684	10 1/4"	18 1/4"	6" open	6" open	Protestor 50 Clean & Clear 50	PAP50-4/M4	C-9405	50	4
FC-0685	10 1/4"	16 1/4"	6" open	6" open	Protestor 75 Clean & Clear 75	PAP75-4/M4	C-9407	75	4
FC-3104	10 1/4"	7 1/4"	6" open	6" open	V4 Pak, Hardsy	N/A	C-9499	100	4
FC-0486	10 1/4"	23 1/4"	6" open	6" open	Protestor 100 Clean & Clear 100	PAP100-4/M4	C-9410	100	4
FC-0686	10 1/4"	23 1/4"	6" open	6" open	Protestor Clean & Clear 125	N/A	C-9412	125	4
FC-0688	10 1/4"	21 1/4"	6" open	6" open	Protestor 200 Clean & Clear 200	PAP200-4/M4	C-9419	200	4
FC-0625	10 1/4"	28	5 1/2" open	5 1/2" open	Jandy CJ 200	N/A	C-9421	200	4
FC-0839	10 1/4"	34	5 1/2" open	5 1/2" open	Jandy CJ 250	N/A	C-9422	250	4
TWELVE-INCH DIAMETERS									
FC-0840	12 1/4"	17	5 1/2" open	5 1/2" open	Jandy Pro Edge	N/A	C-9498	300	4
ACCESSORIES									
FC-3125	2 1/4"	10"	Hose fitting	Closed	Fleeced sediment filter w/hose adapter	N/A	C-2499	4	4
FC-3128	2 1/4"	10"	Hose fitting	Closed	Disposable sediment filter w/hose adapter	N/A	N/A	N/A	12
FC-3129	4 1/4"	12 1/8"	Hose fitting	Closed	w/hose adapter	N/A	N/A	N/A	6

Note: All Top and Bottom dimensions represent "Inches".

Note: Cross-references to are based on the best available information at the time of publication.

FLBUSH does not consider all cross-references of equal quality/construction due to media deviations from OEM specifications by Pleco.

When & How to Clean your Filter Cartridge

WHEN:

When the pressure gauge on your filter tank reaches 8 p.s.i. above the pressure recorded when a new cartridge is installed, or when there is a noticeable decrease in the pressure coming from your return jets, it is time to clean your cartridge.

HOW:

1. Turn the power off to your pump and bleed the excess air pressure of the system using the air valve on the filter. Remove any band clamps and/or lids to your filter. Remove the cartridge from the filter canister and dislodge any loose debris by directing a stream of water from a garden hose between each pleat. Do not use a high pressure car wash wand or a stiff brush to clean your cartridge. These abrasive methods may damage the filter media and snap the bands.
2. Spray Pure 'n Clean™ filter cleaner on the cartridge or grid to remove any oils or other organics. If stubborn stains persist, soak the cartridge overnight in a solution of TSP.
3. Rinse the cartridge thoroughly with clean fresh water and return it to the filter tank. Secure the tank lid and any band clamps completely and restart your filtration system per manufacturers instructions.



CAUTION

- Follow your filter equipment manufacturer's instructions when removing or re-installing your filter cartridge.
- Always shut down your system before working on your cartridges.
- We recommend against acid washing filter or using a pressure washer to clean the media.



Cartridges by Pool/Spa Manufacturer

This section details the cartridges available by Original Equipment Manufacturer (OEM). You will find in alphabetical order the listing of both pool and spa manufacturers. We have combined both pool and spa sections into one quick and easy cross reference. All FILBUR cartridges include the features listed below:

- OEM specified media.
- Straight, sharp and evenly spaced pleats for maximum filtration efficiency.
- Durable polyurethane end caps which provide strength and assure proper sealing in filter tank.
- Drilled PVC center cores for the strongest cores in the industry. PVC center core for support.
- Evenly spaced holes in center core for maximum distribution of flow through the cartridge.

Aber Hot Tub –

cartridges by OEM

FILBUR #	O.D.	LENGTH	TOP : BOTTOM DESCRIPTION		OEM	PLEATCO	UNICEL	50 FT. OZ.	CASE QTY.
ABER HOT TUB									
FC-2585	4 1/4"	9 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 35	03FIL1308	PRB15-IN	C-4134	25 3 4
FC-2590	4 1/4"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50	03FIL1400	PRB20 /-MIN	C-4950	30 3 4
FC-0339	6"	8 1/2"	Handle	1 1/2" SAE	6 x 8 1/2" Male SAE Thread	03FIL1400	PWW50P2	6CH-940	40 3 4
FC-0315	6"	9"	Handle	1 1/2" open	6 x 9"	03FIL1500	FTL47W-R-M	6CH-47	50 3 4
ACCENT SPAS									
FC-3077	4 1/4"	4"	1 1/2" open	1 1/2" open	Sea Filter 10	PWW10	C-4310	10 3 4	4
FC-2915	4 1/4"	11 1/2"	2 1/2" open	2 1/2" open	Waterway 40	PWW40	C-4139	40 3 4	4
FC-2375	4 1/4"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 25, 3 co.	PRB25-IN	C-4524	25 3 4	4
FC-2390	4 1/4"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50	PRB30 /-MIN	C-4950	30 3 4	4
ACRYL MAX SPAS									
FC-2375	4 1/4"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 25, 3 co.	PRB25-IN	C-4526	25 3 4	4
FC-2380	4 1/4"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 37	PRB27-IN-4	C-4607	37 4 4	4
FC-2390	4 1/4"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50	PRB30 /-MIN	C-4950	30 3 4	4
FC-2940	4 1/4"	23 1/2"	2 1/2" open	2 1/2" open	Waterway 100	PCA100	C-4995	95 3 4	4
ADDISON SPAS									
FC-0151	4 1/4"	14 1/2"	Handle 1 1/2" MPT 1 1/2 x 14 1/2			FTL50P-4	WCH-50	50 3 4	4
ADVANCED SPA DESIGN See LA Spas									
ADVANTAGE MANUFACTURING									
FC-6101	4 1/4"	14 1/2"	2 1/2" open	2 1/2" open	Advantage Electric 25	220128	PAE25-5	C-4105	25 3 4
FC-6125	4 1/4"	14 1/2"	2 1/2" open	2 1/2" open	Advantage Electric 25-1	ELS-25-1 Top Load	PCB25-IN	C-4108	25 3 4
FC-6130	4 1/4"	17 1/2"	2 1/2" open	2 1/2" open	Advantage Electric 30	ELS-30 Top Load	PAE30	C-4344	30 3 4
FC-6175	7 1/4"	14 1/2"	2 1/2" open	2 1/2" open	Advantage Electric 75	ELS-75	PAE75	C-7381	75 3 4
FC-6320	7 1/4"	21 1/2"	2 1/2" open	2 1/2" open	Advantage Electric 100	ELS-100	PCW100	C-7303	100 3 4
FC-6125	7 1/4"	28 1/2"	2 1/2" open	2 1/2" open	Advantage Electric 150	ELS-150	PAE150	C-7301	150 3 4



Alcove Spas -

PLUMB #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	50 Ft. OZ.	CASE QTY.
ALCOVE SPAS										
PC-0034	3/4"	9'	1 1/2" open	1 1/2" open	Alcove 3		PS9-4	C-3408	5	12
PC-0121	4 1/2"	8'	Handle	1 1/2" open	47 1/2" x 8'		PTL15-4	4CH-21	19	1
ALPS SPAS										
PC-2329	4 1/2"	13'	2 1/2" open	2 1/2" open	Rainbow Dynamic 25		PBB25-IN-4	C-4625	25	1
PC-2399	4 1/2"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PBB50-I-MIN	C-4850	50	1
AMERICAN CLASSIC SPAS										
PC-0151	4 1/2"	14'	Handle	1 1/2" MPT	45 1/2" x 14'		PTL3CP-4	4CH-50	50	1
AMERICAN PRODUCTS See Pentair Pool Products - American										
AMERICAN SPAS										
PC-2390	4 1/2"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PBB50-I-MIN	C-4850	50	1
PC-0310	6"	7'	Handle	1 1/2" MPT	8 1/2" x 7'		PTL25W-5/8-4	6CH-38	25	1
PC-0309	6"	8 1/2"	Handle	1 1/2" SAE	8 1/2" x 8 1/2", Male SAE Thread		PWW30P3	6CH-940	40	1
AMISH COUNTRY SPAS										
PC-3A26	5 1/2"	11 1/2"	1 1/2" open	1 1/2" open	P Marquis 25 (old design)		PPM25-4	C-5A26	25	1
PC-3A23	5 1/2"	11 1/2"	Closed	1 1/2" open	Pacific Marquis 34, C/Top New Design. Product has a closed top.		PPM35TC	C-5A23	25	1
PC-3A37	5 1/2"	14 1/2"	1 1/2" open	1 1/2" open	P Marquis 40-Old design.		PPM40-4	C-5A37	40	1
PC-3A34	5 1/2"	14 1/2"	Closed	1 1/2" open	Pacific Marquis 38, C/Top New Design. Product has a closed top.		PPM40TC	C-5A34	40	1
APOLLO SPAS										
PC-1225	4 1/2"	11 1/2"	2 1/2" open	2 1/2" open	Hayward C-225		PA225-4/M4	C-4325	25	1
PC-0640	4 1/2"	11 1/2"	2 1/2" open	2 1/2" open	Aerol Commander II - 25		IWA	C-4327	25	1
PC-2386	4 1/2"	4 1/2"	2 1/2" open	2 1/2" open	Rainbow DSF 35, 3/4" Jet		PBB17.5SF-64R/3H	C-4401	35	1
PC-2375	4 1/2"	13'	2 1/2" open	2 1/2" open	Rainbow Dynamic 25, 3 Jet		PBB25-IN	C-4326	25	1
PC-2390	4 1/2"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PBB50-I-MIN	C-4850	50	1
PC-1130	5 1/2"	10 1/2"	Spring Handle	2 1/2" open	Jacuzzi Aero, Canessa, C/Top Product has closed top.		PJW23-M4	C-5601	25	1
PC-0309	6"	8 1/2"	Handle	1 1/2" SAE	8 1/2" x 8 1/2", Male SAE Thread		PWW30P3	6CH-940	40	1
AQUA LEISURE										
PC-3758	4 1/2"	4'	1 1/2" open	1 1/2" open	Aqua Leisure		IWA	C-4370	3	1
PC-1253	4 1/2"	3 1/2"	2 1/2" open	2 1/2" open	Send PC Sun, Wal Mart, Simple Set Type "1". Packaged in sets of 2 1/2" items. Shipped individually packaged.	Size T	PBW4FAIR	C-4113	3	1
AQUA MYSTIC SPAS										
PC-2375	4 1/2"	13'	2 1/2" open	2 1/2" open	Rainbow Dynamic 25, 3 Jet		PBB25-IN	C-4326	25	1
PC-2390	4 1/2"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PBB50-I-MIN	C-4850	50	1
AQUA SPAS										
PC-3071	4 1/2"	9'	Handle	1 1/2" with side	Aqua Spa 20		RAQ25H	C-4602	20	1
AQUA TECH SPAS										
PC-0151	4 1/2"	14'	Handle	1 1/2" MPT	45 1/2" x 14'		PTL3CP-4	4CH-50	50	1
PC-2386	4 1/2"	4 1/2"	2 1/2" open	2 1/2" open	Rainbow DSF 35, 3/4" Jet		PBB17.5SF-64R/3H	C-4401	35	1
PC-2390	4 1/2"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PBB50-I-MIN	C-4850	50	1
AQUATEMP										
PC-4255	9"	22 1/2"	2 1/2" open	2 1/2" open	Copco CF 150 Performer	84-92313	IWA	C-9683	150	1

FILTR #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	50 FT.	OZ.	CASE QTY.
AQUAFORM-INFINITY SPAS											
FC-2590	4 1/4"	13 1/2"	2 1/4" open	2 1/4" open	Rainbow Dynamic 50		PRB50 / AMN	C-4950	50	3	6
ARCADIA SPAS											
FC-0319	6	8 1/2	Handle	1 1/2" S&E	6 x 8 1/2, Male SAE Thread		PWW50P2	6CH-940	40	3	6
FC-2590	4 1/4"	13 1/2"	2 1/4" open	2 1/4" open	Rainbow Dynamic 50		PRB50 / AMN	C-4950	50	3	6
ARCTIC SPAS See also Blue Falls Manufacturing											
FC-2375	4 1/4"	13 1/2"	2 1/4" open	2 1/4" open	Rainbow Dynamic 25		PRB25-IN	C-4525	25	3	6
FC-2590	4 1/4"	13 1/2"	2 1/4" open	2 1/4" open	Rainbow Dynamic 50		PRB50 / AMN	C-4950	50	3	6
FC-2372	4 1/4"	13 1/2"	2 1/4" open	2 1/4" open	Disposable Multilayer Polyprop Filter Replaces Merco-Pure disposable 00-4950 Made from multilayer poly propylene. Sold in case quantities only	N/A	N/A	N/A	N/A	12	12
ARRIS SPAS											
FC-2370	4 1/4"	13 1/2"	2 1/4" open	2 1/4" open	Rainbow Dynamic 25		PRB25-IN-4	C-4525	25	3	6
ARIZONA PACIFIC SPAS See also Diamondback Spas											
FC-2386	4 1/4"	4 1/4"	2 1/4" open	2 1/4" open	Rainbow D5F 35, 2/ser		PRB11.5LP- RAWRJH	C-4401	35	3	6 sets
FC-2387	4 1/4"	4 1/4"	2 1/4" open	2 1/4" open	Rainbow D5F 50, 2/ser		PRB25LP- RAWRJH	C-4405	50	3	6 sets
FC-2390	4 1/4"	13 1/2"	2 1/4" open	2 1/4" open	Rainbow Dynamic 50		PRB50 / AMN	C-4950	50	3	6
FC-0330	6	9 1/2	Handle	1 1/2" S&E	6 x 9 1/2		PTL25W-P-4	6CH-35	35	3	6
FC-0340	6	12 1/2"	Handle	1 1/2" S&E	6 x 12 1/2		PTL50W- SV-P-4	6CH-50	50	3	1
ARTESIAN SPAS											
FC-2370	4 1/4"	13 1/2"	2 1/4" open	2 1/4" open	Rainbow Dynamic 50	06-0012-12	PRB50 / AMN	C-4950	50	3	6
FC-0310	6	7	Handle	1 1/2" S&E	6 x 7		PTL25W- SV-P-4	6CH-25	25	3	6
FC-0311	6 1/8	8	Handle	2" S&E	Artesian Spas 50	06-0016-12	PAS50SV-F2M	6CH-502	35	3	4
FC-0311M	6 1/8	8	Handle	2" S&E	Artesian Spas antimicrobial		PAS50SV- F2M/M	6CH- 502MA	35	3	4
FC-0313	6	7	1 1/8 open	2" MFT	Recent Line Series disposable Quaffle Filter OEM product has purple end caps and netting on the outside of cartridge	06-0053-12	N/A	6CH-352	N/A	N/A	6
FC-0314	6 1/8	8	Handle	2" S&E	Artesian Spas 50 with Quaffle		N/A	N/A	N/A	N/A	4
FC-0419	7	7 1/2"	Handle	2" S&E	7 x 7 1/2" Original w/ 7 1/4" OD and 7 1/8" waist length		PAS35-2-M	7CH-323	35	3	4
ASTRAL											
FC-0902	8 1/4"	19 1/4"	3 1/4" open	3 1/4" open	Astral Terra 100	1812HD100	PAST100	C-8499	100	4	1
FC-0903	8 1/4"	24 1/4"	3 1/4" open	3 1/4" open	Astral Terra 150	1822HD150	PAST150	C-8413	150	4	1
ATEIRA SPAS (FOUR SEASONS HOME RESORT PRODUCTS)											
FC-2370	4 1/4"	13 1/2"	2 1/4" open	2 1/4" open	Rainbow 50		PRB50 / AMN	C-4950	50	3	6
FC-0319	6	8 1/2	Handle	1 1/2" S&E			PWW50P2	6CH-940	40	3	6
FC-0321	4 1/4"	8	Handle	1 1/2" S&E	19 sq ft Top Load		PTL3-4	4CH-21	20	3	6
ATLANTIC POOL PRODUCTS See Jacuzzi Brothers											
AVADON/VICTORY											
FC-0002M	5 1/4"	14 1/4"	Handle	2" MFT	Avadon/Victory - antimicrobial	FLU1100212	PCAL90- F2M/M	N/A	40	3	4
BAJA SPAS											
FC-2370	4 1/4"	13 1/2"	2 1/4" open	2 1/4" open	Rainbow Dynamic 50		PRB50 / AMN	C-4950	50	3	6
FC-2377	4 1/4"	26 1/4"	2 1/4" open	2 1/4" open	Rainbow Dynamic 100		PRB100	C-4999	100	3	6
BAKER-HYDRO											
FC-1626	4 1/4"	11 1/2"	2 1/4" open	2 1/4" open	Baker Hydro Mer-Mite 25	SC-1500, 17-81155	PM125	C-4132	25	3	6

Baker-Hydro continued

PLUMB #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	50 Ft.	OZ.	CASE QTY.
BAKER-HYDRO continued											
PC-0750	7	9%	Handle	Cone	Baker Hydro HFM 25	17-82054	PBH25-4	C-7604	25	4	1
PC-0770	7	19%	Handle	Cone	Baker Hydro HFM 50	17-82055	PBH50	C-7605	50	4	1
PC-0770	7	19%	Handle	Cone	Baker Hydro UM 75	17-81166	PBH-UM75	C-7606	75	4	1
PC-0770	7	29%	Handle	Cone	Baker Hydro HFM 75	17-82056	PBH75	C-7608	75	4	1
PC-0780	7	29%	Handle	Cone	Baker Hydro UM 100	17-81167	PBH-UM100	C-7607	100	4	1
PC-0780	7	39%	Handle	Cone	Baker Hydro HFM 100; 2 piece Length reflects the total of 2 cartridges each 19 1/2" long.	17-82071	PBH100	C-7607	100	4	1
PC-0790	7	39%	Handle	Cone	Baker Hydro UM 150; 2 piece Length reflects the total of 2 cartridges each 19 1/2" long.	17-81168	PBHUM150	C-7608	150	4	1
BEACHCOMBER SPAS											
PC-035W	4 1/4"	4 1/4"	2 1/2" open	2 1/2" open	Rainbow DSP 35; 2/ser		PBB35SP-PAIR/CH	C-4401	35	1	8 sets
PC-0350	4 1/4"	6 1/4"	2 1/2" open	2 1/2" open	Rainbow DSP 50; 2/ser		PBB50SP-PAIR/CH	C-4405	50	1	8 sets
PC-0375	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 25; 5 ser		PBB25-IN	C-4326	25	1	4
PC-0390	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PBB50-I-MIN	C-4950	50	1	4
BELIZE SPAS											
PC-035W	6	8 1/4"	Handle	1 1/2" SAE	6 x 8 1/4"; Male SAE Thread Two 50 sq. ft. cartridges required (used side-by-side)		PWWSP3	8CH-940	40	1	4
PC-0375	4 1/4"	9 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 25		PBB25-IN	C-4326	25	1	4
PC-0390	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PBB50-I-MIN	C-4950	50	1	4
BLUE FALLS MFG. (CANADA) See also Arctic Spas											
PC-0375	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 25; 5 ser		PBB25-IN	C-4326	25	1	4
PC-0390	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PBB50-I-MIN	C-4950	50	1	4
PC-0392	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow disposable Multilow Polypro Filter. Replaces Micro-Fine disposable DD-4950. Sold in case quantities only.		N/A	N/A	N/A	N/A	12
BLUE PACIFIC SPAS											
PC-0141	6 1/4"	11 1/4"	Handle	1 1/2" MPT	6 1/4 x 11 1/4"		PTL25P-4	4CH-30	30	4	4
PC-0390	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 25		PBB25-IN-4	C-4625	25	1	4
PC-0390	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PBB50-I-MIN	C-4950	50	1	4
PC-0340	6	13 1/4"	Handle	1 1/2" MPT	6 x 13 1/4"		FTL30W-SV-F-4	8CH-30	30	1	1
BLUE RIDGE SPAS											
PC-0111	6 1/4"	9 1/4"	Handle	1 1/2" MPT	6 1/4 x 9 1/4"		PGS25P6	8CH-M	25	1	4
BULLFROG SPAS											
PC-0345	4 1/4"	9 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 35		PBB35-IN	C-4335	35	1	4
PC-0390	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PBB50-I-MIN	C-4950	50	1	4
PC-035W	6	8 1/4"	Handle	1 1/2" SAE	8 1/4" Dia. Waterway 30		PWWSP3	8CH-940	40	1	4
PC-0538	1 1/4"	5 1/4"	Handle	2" SAE	Bullfrog 50	10-1033	PEF50-F25	8CH-950	35	1	4
PC-0535M	1 1/4"	5 1/4"	Handle	2" SAE	Bullfrog 50alt	10-1033	PBF35-M		35	1	4
CAL SPAS											
PC-0390	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PBB50-I-MIN	C-4950	50	1	4
PC-0390M	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic in-line		N/A	C-4950RA	50	1	4
PC-0430	4 1/4"	14 1/4"	2 1/2" open	2 1/2" open	Marmet 50		PM15E	C-4325	50	1	4
PC-0430	4 1/4"	23 1/4"	2 1/2" open	2 1/2" open	Waterway 75		PCAL75	C-4070	75	1	4

FILBUR #	O.D. LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	50 FT. OZ.	CASE QTY.	
CAL SPAS-continued										
PC-2940	4 1/4"	23 1/4"	2 1/4" open	2 1/4" open	Waterway 100	PCAL100	C-4995	100	3	
PC-2971	5 1/4"	14 1/4"	2 1/4" open	2 1/4" open	LP A5 sq. ft.	PLBS75-M	C-9376	45	3	
PC-2973M	5 1/4"	14 1/4"	2 1/4" open	2 1/4" open	LP A5 sq. ft.	N/A	C-5276A	45	3	
PC-0191	5 1/4"	12 1/4"	Handle	2" MPT	50 sq. ft. Top Load	PMW-3050C-F2M	SCH-500	50	3	
PC-0193M	5 1/4"	12 1/4"	Handle	2" MPT	50 sq. ft. Top Load 200V Models have removable and cap with dispenser	PMW-3050C-F2M-M	SCH-500	50	3	
PC-0194M	5 1/4"	12 1/4"	Handle	2" MPT	Cal Spas Avalon	PCAL42-F2M-M	N/A	35	3	
PC-0203M	5 1/4"	12 1/4"	Removable Handle	2" MPT	Cal Spas removable top	N/A	N/A	50	3	
PC-0303	5 1/4"	16 1/4"	Handle	2" MPT	Avalon/Victory	PCAL40-F2M	SCH-702	65	3	
PC-0202M	5 1/4"	16 1/4"	Handle	2" MPT	Avalon/Victory 200V Models have removable and cap with dispenser	PCAL40-F2M-M	N/A	45	3	
PC-0204M	5 1/4"	16 1/4"	Removable Handle	2" MPT	Cal Spas removable top	N/A		45	3	
PC-1240	7	19 1/4"	2" w/ gasket	3" open	Hayward C-100	RA5014/M	C-7656	50	4	
PC-1260	8 1/4"	17 1/4"	4 1/4" w/ gasket	4 1/4" open	Hayward C-600	RA8014/M	C-8600	75	4	
PC-1290	8 1/4"	22 1/4"	4 1/4" w/ gasket	4 1/4" open	Hayward C-1100	RA10014/M-1	C-8610	100	4	
CALDERA SPAS										
PC-3064	7	10 1/4"	Handle	2" Male Slip	Caldera 50	33074	PC056	C-7451	50	3
PC-3063	7	10 1/4"	Handle	2 1/4" open	Caldera 50 new style	1019401	PC050H	C-7350	50	3
PC-3063M	7	10 1/4"	Handle	2 1/4" open	Caldera 50 new style antimicrobial	N/A	C-7350RA	50	3	
PC-3065	7	14 1/4"	Handle	2" Male Slip	Caldera 75	33072	PC076	C-7429	75	3
PC-3064	7	14 1/4"	Handle	2 1/4" open	Caldera 75 new style	1019307	PC075M	C-7375	75	3
PC-3064M	7	14 1/4"	Handle	2 1/4" open	Caldera 75 (new style) antimicrobial	1019307	N/A	C-7375RA	75	3
PC-3065	8	16 1/4"	Handle	3 1/4" open	Caldera 100	1039607	PC0100W	C-8199	100	3
PC-3066	8	16 1/4"	Handle	3" open	Caldera	N/A	N/A	100	3	
PC-3065M	8	16 1/4"	Handle	3 1/4" open	Caldera 100 (new style) antimicrobial	N/A	N/A	100	3	
CANSPA MFG. (CANADA)										
PC-0339	6	8 1/4"	Handle	1 1/2" SAE	6 x 8 1/4" Male SAE Thread Two 30 ft. cartridges required side-by-side	PWW50P3	SCH-440	50	3	
PC-0366	4 1/4"	4 1/4"	2 1/4" open	2 1/4" open	Rainbow DSF 25, 2/set	PBB25SF-PAR/JH	C-4405	35	3	
CANTAR POOL PRODUCTS See Jacuzzi Brothers										
CATALINA/CARIBBEAN SPAS										
PC-1286	4 1/4"	4 1/4"	2 1/4" open	2 1/4" open	Rainbow DSF 25, 2/set	PBB25SF-PAR/JH	C-4405	35	3	
PC-1287	4 1/4"	4 1/4"	2 1/4" open	2 1/4" open	Rainbow DSF 50, 2/set	PBB50SF-PAR/JH	C-4405	50	3	
PC-0199	6	8 1/4"	Handle	1 1/2" SAE	6 x 8 1/4" Male SAE Thread	PWW50P3	SCH-440	40	3	
CHARISMA SPAS										
PC-3077	4 1/4"	4	1 1/4" open	1 1/4" open	5 in Filter 10	PWW10	C-4310	10	3	
PC-0141	4 1/4"	11 1/4"	Handle	1 1/2" MPT	4 1/4 x 11 1/4"	PT125P-4	4CH-30	30	4	
PC-0290	4 1/4"	13 1/4"	2 1/4" open	2 1/4" open	Rainbow Dynamic 50	PBB50 / MIN	C-4995	50	3	
PC-0199	6	8 1/4"	Handle	1 1/2" SAE	6 x 8 1/4" Male SAE Thread	PWW50P3	SCH-440	40	3	
PC-0340	6	13 1/4"	Handle	1 1/2" MPT	6 x 13 1/4"	PT150W-SV-P-4	SCH-30	50	3	

Clearwater Spas –

PLUMB #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	50 FT.	OZ.	CASE QTY.
CLEARWATER SPAS											
PC-238A	4 1/4"	4 1/2'	2 1/2" open	2 1/2" open	Rainbow DSP 35, 2 Jet		PRB25SP-PAIR/IN	C-4401	35	3	3 sets
PC-238F	4 1/4"	4 1/2'	2 1/2" open	2 1/2" open	Rainbow DSP 50, 2 Jet		PRB25SP-PAIR/OUT	C-4405	50	3	3 sets
PC-1120	5 1/4"	10 1/2'	String Handle	2 1/2" open	Jacuzzi Whirlpool 50, C/Top		PJW50	C-5500	50	3	6
PC-0328	3"	8 1/2'	Handle	1 1/2" SAE	As is 8 1/2" Male SAE Thread		PWWMP3	6CH-940	40	3	6
CLIPPER SPAS											
PC-2290	4 1/4"	13 1/2'	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PRB50-J-MIN	C-4950	50	3	6
COAST SPAS (CANADA)											
PC-2290	4 1/4"	13 1/2'	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PRB50-J-MIN	C-4950	50	3	6
PC-2940	4 1/4"	23 1/2'	2 1/2" open	2 1/2" open	Waterway 100		PCAL100	C-4995	95	3	4
PC-239F	4 1/4"	26 1/2'	2 1/2" open	2 1/2" open	Rainbow Dynamic 100		PRB100	C-4899	100	3	4
PC-2975	5 1/4"	21 1/2'	2 1/2" open	2 1/2" open	Coast 100		PC5780-M	C-5326	100	3	1
PC-2979M	5 1/4"	21 1/2'	2 1/2" open	2 1/2"	Coast Spas - antimicrobial	N/A	C-5780RA		100	3	1
PC-2976	5 1/4"	30 1/2'	2 1/2" open	2 1/2" open	Coast 150		PC57120	C-5391	150	3	1
COAST MOUNTAIN SPAS (CANADA)											
PC-2375	4 1/4"	13 1/2'	2 1/2" open	2 1/2" open	Rainbow Dynamic 25		PRB25-IN	C-4326	25	3	6
PC-2385	4 1/4"	9 1/2'	2 1/2" open	2 1/2" open	Rainbow Dynamic 35		PRB35-IN	C-4336	35	3	6
PC-2290	4 1/4"	13 1/2'	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PRB50-J-MIN	C-4950	50	3	6
COLECO											
PC-3709	4 1/4"	8	1 1/2" open	1 1/2" open	Coleco F-120 w/case		N/A	C-4606	5	4	12
PC-3710	4 1/4"	8	1 1/2" open	1 1/2" open	Coleco F-120 w/case	10000, 10000, FIB	PC3720/PAIR	C-4607	5	4	12
PC-3730	4 1/4"	11	1 1/2" open	2 1/2" open	Coleco F-112 w/case		PC37-4	C-4621	8	4	12
COLEMAN SPAS											
PC-2915	4 1/4"	11 1/2'	2 1/2" open	2 1/2" open	Waterway 40	100545	PWW40	C-4338	40	3	6
PC-2375	4 1/4"	13 1/2'	2 1/2" open	2 1/2" open B	Rainbow Dynamic 25, 2 Jet	100546	PRB25-IN	C-4326	25	3	6
PC-2290	4 1/4"	13 1/2'	2 1/2" open	2 1/2" open	Rainbow Dynamic 50	100553	PRB50-J-MIN	C-4950	50	3	6
PC-0203M	3 1/4"	18 1/2'	Handle	2" MPT	Avalon Victory - antimicrobial	PL11100212	PCALAB-F2M-M	N/A	60	3	6
PC-0300	5 1/4"	8	Handle	1 1/2" MPT	Elite Spa by Coleman		PAS30P	SCH-35	35	3	6
PC-0300M	5 1/4"	8	Handle	1 1/2" MPT	5 1/2" x 8" - antimicrobial		PAS30P-M	SCH-35RA	35	3	4
PC-0420	7	8	Handle	2" MPT	7 x 8	100620	PAS36-J	XCH-322	32	3	4
PC-0425	7	8	Handle	1 1/2" MPT	7 x 8	100430	PC530P	YCH-32	32	3	4
PC-0435	7	9 1/2'	Handle	1 1/2" MPT	7 x 9 1/2'	100433	PC540P	YCH-40	40	3	4
PC-0438	7	9 1/2'	Handle	2" MPT	7 x 9 1/2'	100521	PC548-F2M	YCH-402	40	3	4
PC-0465	7	14 1/2'	Handle	1 1/2" MPT	7 x 14 1/2'	100434	PVT50P	YCH-50	50	3	4
PC-0460	7	14 1/2'	Handle	2" MPT	7 x 14 1/2' 50sq. ft.	100523	PC550-F2M	XCH-502	50	3	4
PC-5350	8	9	2 1/2" open	Male 50p	Coleman 50 Model dated after 1992	100595	PC550M	C-8408	50	3	1
PC-3310M	8	9	2 1/2" open	Male 50p	Coleman Spas - antimicrobial		PC550M/M	C-8408RA	50	3	1
PC-3320	8	10	2 1/2" open	Male 50p	Coleman 75 Model dated after 1992	100594	PC575N	C-8475	75	3	1
PC-3320M	8	10	2 1/2" open	Male 50p	Coleman Spas - antimicrobial		PC575N-M	C-8475RA	75	3	1



FILBUR #	O.D. LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	50 FT. OZ.	CASE QTY.
COLUMBIA SPAS									
FC-2385	4 1/2	9 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 35	PRB35-IN	C-4335	35	3
FC-2390	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 50	PRB50-/MIN	C-4950	50	3
COMFORT LINE SPAS									
FC-0182	4 1/2	4 1/2	Handle	1 1/2" open	4 1/2 x 4 1/2	PT115/PS517.5	C-4302	12	3
COMPETITION POOL PRODUCTS See Jacuzzi Brothers									
CRYSTAL WATER SPAS (CANADA)									
FC-2385	4 1/2	9 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 35	PRB35-IN	C-4335	35	3
FC-2390	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 50	PRB50-/MIN	C-4950	50	3
FC-2750	8 1/2	18 1/2	Circle	2 1/2" open	Sundance 120	PSD125	C-8120	120	3
CYA SPAS									
FC-0121	4 1/2	9 1/2	Handle	1 1/2" open	4 1/2 x 9 1/2	PS525P4	4CH-24	25	3
CUSTOM MOLDED PRODUCTS									
FC-3037	4 1/2	4	1 1/2" open	1 1/2" open	10 sq. ft. skimmer	N/A	PRW10	C-4310	10
FC-2385	4 1/2	9 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 35	PRB35-IN	C-4335	35	3
FC-2375	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 25, 2 sq.	PRB25-IN	C-4325	25	3
FC-2390	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 50	PRB50-/MIN	C-4950	50	3
FC-2395	4 1/2	20 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 75	PRB75	C-4975	75	3
FC-0319	6	8 1/2	Handle	1 1/2" SAE	40 sq. ft. Skim Filter Top 40 sq. ft. cartridge required (used side by side)	OPFL0400, PWW50, 25252, 30902, 817-0050	PWW50P3	6CH-940	40
FC-0360	6	8 1/2	Handle	1 1/2" Male Npt	40 sq. ft. Skim Filter-top FC-0360 and FC-0361 required (stacked)	25253, 25254, 817-0011	PWW1000T-P3	6CH-941	80
FC-0361	6	8 1/2	Handle	1 1/2" SAE	40 sq. ft. Skim Filter-bottom FC-0360 and FC-0361 required (stacked)	25253, 25254, 817-0012	PWW1000TP3	6CH-942	80
CYANNA VALLEY SPAS (VIKING)									
FC-3077	4 1/2	4	1 1/2" open	1 1/2" open	Top/bottom skimmer	PWW10	PWW10	C-4310	10
FC-0319	6	8 1/2	Handle	1 1/2" SAE		PWW50	PWW50P3	6CH-940	40
DAKOTA SPAS									
FC-0137	4 1/2	8 1/2	Handle	1 1/2" open	Acme Thread type (special)	N/A		25	3
FC-2394	4 1/2	12 1/2	2 1/2" open	2 1/2" open	Dakota Spa 45	PS45	C-4311	45	3
FC-2375	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 25, 2 sq.	PRB25-IN	C-4325	25	3
FC-2390	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 50	PRB50-/MIN	C-4950	50	3
FC-2395	4 1/2	20 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 75	PRB75	C-4975	75	3
FC-0319	6	8 1/2	Handle	1 1/2" SAE	6x 3/4" Male SAE Thread	PWW50P3	6CH-940	40	3
DEL SOL SPAS									
FC-2811	5 1/2	11	Handle	1 1/2" open	Hermosa, Redondo	PAW50C-P2M	5CH-802	45	3
DIAMANTE SPAS See U.S. Tooling & Spa									
DIAMOND SPAS									
FC-1170	5 1/2	10 1/2	String Handle	2 1/2" open	Jacuzzi Acme, Corona, Chryse	PAW50-M4	C-5801	25	3
FC-2375	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 25, 2 sq.	PRB25-IN	C-4325	25	3
FC-2390	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 50	PRB50-/MIN	C-4950	50	3

Diamond Back Spas –

PLUMB #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICOL	80 FT.	02	CASE QTY
DIAMOND BACK SPAS SEE ARIZONA PACIFIC SPAS											
DIMENSION ONE SPAS											
PC-0141	4%	11%	Handle	1 1/2" MPT	4% x 11%	1561-14	PTL25P-4	4CH-30	25	4	6
PC-0173	4%	11%	Handle	S&E	4% x 12", Male S&E Thread	1561-04	PDD-LF25P2	4CH-950	25	3	4
PC-0131	4%	14%	Handle	1 1/2" MPT	4% x 14%	1561-03	PTL30P-4	4CH-50	50	3	6
PC-0177	4%	15	Handle	S&E	4% x 15", Male S&E Thread	1561-13	PDD-DP40P2	4CH-940	40	3	4
PC-3081	4%	11%	2 1/2" open	2 1/2" open	Dimension One 40 Product discontinued by Dimension One Spas	1561-03	PM750	C-4340	40	3	6
PC-3097	5%	17	1 1/2" open	2 1/2" open	Decore 40 w/ noncentric holes Decore cartridge	1561-09	PDD40-4	C-540A	40	4	1
PC-0476	7	10%	Handle	1 1/2" S&E	7 x 30 %, Male S&E Thread	1561-12	PDD/SP3	XCH-975	75	3	1
PC-0470	7	14%	Handle	2" MPT	7 x 14%, 75 sq. ft.	1561-02	PTL75XW- FDM	7CH-752	75	3	1
PC-3058	7%	5%	Cool w/ wood rail top		Dimension One SpaBerry 25		N/A	C-7331	35	3	1
PC-3059	7%	10%	Cool w/ wood rail top		Dimension One 75 Models dated after 2000.	1561-00	PDD75-2000	C-7367	75	3	1
DISCOVERY SPAS											
PC-2386	4%	4%	2 1/2" open	2 1/2" open	Rainbow DSE 35, 2/het		PRB735P- R&R/JH	C-4401	35	3	6 sets
PC-2387	4%	6%	2 1/2" open	2 1/2" open	Rainbow DSE 50, 2/het		PRB255P- R&R/JH	C-4405	50	3	6 sets
PC-3078	4%	10%	Closed	2 1/2" open	Spa Title 35 C/Top Product has a closed top		N/A	C-4431	30	3	6
PC-2390	4%	13%	2 1/2" open	2 1/2" open	Rainbow Dynamic 38		PRB50-A-MIN	C-4900	50	3	6
DM INDUSTRIES See Vita Spas											
DOLPHIN SPAS											
PC-0122	4%	4%	Handle	1 1/2" MPT	4% x 4%		P50133P4	4CH-19	13	3	6
PC-0143	4%	11%	Handle	1 1/2" MPT	4% x 11%		PTL25P-4	4CH-30	30	4	6
PC-M30	4%	14%	2 1/2" open	2 1/2" open	Marine 50		PM750	C-4305	50	3	6
DOUGHBODY											
PC-4005	7	6%	Handle	1 1/2" open	Doughboy 20	2396-020	PD20SL-4	C-7401	20	4	1
PC-4010	7	9%	Handle	1 1/2" open	Doughboy 40	2396-040	PD40SL-4	C-7402	40	4	1
PC-4015	7	12%	Handle	1 1/2" open	Doughboy 60	2396-060	PD60SL-4	C-7403	60	4	1
PC-4020	7	26%	Handle	1 1/2" open	Doughboy 90	2396-090	PD90SL-4	C-7404	90	4	1
DOWN EAST SPAS See Master Spas											
DREAM MAKER SPAS											
PC-0131	4%	9%	Cool Handle	1 1/2" MPT	After Hours Spas: Remove "pad adapter" if installed from swimmer before threading our filter into the suction fitting		PB525P	4CH-24	25	3	4
PC-0136	8%	8%	Handle	1 1/2" MPT	Top Load: Remove "pad adapter" if installed from swimmer before threading our filter into the suction fitting. 200% Present spas with spillover feature	PDM-25 (new)	PDM25P	4CH-21	19	3	4
DYNASTY SPAS											
PC-0131	4%	14%	Handle	1 1/2" MPT	4% x 14%		PTL30P-4	4CH-50	50	3	6
PC-2386	4%	4%	2 1/2" open	2 1/2" open	Rainbow DSE 35, 2/het		PRB735P- R&R/JH	C-4401	35	3	6 sets
PC-0916	4%	11%	2 1/2" open	2 1/2" open	Waterway 40		PWW40	C-4339	40	3	6
PC-2290	4%	13%	2 1/2" open	2 1/2" open	Rainbow Dynamic 38		PRB50-A-MIN	C-4900	50	3	6
PC-0970	5%	10%	2 1/2" open	2 1/2" open	Rainbow Waterway Rec Warehouse	C-5345	PLB550P-M	50	3	6	
PC-0309	6	8%	Handle	1 1/2" S&E	6 x 8%, Male S&E Thread		PWW80P3	6CH-940	40	3	6

RUBBER #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLASTIC	UNICEL	50 FT.	O2	CASE QTY.
ELITE SPAS BY MAAX											
FC-0000	3%	8	Handle	1 1/2" MPT	Maax/Coleman Spas		PA53SP	3CH-35	25	3	6
EMERALD SPAS											
FC-0000	2%	17%	1 1/2" open	1 1/2" open	Rainbow 14.5		PRB14.5/M	C-2303	75	3	12
FC-0004	2%	17%	2 1/2" open	2 1/2" open	Rainbow Chisel		PRB5.5/M	C-2303	9	3	12
FC-1220	4%	11%	2 1/2" open	2 1/2" open	Hayward C-225		PA225-4/M4	C-4325	25	3	6
FC-1620	4%	11%	2 1/2" open	2 1/2" open	Marler 32		PMT25	C-4332	32	3	6
FC-0005	4%	20%	2 1/2" open	2 1/2" open	Rainbow Dynamic 75		PRB75	C-4975	75	3	6
FC-2375	4%	17%	2 1/2" open	2 1/2" open	Rainbow Dynamic 25, 3 ea.		PRB25-IN	C-4326	25	3	6
FC-1425	5	13%	2 1/2" open	2 1/2" open	Jacuzzi C/M 25		FJ25-184W-M4	C-5625	25	4	6
ENDLESS POOLS											
FC-0884	30%	8%	8" open	8" open	Clean & Clear		PAF50-4/M4	C-M05	50	4	1
ESTHER WILLIAMS SPAS											
FC-0386	4%	4%	2 1/2" open	2 1/2" open	Rainbow OGF 35, 2/ea		PRB17.5SP-PAW/JH	C-4401	25	3	6 sets
FC-2370	4%	17%	2 1/2" open	2 1/2" open	Rainbow Dynamic 25		PRB25-IN-4	C-4625	25	3	6
FC-2370	4%	13%	2 1/2" open	2 1/2" open	Rainbow Dynamic 25		PRB25-IN-4	C-4625	25	3	6
FC-0340	6	13%	Handle	1 1/2" MPT	6 x 13%		PTL50W-5W-P-4	6CH-50	50	3	1
EVERYDAY HOT TUBS See Vita Marquis											
FLORIDA WHIRLPOOL SPAS											
FC-0747	4%	11%	Handle	1 1/2" MPT	4% x 11%		PTL25P-4	4CH-30	30	4	6
FC-0751	4%	14%	Handle	1 1/2" MPT	4% x 14%		PTL50P-4	4CH-50	50	3	6
FC-1320	5%	10%	Spring Handle	2 1/2" open	Jacuzzi Whirlpool 50, Chisel		PAW50	C-5300	50	3	6
FOUR WINDS/STREAMLINE SPAS											
FC-2375	4%	17%	2 1/2" open	2 1/2" open	Rainbow Dynamic 25, 3 ea.		PRB25-IN	C-4326	25	3	6
FC-0390	4%	13%	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PRB50 /MIN	C-4950	50	3	6
FOX POOLS											
FC-1112	7%	13%	Handle	2 1/2" open	Fox Wall-Pak 80 Upgraded from 60 sq. ft. to 80 sq. ft. in 1998.	FS-0800-C	PFW80	C-7463	80	4	1
FC-1096	7%	16%	Spring Handle	2 1/2" open	Fox Wall-Pak 125		N/A	N/A	125	4	1
FREEDOM SPAS											
FC-0747	4%	11%	Handle	1 1/2" MPT	4% x 11%		PTL25P-4	4CH-30	30	4	6
FC-0386	4%	4%	2 1/2" open	2 1/2" open	Rainbow OGF 35, 2/ea		PRB17.5SP-PAW/JH	C-4401	25	3	6 sets
FC-0387	4%	6%	2 1/2" open	2 1/2" open	Rainbow OGF 50, 2/ea. Model dated after 1993.		PRB35SP-PAW/JH	C-4405	50	3	6 sets
FC-0388	4%	13%	2 1/2" open	2 1/2" open	Rainbow Dynamic 37		PRB37-IN-4	C-4637	37	4	6
FC-2402	3%	9%	Spring Handle	1 1/2" MPT	Walking 203279		N/A	N/A	40	3	3
FC-2390	4%	13%	2 1/2" open	2 1/2" open	Rainbow Dynamic 50. Model dated after 1993.		PRB50 /MIN	C-4950	50	3	6
FC-0130	6	12%	Handle	1 1/2" MPT	6 x 12%		PTL45W-RJ4	6CH-45	45	3	1
FC-0399	4%	4%	2 1/2" open	1 1/2" MPT	CLX	FF-150	PRF25M	4CH-22	25	3	6
FC-3400	4%	8%	Closed	1 1/2" MPT	TUX-RLX	FF-100	PRF25TC-IN	4CH-23	25	3	6
FC-3405	10%	10	2 1/2	1 1/2" MPT	Legend		PRF50P	6CH-45	45	3	6
FT WAYNE SPAS See Master Spas											

Garden Leisure Spas –

PLUMB #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PL/ATCO	UNICEL	80 FT	02	CASE QTY
GARDEN LEISURE SPAS											
FC-0979	3 1/2"	10 1/2"	2 1/2" open	2 1/2" open	LF30 16/17		PL8350-M	C-5395	45	1	6
DATSBY SPAS											
FC-0131	4 1/2"	9 1/2"	Handle	1 1/2" MPT	6 1/2 x 9 1/2		PGS25M	6CH-28	25	1	6
FC-0187	4 1/2"	9 1/2"	Handle	1 1/2" open	6 1/2 x 9 1/2 Plastoolin Elite		PTL2045/PGS25	C-4324	25	1	6
FC-0388	4 1/2"	4 1/2"	2 1/2" open	2 1/2" open	Rainbow DSP 35, 2/ser		PBB135P-PAIR/0H	C-4401	35	1	8 sets
FC-1335	5 1/2"	10 1/2"	String Handle	2 1/2" open	Jacuzzi Aera, Canada, C/Top		PJW23-M4	C-5601	25	1	6
GENERAL FOAM											
FC-3742	4 1/2"	8	1 1/2" open	1 1/2" open	General Foam 5		PGF5	C-4306	5	1	12
FC-3744	4 1/2"	8	1 1/2" open	1 1/2" open	General Foam 7		PGF7	C-4307	7	1	1
FC-3783	4 1/2"	8	1 1/2" open	1 1/2" open	General Foam 10		PGF10	C-4329	10	1	6
GOLD KEY											
FC-3098	7	14 1/2"	Handle	1 1/2" open	Goldkey 50 Handle Top		PTL3098A-08	C-7400	50	4	1
GPM INDUSTRIES SPAS (GREAT LAKES HOME AND RESORT)											
FC-0375	4 1/2"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 25, 1 ser		PBB25-IN	C-4326	25	1	6
FC-0390	4 1/2"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PBB50-I-MIN	C-4850	50	1	6
GREAT NORTHERN ENGINEERING See Opapec											
GRECIAN SPAS/DISCOVERY SPAS											
FC-3078	4 1/2"	10 1/2"	Closed	2 1/2" open	5cm Filter 3L C/Top		RJA	C-4431	30	1	6
FC-0386	4 1/2"	4 1/2"	2 1/2" open	2 1/2" open	Rainbow DSP 35, 2/ser		PBB135P-PAIR/0H	C-4401	35	1	8 sets
FC-0387	4 1/2"	6 1/2"	2 1/2" open	2 1/2" open	Rainbow DSP 50, 2/ser		PBB25P-PAIR/0H	C-4405	50	1	8 sets
FC-0390	4 1/2"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PBB50-I-MIN	C-4850	50	1	6
GULF COAST SPAS											
FC-0385	4 1/2"	9 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 35		PBB25-IN	C-4325	35	1	6
HARMSCO											
FC-3065	2 1/2"	9 1/2"	1 1/2" open	1 1/2" open	Harmco 5 FC-3065-cartridge pack (all Harmco cluster filter)	24101-77	PH5-PAC3-M/PH5-4	T-388	5	4	195
FC-3061	2 1/2"	9 1/2"	1 1/2" open	1 1/2" open	Harmco 5, 7 pack (7 cartridges per set)		FWA	T-388B	5	4	1 sets
FC-6105	7 1/2"	9 1/2"	3 1/2" FPT	2 1/2" open	Harmco BF-55	SC/TC 55	PH55-4	C-3451	55	4	1
FC-6107	7 1/2"	13 1/2"	3 1/2" FPT	2 1/2" open	Harmco BF-75	SC/TC 75	PH75-4	C-3476	75	4	1
FC-6110	7 1/2"	18 1/2"	3 1/2" FPT	2 1/2" open	Harmco		PH105-4	C-3483	100	3	1
FC-6111	7 1/2"	19 1/2"	3 1/2" FPT	2 1/2" open	Harmco BF-105	SC/TC 105	PH105-4	C-3485	105	4	1
FC-6115	7 1/2"	26 1/2"	3 1/2" FPT	2 1/2" open	Harmco		PH155-4	C-3497	152	3	1
FC-6115	7 1/2"	29 1/2"	3 1/2" FPT	2 1/2" open	Harmco BF-155	SC/TC 155	PH155-4	C-3497	155	4	1
HAUGH'S SPAS											
FC-0370	4 1/2"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 25		PBB25-IN-4	C-4625	25	1	6
FC-0390	4 1/2"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PBB50-I-MIN	C-4850	50	1	6
HAVEN SPAS											
FC-0309	6	8 1/2"	Handle	1 1/2" SAE	w/ 1 1/2" SAE Head Two 40 sq. ft. cartridges required used side-by-side		PWW50P1	6CH-940	80	1	6
FC-0360	6	8 1/2"	Handle	1 1/2" Male Slip	w/ 1 1/2" Male slip Two FC-0360 and two FC-0361 required		PW-W1005T-P3	6CH-941	160	1	6
FC-0361	6	8 1/2"	1 1/2" open	1 1/2" SAE	w/ 1 1/2" SAE Head Two FC-0360 and two FC-0361 required		PWW1005TP1	6CH-942	160	1	6
FC-0390	4 1/2"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PBB50-I-MIN	C-4850	50	1	6

FILBUR #	O.D. LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.	
HAWKEYE SPAS											
FC-2390	4 1/2"	13 1/2"	2 1/2" open	2 1/2" open	Random Dynamic 50	PRESD./AMN	C-4900	50	3	6	
FC-0359	6	8 1/2"	Handle	1 1/2" SAE	6 x 8 1/2" Male SAE Thread	PWWSPF2	4CH-WO	80	3	6	
HAYWARD PACIFIC											
** See our Quad Packs for complete array of SwimClear™ and Super Star Clear™ series filters. Save time and money with FILBUR Quad											
FC-1250	4 1/2"	11 1/2"	2 1/2" open	2 1/2" open	Micro Star Clear	C120-RE	PA12	C-4312	12	3	6
FC-1215	4 1/2"	11 1/2"	2 1/2" open	2 1/2" open	Micro Star Clear C200 Original is 4 1/2" O.D. and 11 1/2" overall length	CX200-RE	PA20-4	C-4320	20	3	6
FC-1220	4 1/2"	11 1/2"	2 1/2" open	2 1/2" open	Micro Star Clear C225 Original is 4 1/2" O.D. and 11 1/2" overall length	CX225-RE	PA225-4/M4	C-4325	25	3	6
FC-1230	7	9 1/2"	3" open	3" open	Star Clear C150	CX250-RE	PA25-4/M4	C-7626	25	4	6
FC-1228	7	18 1/2"	3" open	3" open	Easy Clear C400	CX410-RE	PA40/M/4	C-7642	40	4	1
FC-1223	7	14 1/2"	3" open	3" open	SwimClear C2025 Four 36 sq. ft. cartridges req.	CX480-XRE	PA565V-W/4	C-7638	225	4	1
FC-1235	7	14 1/2"	3" open	3" open	Super Star Clear C2000 Four 50 sq. ft. cartridges required - SwimClear C2025	CX470-XRE 25200-01505	PA505V	C-7647	50	4	1
FC-1245	7	19 1/2"	3" open	3" open	Easy Clear C550	CX550-RE	PA55	C-7635	55	4	1
FC-1260	7	19 1/2"	3" open	3" open	Super Star Clear C3000, SwimClear C3020 Four 75 sq. ft. cartridges required	CX570-XRE 25200-01555	PA755V	C-7677	75	4	1
FC-1225	7	19 1/2"	3" open	3" open	SwimClear C3025 Four 81 sq. ft. cartridges required	CX580-XRE	PA81V-4/P&M4	C-7681	325	4	1
FC-1270	7	25 1/2"	3" open	3" open	Super Star Clear C4000, SwimClear C4020 Four 100 sq. ft. cartridges required	CX670-XRE	PA100N	C-7687	400	4	1
FC-1275	7	25 1/2"	3" open	3" open	Super Star Clear C4500, SwimClear C4520 Four 112 sq. ft. cartridges req.	CX675-RE	PA112V/M/4	C-7689	450	4	1
FC-1226	7	25 1/2"	3" open	3" open	SwimClear C4025 Four 106 sq. ft. cartridges required	CX680-XRE	PA106	C-7688	425	4	1
FC-1252	7	29 1/2"	3" open	3" open	Star Clear C750	CX750-RE	PA75V/M/4	C-7676	75	4	1
FC-1261	7	29 1/2"	3" open	3" open	Star Clear C1000	CX1000-RE	N/A	C-7695	100	4	1
FC-1266	7	32 1/2"	3" open	3" open	Super Star Clear C6000, SwimClear C6020 Four 125 sq. ft. cartridges req.	CX1260-RE	PA126	C-7696	500	4	1
FC-1267	7	32 1/2"	3" open	3" open	Super Star Clear C5500, SwimClear C5520 Four 137 sq. ft. cartridges req.	CX1360-RE	PA137	C-7690	500	4	1
FC-1227	7	32 1/2"	3" open	3" open	SwimClear C3025 Four 131 sq. ft. cartridges required	CX1280-XRE	PA131V-4/P&M4	C-7694	525	4	1
FC-1227	7	32 1/2"	3" open	3" open	SwimClear C5025 Four 131 sq. ft. cartridges required	CX1290-XRE	PA131V-4/P&M4	C-7696	525	4	1
FC-1280	8 1/2"	17 1/2"	4" open	4" open	Star Clear II C800, Star Clear II C1500 Two 75 sq. ft. cartridges required	CX800-RE	PA80V-4/M	C-8600	75	4	1
FC-1290	8 1/2"	22 1/2"	4" open	4" open	Star Clear II C1100	CX1100-RE	PA100V/M/4	C-8610	100	4	1
FC-1211	8 1/2"	28 1/2"	4" open	4" open	Star Clear Plus C1900	CX1900-RE	PA190/PWWP-C300V-M/4	C-8420	190	4	1
FC-1255	8 1/2"	17 1/2"	4" open	4" open	Hayward C-780/ Pool Clear PXC 75	PWWPC75-A	C-8411	75	4	1	
FC-1285	8 1/2"	17 1/2"	4" open	4" open	X-Stream CCX1000	CCX1000-RE	PWW-PC-100-4	C-8409	100	3	1
FC-1292	8 1/2"	17 1/2"	4" open	4" open	Star Clear Plus C900	CX900-RE	PA90V-M/4	C-8408	90	4	1
FC-1284	8 1/2"	22 1/2"	4" open	4" open	X-Stream CCX1500	CCX1500-RE	PWWPC-1500V-M/4	C-8316	150	3	1
FC-1284M	8 1/2"	22 1/2"	4" open	4" open	X-Stream antimicrobial M1500	MX1500-RE	PXCT150-M	N/A	150	4	1
FC-1293	8 1/2"	23 1/2"	4" open	4" open	Star Clear Plus C1200	CX1200RE	PA120V-W/4	C-8412	120	4	1
FC-1294	8 1/2"	26 1/2"	4" open	4" open	Star Clear Plus C1700	CX1750-RE	PA175V/M/4	C-8417	175	4	1
FC-1298	9 1/2"	14 1/2"	3" open	3" open	FujiFu C450	CX450RE	PA65V-M/4	C-9485	45	4	1
FC-1299	9 1/2"	19 1/2"	3" open	3" open	FujiFu C1250	CX1250RE	PA125V-M/4	C-9499	120	4	1
HEARTLAND SPAS											
FC-0121	4 1/2"	9 1/2"	Handle	1 1/2" SAE	4 1/2 x 9 1/2	P0325N	4CH-24	25	3	6	

Heldor Spas –

Filter #	O.D.	Length	Top	Bottom	Description	OEM	PLEATCO	UNICEL	50 Ft.	oz.	Case Qty.
HELDOR SPAS											
FC-2370	4 1/4"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 25		FRB25-IN-4	C-4625	25	1	6
FC-2390	4 1/4"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		FRB50-J-MIN	C-4950	50	1	6
HOLLIBAUGH SPAS											
FC-3077	4 1/4"	4"	1 1/2" open	1 1/2" open	Skin Filter 10		PWW10	C-4310	10	1	6
FC-1030	7"	4 1/4"	3" open	3" open	Hayward CX 200		PA25-A/MH	C-3626	25	1	4
FC-1040	7"	14 1/2"	3" open	3" open	Hayward CX 500		PA50-A/M	C-3656	50	1	1
FC-1050	7"	29 1/2"	3" open	3" open	Hayward CX 750		PA75-A/M-4	C-3676	75	1	1
HONEY TUBS											
FC-2375	4 1/4"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 25		FRB25-IN	C-4326	25	1	6
FC-2390	4 1/4"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		FRB50-J-MIN	C-4950	50	1	6
HOT SPRINGS SPAS											
FC-3168	4 1/4"	16"	Handle	1 1/2" MPT	6 1/2 x 16. Part number formerly known as 31116.	31682	FTL25-4	ACH-25	35	1	6
FC-2375	4 1/4"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 25, 2 set	23521	FRB25-IN	C-4326	25	1	6
FC-3810	5 1/4"	10 1/2"	1 1/2" open	1 1/2" open	Watkins 30 (FW/RO)	31233	PWW30Y	C-3431	30	1	6
FC-3820	6"	9"	1 1/2" open	1 1/2" open	Watkins 33	31250	PWC35	C-3433	33	1	6
FC-3815	6"	10 1/2"	1 1/2" open	1 1/2" open	Watkins 30 Model dated after 1990. Can also be used as TUX replacement.	31488	PWW30	C-4430	30	1	6
FC-3815M	6"	10 1/2"	1 1/2" open	1 1/2" open	Watkins/Hot Springs - antimicrobial		PWW30-M-4	C-4430M-4	30	1	6
FC-3930	6 1/4"	11 1/2"	3" open	3" open	Watkins 45	31115	PWC25-4/ PWC45	C-4601	45	1	1
FC-3940	8 1/4"	10 1/2"	3" open	3" open	Watkins 65	31116	PW65	C-8865	65	1	1
FC-3960M	8 1/4"	10 1/2"	3" open	3" open	Watkins/Hot Springs - antimicrobial		PW65-M	C-8865M-4	65	1	1
HYDRO POOL INDUSTRIES											
FC-2385	4 1/4"	9 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 30		FRB30-IN	C-4335	30	1	4
FC-2370	4 1/4"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 25		FRB25-IN-4	C-4625	25	1	6
FC-2395	4 1/4"	20 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 75		FRB75	C-4975	75	1	6
HYDRO SPA											
FC-0131	4 1/4"	9 1/2"	Handle	1 1/2" MPT	6 1/2 x 9 1/2		PG525P4	ACH-24	25	1	6
FC-2386	4 1/4"	4 1/2"	2 1/2" open	2 1/2" open	Rainbow DSP 25, 2 set		FRB25SP-PAIR/3H	C-4401	25	1	6 sets
FC-2385	4 1/4"	9 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 30		FRB30-IN	C-4335	30	1	4
FC-2375	4 1/4"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 25, 2 set		FRB25-IN	C-4326	25	1	6
FC-2390	4 1/4"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		FRB50-J-MIN	C-4950	50	1	6
FC-0315	6"	9"	Handle	1 1/2" MPT	6 x 9		FTL47W-P/M	ACH-47	45	1	6
ICON/KEYES SPAS											
FC-3027	3 1/4"	6"	Closed	1 1/2" open	Icon 3.7 sq ft.	136629	PH12-E	C-2304	5	1	1
FC-3077	4 1/4"	4"	1 1/2" open	1 1/2" open	Skin Filter 10	14694	PWW10	C-4310	10	1	6
FC-0179	6 1/4"	23 1/2"	Handle	2" open	Icon 60	163736	PIC60	C-4360	60	1	4
FC-0184	4 1/4"	23 1/2"	Handle	2 1/2"	Icon 50	179192	PIC50N	C-4351	50	1	4
FC-0131	4 1/4"	9 1/2"	Handle	1 1/2" MPT	6 1/2 x 9 1/2		PG525P4	ACH-24	25	1	6
FC-2390	4 1/4"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50 2003 to present Icon and Keyes models		FRB50-J-MIN	C-4950	50	1	6

FILTER #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEAT/CO	UNICEL	50 FT.	OZ.	CASE QTY.
IMPERIAL SPAS											
FC-0131	4 1/2	9 1/2	Handle	1 1/2" open	4 1/2 x 9 1/2		POS21P4	4CH-24	25	3	6
INTEX POOLS											
FC-0210	4 1/2	8	1 1/2" open	1 1/2" open	Colcoa F1120, where "A" version	58600, 59900, P78	PCJ-130/PAH	C-4507	5	4	12
FC-0248	5 1/2	12 1/2	2" open	2" open	Intex 520 "D" version.	58600, 59900, SP17	PH228	C-5130	30	3	6
FC-0251	3 1/2	3 1/2	1 1/2" open	1 1/2" open	Two-Pack 1E" version This product has no center core. 2 cartridges per set.	59904	PH3PAH	C-3302	2	3	12 sets
FC-0252	5 1/2	10	1 1/2" open	1 1/2" open	Easy Set Pool "B" version Cartridge may be used in filter model 582/530 with adapter supplied by Intex.	59901W	PH20	C-5315	15	3	6
FC-0253	4 1/2	3 1/2	2 1/2" open	2 1/2" open	Band N' Son (SA-3758) Packaged in sets of 2. There are 2 Type "D" filters. Verify length to ensure proper replacement.	TYPE "D"	PHW4PAH	C-4313	3	3	12 sets
FC-0254	4 1/2	3 1/2	2 1/2" open	2 1/2" open	Band N' Son (SA-3758) Packaged in sets of 2. There are 2 Type "D" filters. Verify length to ensure proper replacement.	WM-3758	PHW4PAH	C-4313	3	3	12 sets
ISLANDER SPAS											
FC-0278	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 21		PRB21-IN	C-4328	25	3	6
FC-0290	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PRB50-1/MH	C-4950	30	3	6
JACUZZI BROTHERS											
FC-1413	5	13 1/2	2 1/2" open	2 1/2" open	Jacuzzi CTR 18 Product discontinued by Jacuzzi.	42-2782-00	N/A	C-5415	15	4	6
FC-1425	5	13 1/2	2 1/2" open	2 1/2" open	Jacuzzi CTR 25	42-2991-08-R, 2590000	FJ25-14-A/144	C-5425	25	4	6
FC-1437	5	13 1/2	2 1/2" open	2 1/2" open	Jacuzzi CTR 37	42-3533-08-R	FJ37-14-4	C-5435	37	4	6
FC-1438	6 1/2	11 1/2	1 1/2" open	1 1/2" open	Jacuzzi CP 25 Product discontinued by Jacuzzi.	23-2373-04	FJ25-4	C-6425	25	6	1
FC-1450	7	13 1/2	3" open	3" open	Jacuzzi CE 40	42-3726-08	FJ40	C-7304	40	3	1
FC-1458	7	17 1/2	3" open	3" open	Jacuzzi CE 60	42-3725-08	FJ60	C-7306	60	3	1
FC-1492	7 1/2	22 1/2	Closed	4" open	Jacuzzi Tri-Clops (Round) 110 3 cartridges required per filter. Requires OEM manifold kit to changeover from pre-shaped filters. Cartridge has no center core.	4239923	FJCT110-M4	N/A	110	4	1
FC-1493	7 1/2	20 1/2	Closed	4" open	Jacuzzi Tri-Clops (Round) 147 3 cartridges required per filter. Requires OEM manifold kit to changeover from pre-shaped filters. Cartridge has no center core.	4239924	FJCT147-M4	N/A	147	4	1
FC-1494	7 1/2	24 1/2	Closed	4" open	Jacuzzi Tri-Clops (Round) 180 3 cartridges required per filter. Requires OEM manifold kit to changeover from pre-shaped filters. Cartridge has no center core.	4239925	FJCT180-M4	N/A	180	4	1
FC-1495	9 1/2	10	5 1/2" open	6 1/2" open	Jacuzzi CTR 50 OEM 4 oz. product has black end caps and 3 oz. product has blue end caps.	42-2940-08-R	FJ50-4-M4	C-8600	50	4	1
FC-1496	9 1/2	14 1/2	5 1/2" open	6 1/2" open	Jacuzzi CTR 75 OEM 4 oz. product has black end caps and 3 oz. product has blue end caps.	42-3509-08-R	FJ75-4	C-9476	75	4	1
FC-1497	9 1/2	19 1/2	5 1/2" open	6 1/2" open	Jacuzzi CTR 100 OEM 4 oz. product has black end caps and 3 oz. product has blue end caps.	42-2941-08-R	FJ100-4	C-9495	100	4	1
FC-1498	9 1/2	24	5 1/2" open	6 1/2" open	Jacuzzi CTR 150 OEM 4 oz. product has black end caps and 3 oz. product has blue end caps.	42-3508-01-R	FJ150-4	C-9478	150	4	1
FC-1499	9 1/2	28	5 1/2" open	6 1/2" open	Jacuzzi CTR 200 OEM 4 oz. product has black end caps and 3 oz. product has blue end caps.	42-3520-01-R	FJ200-4	C-9480	200	4	1
FC-1400	10	18 1/2	Handle	6" open	Sherlock 80	42-3604-08-R	FJ80-4-M4	C-9480	80	4	1
FC-1401	10	20 1/2	Handle	6" open	Sherlock 120	42-3675-08-R	FJ120-4-M4	C-9481	120	4	1
FC-1402	10	24 1/2	Handle	6" open	Sherlock 160	42-3667-07-R	FJ160-4	C-9482	160	4	1
FC-1403	10	28 1/2	Handle	6" open	Sherlock 200	42-3668-08-R	FJ200S-4-M4	C-9483	200	4	1

Jacuzzi Leisure Products/Atlantic Pools –

PLUMB #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLCATCO	UNICEL	EQ FT	QTY	CASE QTY
JACUZZI LEISURE PRODUCTS/ATLANTIC POOLS											
PC-3570	8 1/2	13 1/2	2 1/2" open	2 1/2" open	Atlantic Pool 900	111063	FRW100	C-8310	100	1	1
PC-3575	8 1/2	22 1/2	2 1/2" open	2 1/2" open	Atlantic Pool 150	111064	FRW150	C-8315	150	1	1
JACUZZI PREMIUM SPAS											
PC-2390	4 1/4	13 1/4	2 1/2" open	2 1/2" open	2-200 Series	379045	FRB50 / MIN	C-4950	50	1	A
PC-2831	5 1/4	11	Bar Handle	2" MPF	Del Sol Rotunda, Hermosa	6340-723	PJW405G-F2M	5CH-402	50	1	1
PC-2717	6	13 1/2	Removable Cap	2" SAE	Sundance ProClear II	6540-498	N/A	N/A	45	1	1
PC-2716	6	17 1/2	Removable Cap	2" SAE	2-400 series	2000-286	N/A	N/A	60	1	1
PC-2716M	6	17 1/2	Removable Cap	2" SAE	2-400 series antimicrobial	2000-607	N/A	N/A	60	1	1
PC-2718	6 1/4	13 1/2	Removable Cap	2" SAE	2-300 series	6540-383	PJW60TL OT-F2S	6CH-961	60	1	1
PC-2718M	6 1/4	13 1/2	Removable Cap	2" SAE	2-300 series antimicrobial	6540-383MB	N/A	N/A	60	1	1
PC-2600	6 1/4	15 1/2	Handle	2" SAE	Jacuzzi Premium 2-300L 2-400 Used in models before 2005	6540-406	PJW60TL-F2S	6CH-960	60	1	1
PC-2600M	6 1/4	15 1/2	Handle	2" SAE	Jacuzzi Premium - antimicrobial			6CH-960RA	60	1	1
PC-2701	8	13 1/2	Handle	2" MPF	2-220, 1-270, 2-280 series	2540-381	N/A	8CH-102	95	1	1
JACUZZI WHIRLPOOL SPAS											
PC-2340	2 1/4	19 1/2	1 1/2" open	1 1/2" open	Lifeguard CL 19s	2945003	FRB124	C-3612	12	4	20
PC-1425	5	13 1/2	2 1/2" open	2 1/2" open	Jacuzzi CFB25	5475000	PJ25-IN-40-5M	C-5625	25	4	A
PC-1130	5 1/4	10 1/2	String Handle	2 1/2" open	Jacuzzi Aera, Canasta, C-top	6990000	PJW23-MH	C-5501	25	1	A
PC-1130M	5 1/4	10 1/2	String Handle	2 1/2"	Jacuzzi front load Aera, Canasta, antimicrobial			C-5501RA	25	1	A
PC-1130	5 1/4	10 1/2	String Handle	2 1/2" open	Jacuzzi Whirlpool III, Choco 50 sq.ft. cartridge is an upgrade for PC-1130.		PJW50	C-5500	50	1	A
PC-1305	5 1/4	11 1/2	2 1/2" open	2 1/2" open	Jacuzzi Whirlpool 25	2590005	PJW25	C-5624	25	1	A
PC-1465	4 1/4	14 1/2	3 1/2" open	3 1/2" open	Jacuzzi Whirlpool 30	3730000	PJW30-4	C-4500	30	1	1
JANDY						**See our Quick Pools for complete sets of CL series filters. Save time and money with PLUMB Quick Pools!**					
PC-8800	7	22	1" open	1" open	CL 340	A0557900	PJAN85/M/PA64	C-1409	85	4	1
PC-8810	7	22	1" open	1" open	CL 460	A0558000	PJAN115/M/PA64	C-1466	115	4	1
PC-8820	7	30	1" open	1" open	CL 580	A0104100	PJAN145/M/PA64	C-1482	145	4	1
PC-5180	7 1/4	29 1/2	3 1/2" open	3 1/2" open	CT Series / Waterloo	A01034	PJAN100	C-1497	100	4	1
PC-8821	8 1/4	23 1/2	4" open	4" open	CS 100	80462100	PJANCS100-4	C-8410	100	1	1
PC-8822	8 1/4	25 1/2	4" open	4" open	CS 150	80462100	PJANCS150-4	C-8414	150	1	1
PC-8823	8 1/4	33 1/2	4" open	4" open	CS 200	80462400	PJANCS200-4	C-8418	200	1	1
PC-8824	8 1/4	33 1/2	4" open	4" open	CS 250	80462500	PJANCS250-4	C-8425	250	1	1
PC-8825	10 1/4	28	5 1/2" open	5 1/2" open	Jandy CJ 200	A0558902	N/A	C-1421	200	4	1
PC-8826	10 1/4	34	5 1/2" open	5 1/2" open	Jandy CJ 250	A0558901	N/A	C-1422	250	4	1
PC-8840	12 1/4	17	3 1/2" open	3 1/2" open	Jandy Pro Edge	80341900	N/A	C-1498	200	4	1
J.E.M. SPAS											
PC-2370	4 1/4	13 1/4	2 1/2" open	2 1/2" open	Rainbow Dynamic 25		FRB25-IN-4	C-4625	25	1	A
PC-2390	4 1/4	13 1/4	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		FRB50 / MIN	C-4950	50	1	A
PC-2940	4 1/4	23 1/4	2 1/2" open	2 1/2" open	Waterway 100		PCAL100	C-4995	95	1	A
PC-0310	6	7	Handle	1 1/2" MPF	6 x 7		PTL25W-5V-P-4	6CH-26	25	1	A

FILBUR #	O.D. LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	50 FT. OZ.	CASE QTY.
JETTA SPAS									
PC-0350	6	16 1/4	Handle	1 1/2" SPT 6 1/4 x 16 1/4		PTL20W-P	ACH-50	60	1
KIT POOLE									
PC-1460	9 1/4	10	5 1/4" open	4 1/2" open Jacuzzi C/P R 50	42-2940-09-R	P-50-4/M4	C-W50	80	4
LA SPAS/ADVANCED SPA DESIGN									
PC-0131	4 1/4	9 1/4	Handle	1 1/2" SPT 4 1/4 x 9 1/4		PG525P4	4CH-28	25	4
PC-0151	4 1/4	14 1/4	Handle	1 1/2" SPT 4 1/4 x 14 1/4		PT150P-4	4CH-50	80	4
PC-0303	5 1/4	8 1/4	Handle	2 1/2" SPT Replacement for bag filter Remove filter bag and install bag frame before replacing with pleated filter		PLA535	5CH-283	30	4
PC-0301	5 1/4	11 1/4	String Handle	1 1/4" open Advanced Spa, C/rip Ghd design		PTL25H-P-4	C-5601	72	4
PC-0301	5 1/4	8 1/4	Handle	1 1/2" SPT 5 1/4" x 8 1/4"		N/A	N/A	25	1
PC-0302	5 1/4	9	Handle	1 1/2" SPT 5 1/4" x 9"		N/A	N/A	25	1
PC-0315	6	9	Handle	1 1/2" SPT 6 x 9		PT147W-P-M	6CH-47	45	4
PC-0340	6	13 1/4	Handle	1 1/2" SPT 6 x 13 1/4		PT150W-5V-P-4	ACH-50	50	1
LEGEND SPAS									
PC-2385	4 1/4	4 1/4	2 1/4" open	2 1/4" open Rainbow DSP 25, 2/sq ft		PR817-55P-PAR/JR	C-4401	25	1
PC-2387	4 1/4	6 1/4	2 1/4" open	2 1/4" open Rainbow DSP 50, 2/sq ft		PR825P-PAR/JR	C-4405	50	1
LEISURE BAY/REC WAREHOUSE									
PC-0177	4 1/4	4	1 1/2" open	1 1/4" open Skin Filter	1014249, 25245, 27940, 817-0010	PWW10	C-4310	10	4
PC-0125	4 1/4	4 1/4	Handle	1 1/2" SPT 4 1/4" x 4 1/4" MPF	30305	P5013-3P4	ACH-19	15	4
PC-2385	4 1/4	9 1/4	2 1/4" open	2 1/4" open Rainbow Dynamic 35	03F61300, 17-2192, 25193, 911527, 817-1509	PR815-IN	C-4125	35	4
PC-2385	4 1/4	13 1/4	2 1/4" open	2 1/4" open Rainbow Dynamic 25, 2/sq ft	08156, 33071, 12327, 26282, 90909, 34-4325, 817-1505	PR825-IN	C-4506	25	4
PC-2380	4 1/4	13 1/4	2 1/4" open	2 1/4" open Rainbow Dynamic 37		PR837-IN-4	C-4537	35	4
PC-2390	4 1/4	13 1/4	2 1/4" open	2 1/4" open Rainbow Dynamic 50	03F61400, 10533, 35440, 401, 17-2380, 25391, 817-2000	PR850 / AMN	C-4900	50	4
PC-2900	4 1/4	23 1/4	2 1/4" open	2 1/4" open Waterway 75 sq. ft.	817-2500	PCAL75	C-4900	75	4
PC-2910	5 1/4	10 1/4	2 1/4" open	2 1/4" open LP 50 sq. ft.	817-0014, 173542	PLB50/M	C-5345	50	4
PC-2911	5 1/4	14 1/4	2 1/4" open	2 1/4" open LP 85 sq. ft.	817-0015, 203433	PLB575/M	C-5374	45	4
PC-2912	5 1/4	17 1/4	2 1/4" open	2 1/4" open LP 100 sq. ft.	817-0016, 303434	PLB5100/M	C-5397	100	4
PC-0359	6	8 1/4	Handle	1 1/2" SAE w/ 1 1/8" SAE Thread	03F61400, PWW150, 20012, 379402, 817-0050	PWW50P5	6CH-403	40	4
PC-3540	7 1/4	20 1/4	2 1/4" open	2 1/4" open Leisure Bay 100	111791, M-7418	PLB100	C-7418	100	4
PC-3540	7 1/4	26 1/4	2 1/4" open	2 1/4" open Leisure Bay 150	111792, M-7414	PLB150	C-7414	150	4
PC-3510	8 1/4	15 1/4	2 1/4" open	2 1/4" open Leisure Bay JC-100	111863	PWW100	C-8330	100	4
PC-3515	8 1/4	22 1/4	2 1/4" open	2 1/4" open Leisure Bay JC-150	111864	PWW150	C-8331	150	4
PC-0940	10	13 1/4	5 1/4" open	4 1/4" open Leisure Bay WW-50	817-0019, 111837	PWW75-4	C-9401	35	4
PC-2465	10	19 1/4	5 1/4" open	4 1/4" open Leisure Bay WW-100	817-0100, 111832	PWW100-4-M4	C-9402	100	4
PC-2469	10	25 1/4	5 1/4" open	4 1/4" open Leisure Bay WW-150	817-0150, 111833	PWW150-4-M4	C-9403	150	4

Leisure Bay Spas –

PLUMB #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLCATCO	UNICEL	80 FT	02	CASE QTY
LEISURE BAY SPAS											
FC-3077	4 1/2	4	1 1/2" open	1 1/2" open	50in Filter 10		PWW10	C-4310	10	1	6
FC-0122	4 1/2	4 1/2	Handle	1 1/2" MPT	4 1/2 x 4 1/2		PSG13.3PM	4CH-19	13	1	6
FC-2380	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 30		PRB30-J-MIN	C-4950	30	1	6
FC-2930	4 1/2	23 1/2	2 1/2" open	2 1/2" open	Waterway 75		PCAL75	C-4970	75	1	6
FC-2970	5 1/2	10 1/2	2 1/2" open	2 1/2" open	LP 30 sq. ft.		FLB30-M	C-5345	45	1	6
FC-2971	5 1/2	14 1/2	2 1/2" open	2 1/2" open	LP 45 sq. ft.		FLB30-M	C-5346	65	1	6
FC-2971M	5 1/2	14 1/2	2 1/2" open	2 1/2" open	LP 45 sq. ft.		N/A	C-5346RA	65	1	6
FC-2972	5 1/2	17 1/2	2 1/2" open	2 1/2" open	LP 100 sq. ft.		FLB100-M	C-5397	80	1	6
FC-0339	6	8 1/2	Handle	1 1/2" SAE	6 x 8 1/2, Male SAE Thread		PWW50PS	6CH-980	40	1	6
LIFESTYLE SPAS (CANADA)											
FC-2386	4 1/2	4 1/2	2 1/2" open	2 1/2" open	Rainbow DSP 35, 2/wet		PRB135SP-PAIR/CH	C-4401	35	1	6 sets
FC-2387	4 1/2	6 1/2	2 1/2" open	2 1/2" open	Rainbow DSP 50, 2/wet		PRB25SP-PAIR/CH	C-4405	50	1	6 sets
FC-0433	7	9 1/2	Handle	1 1/2" MPT	7 x 9 1/2		PC54SP	2CH-40	40	1	4
MAAX SPAS (CANADA)/COLEMAN SPAS											
FC-2386	4 1/2	4 1/2	2 1/2" open	2 1/2" open	Rainbow DSP 35, 2/wet		PRB135SP-PAIR/CH	C-4401	35	1	6 sets
FC-2387	4 1/2	6 1/2	2 1/2" open	2 1/2" open	Rainbow DSP 50, 2/wet		PRB25SP-PAIR/CH	C-4405	50	1	6 sets
FC-2385	4 1/2	9 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 30		PRB30-JN	C-4335	35	1	6
FC-2375	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 35, 3 wet		PRB25-JN	C-4336	25	1	6
FC-2390	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PRB30-J-MIN	C-4950	30	1	6
FC-8300	5 1/2	8	Handle	1 1/2" MPT	55 1/2 x 8		RAS30P	5CH-35	35	1	6
MAJESTIC INDUSTRIES See Artesian Spas											
MARATHON SPAS											
FC-0141	4 1/2	11 1/2	Handle	1 1/2" MPT	4 1/2 x 11 1/2		PTL25P-4	4CH-30	30	1	6
FC-2390	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PRB30-J-MIN	C-4950	30	1	6
MARQUIS SPAS											
FC-0195	5 1/2	12 1/2	Handle	2" MPT	Marquis 50, new design	370-0237	PMA 3505C-F2M	5CH-502	50	1	6
FC-0196	5 1/2	12 1/2	Handle	2" MPT	Marquis 35	370-0240	N/A	5CH-352	35	1	6
FC-3621	5 1/2	11 1/2	Closed	1 1/2" open	Pacific Marquis 34, C/Top	370-215	PMA35TC	C-5423	35	1	6
FC-3620	5 1/2	11 1/2	1 1/2" open	1 1/2" open	Pacific Marquis 25 (old design)		PMA25-A	C-5426	25	1	6
FC-3638	5 1/2	14 1/2	Closed	1 1/2" open	Pacific Marquis, C/Top	370-217	PMA50TC	C-5446	50	1	6
FC-3634	5 1/2	19 1/2	Closed	1 1/2" open	Pacific Marquis 58, C/Top	370-218	PMA60TC	C-5434	60	1	6
FC-3637	5 1/2	19 1/2	1 1/2" open	1 1/2" open	P Marquis 40 (old design)		PMA40-A	C-5637	40	1	6
MASTER SPAS											
FC-1001M	6	7 1/2	2 1/2	2 1/2	Eco Pure (HNEE) replacement filter extremadual Replacement for the factory supplied KDF filter media	8266055	PMA10-M	N/A	10	3 1/2	6
FC-0125	4 1/2	6 1/2	Handle	1 1/2" MPT	4 1/2 x 6 1/2		PHC25	4CH-20	20	1	6
FC-0187	4 1/2	9 1/2	Handle	1 1/2" open	4 1/2 x 9 1/2		PTL20H5/ PL525	C-4334	25	1	6
FC-0330	6	12 1/2	Handle	1 1/2" MPT	6 x 12 1/2		PTL45W-F-4	6CH-45	45	1	1
FC-1003	7	7 1/2	1" open	1" open	Master Spas EP Cylinder (old style)	C-7330	PMA30-2202-E	N/A	30	3 1/2	4



PUMP #	O.D. LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	50 FT.	O2	CASE QTY.
MASTER SPAS continued										
FC1003W	7	7 1/2	4" open	4" open	Master Spas EP Cylinder antimicrobial (old style)	N/A	PMA35-2002 R.M.	N/A	30	3 GL
FC04M	7	7 1/2	Handle	2" MPT	7 x 7 1/2 Master Spas	N/A	N/A	N/A	30	3
FC1008	7 1/2	4 1/2	5 1/2" open	4" open	Eco Pure system (also fitted Eco Pure filtration system 2002 model year and newer)	N/A	N/A	N/A	25	3
FC05T5	8	9 1/2	Handle	2" MPT	8' x 9' 1/2"	PMA60-F2M	ACH-4A	40	3	1
FC05T6	8	9 1/2	Handle	2" MPT	8 x 9' 1/2" Upgrade	PMA70-F2M	N/A	70	3	1
FC1004	8 1/2	17	N/A	N/A	Master Spas EP Flat 4' x 4'	PMA55-2002-P	N/A	25	3	4
FC1004M	8 1/2	17	N/A	N/A	Master Spas - antimicrobial	N/A	N/A	40	3	4
FC1007	8	7 1/2	4" open	4" open	Master Spas EP (new style) Part of Eco Pure filtration system, 2002 to present.	PMA45-2004-P	C-8341	40	3	4
FC1007M	8	7 1/2	4" open	4" open	Master Spas EP antimicrobial (new style)	PMA45-2004-R.M.	N/A	40	3	4
FC0107M	4 1/2	9 1/2	Handle	1 1/2" Fem SAE	Master Spas 30 Telewell	PMA305K-M	N/A	30	3	4
MILLENNIUM SPAS										
FC07T5	4 1/2	11 1/2	2 1/2" open	2 1/2" open	Waterway 60	PWW60	C-4337	40	3	4
FC0390	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 50	PBB50-J-MIN	C-4950	30	3	4
FC0309	6	8 1/2	Handle	1 1/2" SAE	4 x 8 1/2 Male SAE Thread	PWW50P1	ACH-3A0	40	3	4
MOONWATER SPAS										
FC0375	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 25-3-oc.	PBB25-IN	C-4326	25	3	4
FC0390	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 50	PBB50-J-MIN	C-4950	30	3	4
MOOSE MOUNTAIN SPAS										
FC0387	4 1/2	4 1/2	2 1/2" open	2 1/2" open	Rainbow DSF 50, 2' x 4'	PBB50P-RAIR/CH	C-4405	30	3	4 sets
FC0385	4 1/2	9 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 25	PBB25-IN	C-4335	25	3	4
MORGAN SPAS										
FC0380	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 37	PBB37-IN-4	C-4537	37	3	4
FC0390	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 50	PBB50-J-MIN	C-4950	30	3	4
FC1432	5	13 1/2	2 1/2" open	2 1/2" open	Jacuzzi CTR 37	P37-IN-4	C-5635	35	3	4
MOUNTAIN MEADOWS SPAS										
FC0121	4 1/2	9 1/2	Handle	1 1/2" MPT	4 1/2 x 9 1/2	PQS25P4	ACH-24	25	3	4
MOUNTAIN MIST SPAS										
FC0121	4 1/2	9 1/2	Handle	1 1/2" MPT	4 1/2 x 9 1/2	PQS25P4	ACH-24	25	3	4
MOUNTAIN SPRING SPAS										
FC0121	4 1/2	9 1/2	Handle	1 1/2" MPT	4 1/2 x 9 1/2	PQS25P4	ACH-24	25	3	4
MOUNTAIN STREAM SPAS										
FC0121	4 1/2	9 1/2	Handle	1 1/2" MPT	4 1/2 x 9 1/2	PQS25P4	ACH-24	25	3	4
MUSKIE										
FC3810	4 1/2	8	2 1/2	2 1/2	Muskie B Product can also be replaced with FC3811 (no cord)	195-3712, A3815	PMSB/C	C-4605	4	4
FC3811	4 1/2	8	2 1/2	2 1/2	Muskie B, no cord		PMSB/C	C-4602	4	4
FC3830	4 1/2	8	Closed	2 1/2	Muskie A2000 Closed top skin flex		PMSB/C	C-4600	10	4
FC1245	7	19 1/2	3" open	3" open	Hayward CX 530	CX550-RE	RA55	C-7455	55	3
FC1298	9 1/2	19 1/2	3" open	3" open	Hayward CX 1298	CX1298RE	RA1251-M/4	C-9499	120	4
NAHANNI SPAS BY MAXX										
FC0395	4 1/2	25 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 75	PBB75	C-4975	75	3	4

Nemco Spas –

FILTER #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.	
NEMCO SPAS												
FC-0121	48	9 1/2	Handle	1 1/2" MPT	4 1/2 x 9 1/2		PR25P4	4CH-24	25	3	6	
FC-0157	48	14 1/2	Handle	1 1/2" MPT	4 1/2 x 14 1/2		PTL50P-4	4CH-50	50	3	6	
FC-3082	4 1/2	10 1/2	2 1/2" open	2 1/2" open	Nemco 50		DMF25-50	C-4425	30	3	6	
NORDIC HOT TUBS												
FC-1610	4 1/2	14 1/2	2 1/2" open	2 1/2" open	Martec 2 1/2" Model dated before 3/99		PM1215	C-4307	28	3	6	
FC-2375	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 25, 3 oz. Model dated after 3/99		PR25-IN	C-4326	25	4	6	
NORTHWEST SPAS												
FC-2290	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PR50-I/AMN	C-4950	50	3	6	
OPUSPAC/GREAT NORTHERN ENGINEERING												
FC-0141	48	11 1/2	Handle	1 1/2" MPT			PTL25P-4	4CH-30	30	3	6	
FC-0157	48	16 1/2	Handle	1 1/2" MPT			PTL50P-4	4CH-50	50	3	6	
ORCA-BAY SPAS												
FC-2375	4 1/2	13 1/2	2 1/2	2 1/2	Rainbow Dynamic 25		PR25-IN	C-4326	25	3	6	
FC-2985	4 1/2	9 1/2	2 1/2	2 1/2	Rainbow Dynamic 35		PR35-IN	C-4325	35	3	6	
FC-2390	4 1/2	13 1/2	2 1/2	2 1/2	Rainbow Dynamic 50		PR50-I/AMN	C-4950	50	3	6	
PAC-FAB SEE PENTAIR POOL PRODUCTS - PACFAB												
PACIFIC SPAS BY ABER (CANADA)												
FC-0375	48	9	Handle	1 1/2" MPT	6 x 9		PTL42W-P.M.	6CH-47	45	3	6	
PAGEANT SPAS												
FC-0121	48	8	Handle	1 1/2" MPT	4 1/2 x 8		PTL18-4	4CH-21	19	3	6	
FC-2390	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PR50-I/AMN	C-4950	50	3	6	
FC-1630	4 1/2	14 1/2	2 1/2" open	2 1/2" open	Martec 50		PM150	C-4305	45	4	6	
PDC SPAS												
FC-3077	48	4	1 1/2" open	1 1/2" open	Skyn Filter 10		PWW10	C-4310	10	3	6	
FC-3586	4 1/2	4 1/2	2 1/2" open	2 1/2" open	Rainbow DSF 25 2/oz		PR25-25P-RADON	C-4401	25	3	6 sets	
FC-2375	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 25		PR25-IN-4	C-4325	25	3	6	
FC-1230	7	9 1/2	3" open	3" open	Hayward CX 250		PA25-I/AMN	C-3626	25	4	4	
FC-1280	7	19 1/2	3" open	3" open	Hayward CX 500		PA50-I/AMN	C-3656	50	4	1	
PENTAIR POOL PRODUCTS/AMERICAN PRODUCTS												
FC-2308	2 1/2	9 1/2	1 1/2" open	1 1/2" open	Carbe 1337184/368 No broken cases allowed	57011400	N/A	C-2708	8	4	100	
FC-3318	2 1/2	9 1/2	1 1/2" open	1 1/2" open	Carbe 1337184 No broken cases allowed	57005900	N/A	C-2609	8	4	100	
FC-3060	2 1/2	9 1/2	1 1/2" open	1 1/2" open	Universal Six	24700-19	PR6-PAK7-M/PR6-4	C-3611	6	4	100	
FC-0640	4 1/2	11 1/2	2 1/2" open	2 1/2" open	Amer. Commander II - 25	570105	N/A	C-4325	25	4	6	
FC-0610	7	9 1/2	3" open	3" open	Amer. Commander 25	R173201, 27-075, 34240-0016, 662158-1400	PRC25	C-3625	25	4	1	
FC-0615	7	9 1/2	3" open	3" open	Amer. Commander 25, 4 oz. Product can also be replaced with FC-0610	R173201, 57005700, R173205	N/A	C-3625	25	4	1	
FC-0660	7	11 1/2	3" open	3" open	Amer. Quantum 175 cartridges required	Four 43.7 sq. ft.	R173212-See 27400	PCN44-4	C-3437	175	4	1
FC-0660	7	16 1/2	3" open	3" open	Amer. Quantum 250 cartridges required	Four 82.3 sq. ft.	See 27380	PCN65-4/M4	C-3474	250	4	1
FC-0620	7	19 1/2	3" open	3" open	Amer. Commander 50	R173408, 27-079	N/A	C-3650	50	4	1	
FC-0625	7	19 1/2	3" open	3" open	Amer. Commander 50, 4 oz. Product can also be replaced with FC-0620	See 27400	N/A	C-3650	50	4	1	

FILBUR #	O.D. LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	SQ. FT.	OZ.	CASE QTY.
PENTAIR POOL PRODUCTS/AMERICAN PRODUCTS CONTINUED										
FC-0670	7	19%	3" open	3" open	Amer. Commander 150 Two 75 sq. ft. cartridges required	R173216, 57014300, 27-280	N/A	C-2453	75	4
FC-0675	7	20	3" open	3" open	Amer. Quantum 300 Four 90 sq. ft. cartridges required	R173215, 56628300	N/A	C-2476	90	4
FC-0690	7	26	3" open	3" open	Amer. Quantum 500 Four 125 sq. ft. cartridges required. Model dated before 11/98	56627900	N/A	C-2468	125	4
FC-0630	7	25H	3" open	3" open	Amer. Commander 75	R172204	N/A	C-2575	75	4
FC-0635	7	26%	3" open	3" open	Amer. Commander 75.4 sq. Product can also be replaced with FC-0630, too.	R173205, 570094	N/A	C-2475	75	4
FC-0630	7	25%	3" open	3" open	Amer. Commander 180 Product can also be replaced with one FC-0630 and one FC-0635	57014300, 27084	PCM100V	C-2444	100	4
FC-0684	10%	8%	6" open	6" open	Predator 50-Clean & Clear 50 Product has orange end caps	R173213, 59054000	PAF50-4/M4	C-2405	50	4
FC-0685	10%	16%	6" open	6" open	Predator 75-Clean & Clear 75 Product has orange end caps	R173214, 59054100	PAF75-4/M4	C-2407	75	4
FC-0686	10%	23%	6" open	6" open	Predator 100-Clean & Clear 100 Product has orange end caps	R173215, 59054200	PAF100-4/M4	C-2410	100	4
FC-0696	10%	23%	6" open	6" open	Legata System 125		N/A	N/A	125	4
FC-0688	10%	37%	6" open	6" open	Predator 200-Clean & Clear 200 Product has orange end caps	R173217, 59054400	PAF200-4/M4	C-2419	200	4
PENTAIR POOL PRODUCTS/PAC FAB See our Quad Packs for complete sets of Clean & Clear Plus series filters. Save time and money with FILBUR Quad Packs!!!										
FC-1275	2%	4%	1 1/2" open	1 1/2" open	Inv. Square Feet: 6 sq.	178816, 178853, 17-2048	N/A	C-2516	6	8
FC-1961	6%	20%	3" open	3" open	Quad P.E. 60 Four 15 sq. ft. cartridges required	178634	N/A	C-2490	15	4
FC-1962	6%	26%	3" open	3" open	Quad P.E. 90 Four 20 sq. ft. cartridges required	178635	N/A	C-2490	20	4
FC-1963	6%	32%	3" open	3" open	Quad P.E. 100 Four 25 sq. ft. cartridges required	178636	N/A	C-2490	25	4
FC-1920	7%	11%	3 1/2" open	3 1/2" open	Pac Fab MY 50	17-2491	PFAB50	C-2570	50	4
FC-1930	7%	14	3 1/2" open	3 1/2" open	Pac Fab MY 130 Two 60 sq. ft. cartridges required	17-2510, 4983, 4985, 32050201	PFAB130-M	C-2460	60	4
FC-1940	7%	22%	3 1/2" open	3 1/2" open	Pac Fab MY 80	17-2511, 4984	PFAB80	C-2460	80	4
FC-1950	7%	22%	3 1/2" open	3 1/2" open	Pac Fab MY 100	17-2512, 4985, 32050204	PFAB100-M	C-2460	100	4
FC-1960	7%	33%	3 1/2" open	3 1/2" open	Pac Fab MY 150 Product can also be replaced with one FC-1950 and one FC-1920	17-4986	PFAB150	C-2475	150	4
FC-1975	7	14%	3" open	3" open	Clean & Clear Plus 240 Four 60 sq. ft. cartridges required	178586	PCC60-M	C-2444	60	4
FC-1976	7	20	3" open	3" open	Clean & Clear Plus 320 Four 80 sq. ft. cartridges required	178587	PCC80-M/PAK4	C-2470	80	4
FC-1977	7	26%	3" open	3" open	Clean & Clear Plus 420 Four 105 sq. ft. cartridges required. Model dated after 11/99	178588	PCC105-M/PAK4	C-2471	105	4
FC-1978	7	32%	3" open	3" open	Clean & Clear Plus 520 Four 125 sq. ft. cartridges required. Model dated after 11/99	178585	PCC125-M/PAK4	C-2472	125	4
PENTAIR POOL PRODUCTS/PUREX										
FC-3042	2%	4%	1 1/2" open	1 1/2" open	Residential 5x		PH63	C-2304	6	8
FC-3170	7	11%	2 1/2" open	2 1/2" open	Purex CF 40 Three 40 sq. ft. cartridges required	07-0658	PF40	C-2440	40	4
FC-3120	7	14	2 1/2" open	2 1/2" open	Purex CF 60/100 Two or three 22 sq. ft. cartridges required	P-RS237	PF60	C-2432	33	8
FC-3170	7	16	2 1/2" open	2 1/2" open	Purex CF 67.5 Five 67.5 sq. ft. cartridges required	30-147	PF67.5-4	C-2467	67.5	4
FC-3190	7	18%	2 1/2" open	2 1/2" open	Seahorse 300 stainless/burglase tank Four 25 sq. ft. cartridges req.	1722840	PFAB75-4	C-2461	75	4
FC-3150	7	19%	2 1/2" open	2 1/2" open	Purex CF 60 Three 60 sq. ft. cartridges required	07-0657	N/A	C-2440	60	4
FC-3160	7	09%	2 1/2" open	2 1/2" open	Purex CF 80 Three 80 sq. ft. cartridges required	07-0656	N/A	C-2460	80	4
FC-3192	7	24%	2 1/2" open	2 1/2" open	Seahorse 400 stainless/burglase tank Four 100 sq. ft. cartridges req.	1722841	PFAB100SH-4	C-2462	100	4
FC-3180	7	25%	2 1/2" open	2 1/2" open	Purex CF 315 Three 105 sq. ft. cartridges required	07-0231	N/A	C-2456	105	4

Pentair Pool Products/Purex continued –

PLUMB #	O.D. LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLCATCO	UNICEL	SQ. FT.	QTY.	CASE QTY.		
PENTAIR POOL PRODUCTS/PUREX continued												
PC-2194	7	30%	2 1/2" open	2 1/2" open	Seahorse 50lb stainless/therplast tank Four 125 sq. ft. cartridges required	1723549	PFAR125-4	C-74W3	125	4	1	
PC-870	8 1/2	19 1/2	4" open	4" open	Pump DM 75 Product has white end caps	8173379, 175659	PDM75	C-8401	75	4	1	
PENTAIR POOL PRODUCTS/RAINBOW PLASTICS												
PC-2308	2 1/2	8 1/2	1 1/2" open	1 1/2" open	Rainbow 8sq. ft. Seahorse 8 sq. ft. cartridges required	17-2055	RWA	C-2308	8	3	100	
PC-2330	2 1/2	9 1/2	1 1/2" open	1 1/2" open	Lifeguard CL 8 Product can also be replaced with PC-3060 (4cc.)	17-2006	PHM	C-2604	4	6	100	
PC-2330	2 1/2	9 1/2	1 1/2" open	1 1/2" open	Lifeguard CL 9 Product can also be replaced with PC-3060 (4cc.)	17-2006	PHM	C-2604	4	6	100	
PC-2335	2 1/2	9 1/2	1 1/2" open	1 1/2" open	5 1/2 square feet 4 cc. Eighteen 5 1/2 sq. ft. cartridges required. Product can also be replaced with PC-3060 (4cc.)	17MB75, 17MB85, 17-2048	RWA	C-2606	6	6	100	
PC-2365	2 1/2	14 1/2	1 1/2" open	1 1/2" open	12sq. ft. Rainbow 14 ft.	17-2056	PW15WC	C-2710	12	3	20	
PC-2320	2 1/2	17 1/2	1 1/2" open	1 1/2" open	Rainbow 14 ft.	17-0001	FRB14 5/M	C-2302	15	3	12	
PC-2324	2 1/2	17 1/2	2 1/2" open	2 1/2" open	Rainbow Chisel	17-0002	FRB15 1/M	C-2303	9	3	12	
PC-2336	2 1/2	19 1/2	1 1/2" open	1 1/2" open	Lifeguard CL 19	17-2021	RWA	C-2605	6	6	30	
PC-2340	2 1/2	19 1/2	1 1/2" open	1 1/2" open	Lifeguard CL 19s	2W5000, 17-2047	FRB13-4	C-2612	13	6	20	
PC-2350	2 1/2	20 1/2	1 1/2" open	1 1/2" open	Lifeguard CL 20	17-2010	FRB12L-4	C-2613	13	6	20	
PC-2360	2 1/2	20 1/2	1 1/2" open	1 1/2" open	Lifeguard CL 20s	17-2046	FRB15-4	C-2616	15	6	20	
PC-2386	4 1/2	4 1/2	2 1/2" open	2 1/2" open	Rainbow DSE 35, (set of 2)	17-2608, 817-2510	FRB175SF-P6R7JH	C-4401	25	4	6 sets	
PC-2387	4 1/2	6 1/2	2 1/2" open	2 1/2" open	Rainbow DSE 90, (set of 2) Only 1 unit of 2 unit cartridge set needed	17-2664, 817-2010	FRB205F-P6R7JH	C-4405	50	4	6 sets	
PC-2387M	4 1/2	5 1/2	2 1/2" open	2 1/2" open	Rainbow DSE 12 (State per set) antimicrobial			C-4405RA	50	3	6 sets	
PC-2385	4 1/2	9 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 25	100066, 100071, 17-2452, 25393, 303975, 817-2501	FRB25-IN	C-4325	25	3	6	
PC-2385M	4 1/2	9 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic n-line				25	3	6	
PC-2375	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 25	17-2325	FRB25-IN-4	C-4325	25	4	6	
PC-2372	4 1/2	13 1/2	Closed	2 1/2" open	Rainbow Leaf Cartridge	17-2653	FRB25-IN-TC	C-4327	25	3	6	
PC-2375	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 25, 3 cc. Product can also be replaced with PC-3370 (4cc.)	100066, 100071, 17-2327, 25392, 303975, M-4326, 817-2500	FRB25-IN	C-4326	25	3	6	
PC-2375M	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic n-line - antimicrobial			FRB25-IN-3F	C-4325RA	25	3	6
PC-2380	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 3/ 31 sq. ft. cartridge is an upgrade for part # PC-2375			FRB37-IN-4	C-4337	37	4	6
PC-2380	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 50	100066, 100071, 17-2330, 25391, 303975	FRB50-I-MIN	C-4950	50	3	6	
PC-2370M	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic n-line				50	3	6	
PC-2375	4 1/2	20 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 75	17-2632, 25390, 17-2635	FRB75	C-4975	75	3	6	
PC-2395M	4 1/2	20 1/2	2 1/2" open	2 1/2" open	Rainbow ETL - antimicrobial			FRB75-M	C-4975RA	75	3	6
PC-2397	4 1/2	26 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 100	17-2633, 17-2636	FRB100	C-4999	100	3	6	
PHOENIX SPAS												
PC-2380	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 25			FRB27-IN-4	C-4325	35	3	6
PC-2380	4 1/2	13 1/2	2 1/2" open	2 1/2" open	Rainbow Dynamic 50			FRB50-I-MIN	C-4950	50	3	6
PC-030F	6	8 1/2	Handle	1 1/2" SAE	6 x 8 1/2 Male SAE Thread Two 40 sq. ft. cartridges required (used side by side)		PWW50F3	6CH-940	60	3	6	
PC-030D	6	8 1/2	Handle	1 1/2" Male Slip	6 x 8 1/2 Male Slip Fitting		PW-W100ST-P3	6CH-941	160	3	6	
PC-030I	6	8 1/2	Handle	1 1/2" SAE	6 x 8 1/2 Male SAE Thread		PWW100STP3	6CH-942	160	3	6	



FILTER #	O.D. LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLASTIC	UNICEL	50 FT.	OZ.	CASE QTY.	
POOLCO INDUSTRIES											
PC-3716	2	19%	3" open	3" open	Poolco PP	PPCD90	N/A	80	4	1	
PORTA SPA (S.A.)											
PC-3710	48	8	1 1/2" open	1 1/2" open	Coleco P-120, DR-T w/cover	PC7-120/PMB	C-4507	5	3	12	
PREMIER/SPRINGWATER											
PC-3888	28	9%	1 1/2" open	1 1/2" open	Universal Spa Product can also be replaced with PC-3060	PM6/PA67/M/PM6-4	C-261A	6	6	798	
PC-2015	8%	11%	1 1/2" open	1 1/2" open	Premier 22	PM205	C-5622	25	6	6	
PC-2018	8%	23%	1 1/2" open	1 1/2" open	Premier Max Sweeps (3 or 4 required) (Three 75 sq. ft. cartridges required)	PM205	C-5621	75	3	6	
PC-0610	2	9%	3" open	3" open	Hercules II, 25 sq. ft., 6 oz. Product can also be replaced with PC-0615	R173200, 27-078, 24240-0015, WC108-1400	PC25	C-1625	25	6	1
PC-0615	2	9%	3" open	3" open	Hercules II, 25 sq. ft., 4 oz.	R173201, 57005700	N/A	C-3625	25	6	1
PC-0620	2	10%	3" open	3" open	Hercules II, 30 sq. ft., 6 oz. Product can also be replaced with PC-0625	R173409, 27-079	N/A	C-7650	30	6	1
PC-0625	2	10%	3" open	3" open	Hercules II, 30 sq. ft., 4 oz.	R173205, 57005800	N/A	C-7650	30	6	1
PC-0630	2	10%	3" open	3" open	Hercules II, 35 sq. ft., 6 oz. Two 75 sq. ft. cartridges required.	R173210, 57014300, 27-080	N/A	C-7650	25	6	1
PC-0630	2	28%	3" open	3" open	Hercules II, 100 sq. ft., 4 oz.	57014400, 27084	PCM1000V	C-7650	100	6	1
PUREX See Pentair Pool Products - PUREX											
QCA SPAS											
PC-2375	4%	13%	2 1/2" open	2 1/2" open	Rainbow Dynamic 25, 3 oz.	PR25-IN	C-4326	25	3	6	
PC-2390	4%	13%	2 1/2" open	2 1/2" open	Rainbow Dynamic 50	PR50 / MIN	C-4950	50	3	6	
PC-2940	4%	23%	2 1/2" open	2 1/2" open	Waterway 100	PCAL100	C-4995	95	3	6	
QUANTUM SPAS											
PC-0887	48	9%	Handle	1 1/2" open	48 x 9%	RT120HS/POS25	C-4334	25	3	6	
RAINBOW PLASTICS See Pentair Pool Products - RAINBOW PLASTICS											
REC WAREHOUSE See LEISURE BAY											
RISING DRAGON											
PC-0112	4%	13%	Handle	2" Fast SAE		N/A	4CH-MIN	30	3	6	
RIVER VALLEY SPAS											
PC-2375	4%	13%	2 1/2" open	2 1/2" open	Rainbow Dynamic 25, 3 oz.	PR25-IN	C-4326	25	3	6	
PC-2390	4%	13%	2 1/2" open	2 1/2" open	Rainbow Dynamic 50	PR50 / MIN	C-4950	50	3	6	
ROGERS SPAS											
PC-2015	8%	11%	1 1/2" open	1 1/2" open	Premier 22	PM205	C-5622	25	6	6	
ROMANESQUE SPAS											
PC-2015	8%	11%	1 1/2" open	1 1/2" open	Premier 22	PM205	C-5622	25	6	6	
PC-3070	5%	14%	1 1/2" open	1 1/2" open	Marley/Roman	PM430	C-5621	25	6	6	
RUBADUB TUB SPAS											
PC-2375	4%	13%	2 1/2" open	2 1/2" open	Rainbow Dynamic 25, 3 oz.	PR25-IN	C-4326	25	3	6	
PC-2390	4%	13%	2 1/2" open	2 1/2" open	Rainbow Dynamic 50	PR50 / MIN	C-4950	50	3	6	
SAFARI SPAS											
PC-2375	4%	13%	2 1/2" open	2 1/2" open	Rainbow Dynamic 25, 3 oz.	PR25-IN	C-4326	25	3	6	
PC-2390	4%	13%	2 1/2" open	2 1/2" open	Rainbow Dynamic 50	PR50 / MIN	C-4950	50	3	6	
PC-1330	5%	10%	Strong Handle	2 1/2" open	Jetted Aero-Ceramic Chair	FAA23-M4	C-5601	25	3	6	

Santana Spas –

PLUMB #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PL/ATCO	UNICEL	BO FT	OD	CASE QTY
SANTANA SPAS											
FC-0620	4 1/4"	9 1/4"	2 1/2" open	2 1/2" open	Santana 25		PR25-A	C-4428	25	4	6
FC-3630	4 1/4"	9 1/4"	Closed	2 1/2" open	Santana 25, C/Top Product has closed top.		PR25	C-4328	25	4	6
FC-2648	4 1/4"	14 1/4"	Closed	2 1/2" open	Santana 45, C/Top Product has closed top.		PR45	C-4348	45	4	6
SARATOGA SPAS											
FC-0124	4 1/4"	6 1/4"	Handle	1 1/2" SAE	Top-Lined	PSG13.1	N/A	4CH-920	15	1	6
FC-0129	4 1/4"	6 1/4"	Handle	1 1/2" MPT	Top-Lined	PSG13.5	PHC21	4CH-70	15	1	6
FC-0185	4 1/4"	8 1/4"	Handle	1 1/2" open	Use Plastco/PAD adapters	PSG25M	N/A		20	1	6
FC-0121	4 1/4"	8	Handle	1 1/2" MPT	Top-Lined		FTL18-A	4CH-21	19	1	6
FC-0131	4 1/4"	9 1/4"	Handle	1 1/2" MPT	Top-Lined		PGS25R	4CH-24	25	1	6
FC-0131M	4 1/4"	9 1/4"	Handle	1 1/2" MPT	1 1/2" MPT - antimicrobial		PGS25M-M	4CH-24RA	25	1	6
FC-0132M	4 1/4"	11 1/4"	Handle	1 1/2" MPT	antimicrobial	PG425AK00BL	PG4275MPH	N/A	27	1	6
FC-0134M	4 1/4"	11 1/4"	Handle	1 1/2" SAE	antimicrobial	PG425AK00BL	PG4275MP2	N/A	27	1	6
FC-0141	4 1/4"	11 1/4"	Handle	1 1/2" MPT	Top-Lined		FTL25F-A	4CH-30	27	1	6
FC-0173	4 1/4"	11 1/4"	Handle	1 1/2" SAE	Top-Lined		PDO-0F25F2	4CH-950	27	1	6
FC-0182	4 1/4"	11 1/4"	Handle	1 1/2" open	Use Plastco/PAD adapters*		N/A	N/A	27	1	6
FC-0133M	4 1/4"	13 1/4"	Handle	1 1/2" MPT	antimicrobial	PG440M000BL	N/A	N/A	40	1	6
FC-0135M	4 1/4"	13 1/4"	Handle	1 1/2" SAE	antimicrobial	PG440M000BL	PG440WMP2	N/A	40	1	6
FC-0177	4 1/4"	13 1/4"	Handle	1 1/2" SAE	Top-Lined	PG440N	PDO-0F40F2	4CH-940	40	1	6
* Factory cartridges use an adapter provided by Saratoga. Remove adapter from suction fitting before installing replacement cartridge. One fitting is SAE and other is MPT thread. Choose the correct cartridge thread to match the suction fitting.											
SEAHORSE SPAS											
FC-280	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 30		PR30-I-MIN	C-4960	30	1	6
SEARS See Muscle											
SEASCAPE SPAS											
FC-0143	4 1/4"	11 1/4"	Handle	1 1/2" MPT	6 1/4" x 11 1/4"		FTL25F-A	4CH-30	30	4	6
SEASON MASTER/LEISURE WORKSHOP											
FC-3103	5 1/4"	23 1/4"	Handle	Male 3/4"	Season Master 100 Moulded O-ring	PLW100-A	C-5349		100	1	1
SEQUOIA SPAS											
FC-2370	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 25		PR25-IN-A	C-4625	25	1	6
FC-280	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 30		PR30-I-MIN	C-4960	30	1	6
SEVEN SEAS SPAS											
FC-1425	5	13 1/4"	2 1/2" open	2 1/2" open	Jacuzzi CFR25		RJ25-IN-4-MIN	C-5625	25	4	6
FC-1330	5 1/4"	10 1/4"	3 1/2" Handle	2 1/2" open	Jacuzzi Aero, Canessa, Closed Top		RJW25-RA	C-5601	25	1	6
FC-1320	5 1/4"	10 1/4"	3 1/2" Handle	2 1/2" open	Jacuzzi Whirlpool 50, Closed Top		PJW50	C-5300	50	1	6
SIGNATURE SPAS											
FC-2387	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow DSP 50 2 Jet		PR255SP-PAIR/2H	C-4625	50	1	6-sets
FC-2375	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 25, 7 Jet		PR25-IN	C-4326	25	1	6
FC-280	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 30		PR30-I-MIN	C-4960	30	1	6
SOFTSIDER SPAS											
FC-0183	4 1/4"	4 1/4"	Handle	1 1/2" open	FC-0183 replacement needs a 1 1/2" PVC pipe nipple/PAD adapter (not furnished).		FTL18/PS3173	C-4302	12	1	6

PUMP #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLATECD	UNICEL	50 FT.	O2	CASE QTY
SOFTSIDER SPAS continued											
PC-0185	4%	6%	Handle	1 1/2" open	4% x 6% PLBUB replacement needs a 1 1/2" PVC pipe nipple/PAD adapter (not furnished)		PSC23P4	C-4303	15	3	8
PC-0483	7	8	Handle	1 1/2" open	7 x 8 PLBUB replacement needs a 1 1/2" PVC pipe nipple/PAD adapter (not furnished)		PCS33	C-7432	33	3	1
PC-0125	4%	4%	Handle	1 1/2" open	4% x 4%		PHC25	4CH-20	20	3	8
PC-0305	6	5.5	Handle	1 1/2" open	6 x 5.5	90-802	PTL20W-5V-P-4	6CH-25	25	3	8
SONFARREL/MARTEC											
PC-1601	4 1/4"	11%	2 1/4" open	2 1/4" open	Sonfarel 25	220022, 220032	N/A	C-4132	20	3	8
PC-1612	4 1/4"	11%	2 1/4" open	2 1/4" open	Sonfarel 30	220022, 220032	PTM25	C-4132	25	3	8
PC-1617	4 1/4"	16%	2 1/4" open	2 1/4" open	Sonfarel 16	220142, 22145, 220112	PTM50	C-4305	45	3	8
SONOMA SPAS											
PC-1077	4%	4	1 1/2" open	1 1/2" open	Skim Filter 10		PWW10	C-4310	10	3	8
PC-1220	4%	11%	2 1/2" open	2 1/2" open	Hayward C-225		PA225-4/M4	C-4325	25	3	8
PC-2390	4 1/4"	13%	2 1/4" open	2 1/4" open	Rainbow Dynamic 50		PRB50-1/MN	C-4950	50	3	8
PC-2397	4 1/4"	24 1/4"	2 1/4" open	2 1/4" open	Rainbow Dynamic 100		PRB100	C-4999	100	3	8
PC-1097	6%	12	1 1/2" open	2 1/2" open	Ozone 40 w/10 centre holes		PDO40-4	C-5404	40	4	1
PC-1230	7	9 1/4"	3" open	3" open	Hayward CX 250		PA25-4/M4	C-7636	25	4	8
SOUTHWEST INDUSTRIES											
PC-3390	4 1/4"	13%	2 1/4" open	2 1/4" open	Rainbow Dynamic SE		PRB50-1/MN	C-4950	50	3	8
SPA CREST SPAS											
PC-2390	4 1/4"	13%	2 1/4" open	2 1/4" open	Rainbow Dynamic SE		PRB50-1/MN	C-4950	50	3	8
SPA-IN-A-BOX											
PC-1120	2%	5 1/4"	1 1/2" open	1 1/2" open			PM113	C-2315	5	3	9
SPA MANUFACTURER'S INC.											
PC-0187	4%	9%	Handle	1 1/2" open	4% x 9%		RYL20HS/PD225	C-4324	25	3	8
SPECK PUMPS											
PC-0903	8 1/4"	20%	4" open	4" open	AC2510		PAST190	C-6413	190	4	1
PC-0902	8 1/4"	19 1/4"	4" open	4" open	AC2510		PAST100	C-6499	100	4	1
SPILLWAY SPAS Sea Florida Whirlpool											
SPLASH TUB											
PC-1130	4 1/4"	3 1/4"	Closed	1 1/2" open	Splash Tub 16	ST-215, ST-230	N/A	C-4316	16	3	8
PC-1125	6%	8	Closed	1 1/2" open	Splash Tub 24 Used over suction cover	ST-230, ST-215	N/A	C-4324	24	3	8
STA-RITE											
PC-3060	2%	8%	1 1/2" open	1 1/2" open	Seamless 108, 216	34901-19	PR6, P4875/M/P4874	T-380	4	4	98
PC-2510	4%	8%	1 1/2" open	1 1/2" open	Sta-Rite TX-15		PRM15-4	C-4610	75	4	8
PC-0615	7	9 1/4"	3" open	3" open	Pool-Clean TX 25, RCP 25 (4 oz.)	R173201, 07005700, R173208	N/A	C-7425	25	4	1
PC-0610	7	9 1/4"	3" open	3" open	Pool-Clean TX 25, RCP 25 Product can also be replaced with PC-0615	R173200, 270296, WC108-1415, 20290-0916	PHC25	C-7425	25	4	1
PC-1235	7	14%	3" open w/ gasket	3" open w/ gasket	PBC System	25200-01505	"	C-7447	50	4	1
PC-2580	7	19%	3" open	3" open	Pool-Clean TX 100, TX 50 Two 50 sq. ft. unit edges required	34281-0016, WC108-1415	PHC50	C-7452	50	4	1
PC-1260	7	19%	3" open w/ gasket	3" open w/ gasket	PBC System	25200-01751		C-7477	75	4	1

Sta-Rite continued -

PLUMB #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PL/ATCO	UNICEL	EQ. FT.	QTY.	CASE QTY.
STA-RITE continued											
FC-2530	8 1/4"	9 1/2"	4 1/4" open	4 1/4" open	Sta-Rite TK 35	WC108-5852X	PSR35-4	UHD-5R35	35	4	1
FC-2530	8 1/4"	12 1/4"	4 1/4" open	4 1/4" open	Sta-Rite TK 50 Product has blue top and cap and orange bottom cap.	WC108-5625X	PSR50-4/M4	UHD-5R50	50	4	1
FC-2540	8 1/4"	16 1/4"	4 1/4" open	4 1/4" open	Sta-Rite TK 70 Product has blue top and cap and orange bottom cap.	WC108-5725X	PSR70-4/M4	UHD-5R70	70	4	1
FC-2580	8 1/4"	20 1/4"	4 1/4" open	4 1/4" open	Sta-Rite TK 100 Product has blue top and cap and orange bottom cap.	WC108-5852X	PSR100-42-M4	UHD-5R100	100	4	1
FC-2570	8 1/4"	31 1/4"	4 1/4" open	4 1/4" open	Sta-Rite PTM 115 Product has blue top and cap and orange bottom cap.	WC108-7052X	PSR115-4	UHD-5R115	115	4	1
FC-2540	8 1/4"	34 1/4"	4 1/4" open	4 1/4" open	Sta-Rite TK 135 Discontinued by Sta-Rite. Replacement for stainless steel tank only. Product has blue top and cap and orange bottom cap.	WC108-5852X	PSR135-4	UHD-5R135	135	4	1
FC-1292	8 1/4"	17 1/4"	4" open	4" open	Pool Clear PXC 95	25230-0095S	PA90C/M/4	C-8409	95	4	1
FC-1294	8 1/4"	26 1/4"	4" open	4" open	Pool Clear PXC 125	25230-0175E	PA375/M/4	C-8417	125	4	1
FC-2575	8 1/4"	28 1/4"	4" open	4" open	Pool Clear PXC 125	25230-0125S	PWWPC-125M/M	C-8411	125	4	1
FC-2576	8 1/4"	28 1/4"	4" open	4" open	Pool Clear PXC 150	25230-0150S	N/A	C-8416	150	4	1
STARLIGHT SPAS See U.S. Tooling & Spas											
STREAMLINE SPAS											
FC-2375	4 1/4"	17 1/4"	2 1/4" open	2 1/4" open	Rainbow Dynamic 25, 7 x 31		FRB25-IN	C-4326	25	3	6
FC-2390	4 1/4"	33 1/4"	2 1/4" open	2 1/4" open	Rainbow Dynamic 50		FRB50-L-MIN	C-4950	50	3	6
STRONG INDUSTRIES											
FC-0126	4 1/4"	8	Handle	1 1/2" SAE	Antique	PSANT20	FDMS2PM-M/PSANT20P2	N/A	20	3	6
SUN RAY SPAS (CANADA)											
FC-2375	4 1/4"	17 1/4"	2 1/4" open	2 1/4" open	Rainbow Dynamic 25		FRB25-IN	C-4326	25	3	6
FC-2385	4 1/4"	9 1/4"	2 1/4" open	2 1/4" open	Rainbow Dynamic 35		FRB35-IN	C-4335	35	3	6
FC-2390	4 1/4"	33 1/4"	2 1/4" open	2 1/4" open	Rainbow Dynamic 50		FRB50-L-MIN	C-4950	50	3	6
SUNBELT SPAS											
FC-2390	4 1/4"	33 1/4"	2 1/4" open	2 1/4" open	Rainbow Dynamic 50		FRB50-L-MIN	C-4950	50	3	6
FC-2930	4 1/4"	23 1/4"	2 1/4" open	2 1/4" open	Waterway 75		FCAL75	C-4970	75	3	6
FC-0319	6	8 1/4"	Handle	1 1/2" SAE	6 x 8 1/4" Male SAE Thread Two 40psi, 1/2" Uniridge required (used side by side)	PWW50P2	ACH-940	40	3	6	
FC-0360	6	8 1/4"	Handle	1 1/2" Male Slip	6 x 8 1/4" Male Slip Fitting FC-0360 and FC-0361 required (stacked)	PW-W100ST-P2	ACH-941	80	3	6	
FC-0361	6	8 1/4"	15" open	1 1/2" SAE	6 x 8 1/4" Male SAE Thread FC-0360 and FC-0361 required (stacked)	PWW100STP2	ACH-942	80	3	6	
SUNCOUNTRY SPAS											
FC-2390	4 1/4"	33 1/4"	2 1/4" open	2 1/4" open	Rainbow Dynamic 50		FRB50-L-MIN	C-4950	50	3	6
SUNDANCE SPAS											
FC-0141	4 1/4"	11 1/4"	Handle	1 1/2" MPT	4 1/4 x 11 1/4	6540-484	FTL25P-4	4CH-30	25	4	6
FC-0741	4 1/4"	12 1/4"	Top handle	2" SAE	2-400 Cartridge 12 1/2"	2540-287	N/A	N/A	3	35	6
FC-0141	4 1/4"	16	Handle	1 1/2" MPT	4 1/4 x 16	6540-486	FTL15-4	4CH-25	40	3	6
FC-0710	4 1/4"	16 1/4"	Castle	2 1/4" open	Sundance 40	6540-495	PSD40-4	C-4440	40	4	4
FC-0706	5 1/4"	18 1/4"	open	open	Meltdown 880 MicroClean Ultra Inner	6473-164	N/A	N/A	N/A	N/A	6
FC-0771	5 1/4"	19 1/4"	2 1/4" open	Open nipple	Planted 880 MicroClean Ultra Outer	6473-165	N/A	N/A	N/A	3	0
FC-0772	5 1/4"	19 1/4"	2 1/4" open	Open nipple	FC-0766 & FC-0771 6x	6540-397	N/A	N/A	N/A	3	5
FC-0766	4 1/4"	4 1/4"	closed		50 Micro Meltdown	6473-161	N/A	N/A	N/A	N/A	0
FC-2386	4 1/4"	4 1/4"	2 1/4" open	2 1/4" open	Rainbow DSC 25 1/2" Set Replaces FC-2386 and one FC-2387 for a total of 40 sq. ft.	6000-134	PRBT/SSP-P2(R/JH)	C-4401	25	3	6 sets

PURIN #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATED	UNICEF	50 FT.	O2	CASE QTY
SUNDANCE SPAS continued											
PC2387	4 1/2"	6 1/2"	2 1/2" open	2 1/2" open	Rainbow OSF 50, 2 1/2" ft.		PR255P-RA/R2H	C-4405	50	3	6 sets
PC2390	4 1/2"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50	6540-471	PR950-J/M/N	C-4950	50	3	6
PC1638	4 1/2"	14 1/2"	2 1/2" open	2 1/2" open	Market 50	6540-497	PM750	C-4305	50	3	6
PC2763	6	6 1/2"	Removable Cap	open w/ locking tabs	30 SQ FT Pleated	6473-156	N/A	N/A	30	3	6
PC2764	6	8 1/2"	Removable Cap	open w/ locking tabs	40 SQ FT Pleated	6473-157	N/A	N/A	40	3	6
PC2765	6	12	Removable Cap	open w/ locking tabs	50 SQ FT Pleated	6473-158	N/A	N/A	50	3	6
PC2717	6	12 1/2"	Removable Cap	2" SAE	Sundance ProClear II	6540-498	N/A	N/A	45	3	1
PC2718	6	18 1/2"	Removable Cap	2" SAE	Sundance Removable Cap		N/A	N/A	70	3	
PC2715M	6 1/2"	15 1/2"	Removable Cap	2" SAE	1-300 series antimicrobial	6540-303M0	N/A	N/A	40	3	1
PC2770	7	19	2 1/2" open	1 1/2" SPT	Sundance Double End 90	6540-487	PSD90P	7CH-90	90	3	1
PC2730	7 1/2"	10 1/2"	Castle	2 1/2" open	Sundance 65.2 1/2" I.D. 2 1/2" bottom I.D. for 1 1/2" system. Replaces both 7 1/2" and 8" OD Sundance cartridges.	6540-480	PSD65	C-7865	65	3	1
PC2748	7 1/2"	14 1/2"	Castle	2 1/2" open	Sundance 65.2 1/2" I.D. 2 1/2" bottom I.D. for 2" system. Replaces both 7 1/2" and 8" OD Sundance cartridges.	6540-481	PSD65-2	C-84M	65	3	1
PC2760	7 1/2"	16	Castle	2 1/2" open	Sundance 75	6540-483	PSD75	C-739	75	3	1
PC2812	7 1/2"	6	4 1/2" open	4 1/2" open	Sundance Disposable Depth Filter. Replace after 3 months of use. Meets up to PC-2810. No broken case quantities allowed.	6540-502	N/A	N/A	N/A		12
PC2810	8 1/2"	14	Closed w/SAE	2 1/2" open	Sundance Microclean Use with PC-2812	6540-501	PSD85-2002	C-8360	80	3	1
PC2810M	8 1/2"	14	Closed w/SAE	2 1/2" open	Sundance Microclean - antimicrobial		N/A	C-8308RA	80	3	1
PC2779	8 1/2"	17 1/2"	Castle	2 1/2" open	Sundance		N/A	N/A	115	3	
PC2790	8 1/2"	18 1/2"	Castle	2 1/2" open	Sundance 120	6540-482	PSD125	C-8320	120	3	1
PC2787	8 1/2"	79	2 1/2" beveled edge	2 1/2" open/ double	Sundance Double End 120	6540-488	PSD125-2000/M	C-8324	125	3	1
PC2790	8 1/2"	18	Closed w/step	2 1/2" open	Sundance Universal Length	6540-490	PSD125U	C-8325	125	3	1
PC2791	8 1/2"	17	2 1/2" beveled edge	2 1/2" Slip	MicroClean II Plus. OEM product for Gray and cast.	6540-507	N/A	N/A	N/A; N/A		1
PC2979M	5 1/2"	14 1/2"	2 1/2" open	2 1/2" open	LP 6 1/2" sq. ft.		N/A	C-5379RA	65	3	6
SUNRISE SPAS											
PC3387	4 1/2"	6 1/2"	2 1/2" open	2 1/2" open	Rainbow OSF 50, 2 1/2" ft.		PR255P-RA/R2H	C-4405	50	3	6 sets
PC3390	4 1/2"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PR950-J/M/N	C-4950	50	3	6
PC3900	6	5 1/2"	Handle	1 1/2" SPT	Top Load Cartridge		PTL25W-5V-P-4	6CH-25	25	3	1
PC3914	6	8	Handle	1 1/2" SPT	Top Load Cartridge - New Models		6CH-49	N/A	35	3	1
PC3425	7	8	Handle	1 1/2" SPT	32 sq. ft. Top Load		PC332P	7CH-32	32	3	4
PC3463	7	14 1/2"	Handle	1 1/2" SPT	7 x 14 1/2"		PWT50P	7CH-50	50	3	1
PC3491	7	14 1/2"	Handle	1 1/2" open	7 x 14 1/2"		N/A	C-7449	50	3	1
SUNSET SPAS											
PC3790	4 1/2"	13 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PR950-J/M/N	C-4950	50	3	6
SUPERIOR SPAS											
PC3077	4 1/2"	4	1 1/2" open	1 1/2" open	Skim Filter 10		PAW10	C-4510	10	3	6

Superior Spas continued -

PLUMB #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATCO	UNICEL	EQ. FT.	OZ.	CASE QTY.
SUPERIOR SPAS continued:											
FC-2915	4 1/4"	11 1/2"	2 1/2" open	2 1/2" open	Waterway 40		PWW40	C-4289	40	3	6
FC-2990	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PRB50-J-MIN	C-4950	50	3	6
FC-0359	6	8 1/2"	Handle	1 1/2" SAE	6 x 8 1/2" Male SAE Thread		PWW50P1	6CH-940	40	3	6
FC-0360	6	8 1/2"	Handle	1 1/2" Male Slip	6 x 8 1/2" Male Slip Fitting One 817-0011 (FC-0360) and one 817-0012 (FC-0361) required attached.		PW-00051-P3	6CH-941	80	3	6
FC-0361	6	8 1/2"	Handle	1 1/2" SAE	6 x 8 1/2" Male SAE Thread One 817-0011 (FC-0360) and one 817-0012 (FC-0361) required attached.		PWW0051P3	6CH-942	80	3	6
TATUM MANUFACTURING											
FC-0359	6	8 1/2"	Handle	1 1/2" SAE	Court Nights, Gulf Coast Series		PWW50P1	6CH-940	40	3	6
FC-0375	6	10 1/2"	Handle	2" MPT	Lee-Z-Boys®, Freestyle Series Replacement for 6" OD Plastic Pipe		PWA		50	3	6
THERMO SPAS											
FC-3077	4 1/4"	4	1 1/2" open	1 1/2" open	Skin Filter 10		PWW10	C-4210	10	3	6
FC-3387	4 1/4"	6 1/2"	2 1/2" open	2 1/2" open	Rainbow DSF 55, 2/het		PRB25SF-PAIR/JH	C-4405	30	3	6 each
FC-3388	4 1/4"	4 1/2"	2 1/2" open	2 1/2" open	Rainbow DSF 33, 2/het		PRB17.5SF-PAIR/JH	C-4401	35	3	6 each
FC-2370	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 25		PRB25-IN-4	C-4429	25	3	6
FC-2375	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 25, 3 w/		PRB25-IN	C-4426	25	3	6
FC-940	4 1/4"	14 1/2"	2 1/2" open	2 1/2" open	Martec 215		PMT215	C-4301	30	3	6
FC-0310	6	7	Handle	1 1/2" MPT	6 x 7		PTL25W-SV-F-4	6CH-26	25	3	6
FC-0359	6	8 1/2"	Handle	1 1/2" SAE	6 x 8 1/2" Male SAE Thread		PWW50P1	6CH-940	40	3	6
THE WET SET-See titles											
TUNE SPAS											
FC-2990	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PRB50-J-MIN	C-4950	50	3	6
TIGER RIVER SPAS/HOT SPRINGS											
FC-3960	8 1/2"	10 1/2"	7" open	7" open	Watkins 85	31114	PW85	C-0865	85	3	1
TUFF SPAS											
FC-2990	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PRB50-J-MIN	C-4950	50	3	6
FC-0359	6	8 1/2"	Handle	1 1/2" SAE			PWW50P1	6CH-940	40	3	6
U.S. TOOLING & SPAS											
FC-3077	4 1/4"	4	1 1/2" open	1 1/2" open	Skin Filter 10		PWW10	C-4210	10	3	6
FC-3387	4 1/4"	6 1/2"	2 1/2" open	2 1/2" open	Rainbow DSF 55, 2/het		PRB25SF-PAIR/JH	C-4405	30	3	6 each
FC-2990	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PRB50-J-MIN	C-4950	50	3	6
FC-0516	8	12 1/2"	Handle	2" MPT	Diamond Spas 85		PLST85-P2M	8CH-852	85	3	1
FC-0517	8	18	Handle	2" MPT	Diamond Spas 120		PLST120-P2M	8CH-202	120	3	1
FC-0517M	8	18	Handle	2" MPT	120 sq. ft. Top Load antimicrobial Replacement for Diamond Spas		PWA	8CH-202BA	120	3	1
VIKING SPAS											
FC-3077	4 1/4"	4	2 1/2" open	2 1/2" open	Skin Filter		PWW10	C-4210	10	3	6
FC-940	4 1/4"	11 1/2"	2 1/2" open	2 1/2" open	Martec 32		PMT32	C-4312	32	3	6
FC-2375	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow Dynamic 25, 3 w/		PRB25-IN	C-4426	25	3	6
FC-2990	4 1/4"	13 1/4"	2 1/2" open	2 1/2" open	Rainbow DSF 50		PRB50-J-MIN	C-4950	50	3	6
FC-0359	6	8 1/2"	Handle	1 1/2" SAE	6 x 8 1/2" Male SAE Thread		PWW50P1	6CH-940	40	3	6



FILTER #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLASTCO	UNICEL	50 FT.	O2	CASE QTY.
VITA SPAS											
FC-3024	4%	7'	Closed	1 1/2" MPT	Vita-Spa Top Load MPT		N/A	N/A	25	3	10
VITA SPAS continued											
FC-3024M	4%	7'	Closed	1 1/2" MPT	Vita-Spa MPT		PVT25R2-NL-M	N/A	25	3	8
FC-3025	4%	6 1/2'	Handle	1 1/2" MPT	4% x 6 1/2' Remove "pad adapter" from the skimmer before threading MPT directly into the suction fitting	PVT-25	PHC25	4CH-20	25	3	8
FC-3026	4%	8'	Handle	1 1/2" MPT	4% x 8' Remove "pad adapter" from the skimmer before threading MPT directly into the suction fitting	PVT-25H	PT218-4	4CH-21	25	3	8
FC-2385	4 1/4"	9 1/4"	2 1/4" open	2 1/4" open	Quest	PRB25-IN	PRB25-IN	C-4335	25	3	8
FC-2390	4 1/4"	13 1/4"	2 1/4" open	2 1/4" open	Le-Croix	PRB50-IN	PRB50-J-MIN	C-4950	50	3	8
FC-3359	6"	8 1/2'	Handle	1 1/2" SAE	Reflections Remove "pad adapter" from the skimmer before threading MPT directly into the suction fitting	PWW-30	PWW50P2	6CH-340	40	3	8
FC-3426	7"	9 1/2'	Handle	1 1/2" SAE	7 x 9 1/2' Remove "pad adapter" from the skimmer before threading MPT directly into the suction fitting	PVT-40	PCS40P	7CH-40	40	3	8
FC-3463	7"	14 1/2'	Handle	1 1/2" MPT	7 x 14 1/2' Remove "pad adapter" from the skimmer before threading MPT directly into the suction fitting	PVT-50	PVT50P	7CH-50	50	3	1
FC-3491	7"	14 1/2'	Handle	1 1/2" open	7 x 14 1/2' FILTER replacement needs a 1 1/2" PVC pipe nipple/PAD adapter (not furnished)	PVT-50	N/A	C-3449	50	4	1
FC-3052	8 1/4"	7'	Handle	2" MPT	1200/L-300 Remove "pad adapter" from skimmer before threading filter into suction fitting	PVT50W-H	PVT50W-H-F2L	8CH-502	50	3	8
FC-3052M	8 1/4"	7'	Handle	2" MPT	Cris Pump: Remove "pad adapter" from skimmer before threading filter into suction fitting. (new style) Product uses a non-cylindrical filter media	PVT50W-H	N/A	N/A	50	3	8
FC-3620	7"	10 1/2'	3" open	3" open	Amor Commander 50 Product discontinued by Vita-Spa		N/A	C-3460	10	3	1
FC-3053	8 1/4"	7 1/2'	1 1/2" open	2 1/2" with slot	50 sq. ft. Vita-Spa	PVT-50W	PVT50W	C-8350	50	3	1
WARM SPRING SPAS											
FC-2370	4 1/4"	13 1/4"	2 1/4" open	2 1/4" open	Rainbow Dynamic 25	PRB25-IN-4	C-4625	25	3	8	
FC-2390	4 1/4"	13 1/4"	2 1/4" open	2 1/4" open	Rainbow Dynamic 50	PRB50-J-MIN	C-4950	50	3	8	
WATERCO											
FC-3126	7 1/4"	9 1/4"	2 1/4" open	2 1/4" open	Waterco C-25	62040	PWC25/PWC50	C-3437	25	4	1
FC-3160	7 1/4"	29 1/4"	2 1/4" open	2 1/4" open	Waterco CC-100	62050	PJ4N100	C-3987	100	4	1
FC-3165	7 1/4"	29 1/4"	2 1/4" open	2 1/4" open	Waterco Thinline CC-150	62051	N/A	C-3496	150	4	1
WATERPICK See Jandy											
WATER'S EDGE SPAS											
FC-3375	7"	8'	Handle	1 1/2" x 4" MPT	7 x 8'		PCS32P	7CH-32	25	3	8
FC-3375	8 1/4"	13 1/4"	2 1/4" open	1 1/2" MPT	Rainbow Dynamic 25, 3 ea.	PRB25-IN	C-4550	25	3	8	
WATERWAY PLASTICS											
FC-3077	4%	4'	1 1/4" open	1 1/4" open	Waterway 54in Filter 10	817-0000	PWW10	C-4500	10	3	8
FC-3386	4 1/4"	4 1/2'	2 1/4" open	2 1/4" open	Waterway 4 1/2" Slim, 2/ea.	817-2510	PRB17-55P-PAIR/JH	C-4407	25	8	8 sets
FC-3387	4 1/4"	5 1/2'	2 1/4" open	2 1/4" open	Waterway 5 1/2" Slim, 2/ea.	817-5010	PRB25P-PAIR/JH	C-4405	10	8	8 sets
FC-3169	4 1/4"	4 1/2'	Handle	2" Fern SAE	Waterway Rising Dragon Filter		N/A	N/A	10	3	1
FC-3170	4 1/4"	4 1/2'	Handle	1 1/2" Fern SAE	Waterway Rising Dragon Filter (short)	817-4285	N/A	N/A	50	3	1
FC-3385	4 1/4"	4 1/2'	2 1/4" open	2 1/4" open	Waterway 25 in line	817-3501	PRB25-IN	C-4335	25	3	8
FC-2915	4 1/4"	11 1/2'	2 1/4" open	2 1/4" open	Waterway 40 in line	817-0040	PWW40	C-4129	40	3	8
FC-2916	4 1/4"	12 1/2'	2 1/4" open	2 1/4" open	Waterway 25	817-2500	N/A	C-4328	25	3	8

Waterway Plastics continued –

PLUMB #	O.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLCATCO	UNICEL	EQ FT	QTY	CASE QTY
WATERWAY PLASTICS continued											
FC-2375	4 1/4"	13 1/2"	2 1/4" open	2 1/4" open	Waterway 25 in. line	817-2300	FRB25-IN	C-4326	25	1	6
FC-2390	4 1/4"	13 1/2"	2 1/4" open	2 1/4" open	Waterway 50 in. line	817-3000	FRB50-J-MIN	C-4955	50	1	6
FC-2400	4 1/4"	23 1/2"	2 1/4" open	2 1/4" open	Waterway 75 in. line	817-3500	PCAL75	C-4955	75	1	6
FC-2400	4 1/4"	23 1/2"	2 1/4" open	2 1/4" open	Waterway 100 in. line	817-1000	PCAL100	C-4955	100	1	6
FC-2540M	4 1/4"	23 1/2"	2 1/4" open	2 1/4" open	Waterway in line - antimicrobial		PCAL100-M	C-4955RA	100	1	6
FC-2970	3 1/4"	10 1/2"	2 1/4" open	2 1/4" open	43 sq. ft. Top Load	817-0014	FLB150-M	C-5345	45	1	6
FC-2976	3 1/4"	30 1/2"	2 1/4" open	2 1/4" open	Top Load (in-line) 135 sq. ft.	817-0147	PCST135	C-5351	135	1	1
FC-2971	3 1/4"	14 1/2"	2 1/4" open	2 1/4" open	63 sq. ft. Top Load	817-0075	FLB175-M	C-5374	65	1	6
FC-2975	3 1/4"	21 1/2"	2 1/4" open	2 1/4" open	Top Load (in-line) 100 sq. ft.	817-0098	PCST100-M	C-5366	100	1	1
FC-2972	3 1/4"	12 1/2"	2 1/4" open	2 1/4" open	100 sq. ft. Top Load	817-0076	FLB100-M	C-5397	100	1	6
FC-0359	6	8 1/2"	Handle	1 1/2" S&E	Front Access Skin Filter Two 40 sq. ft. cartridge required (used side-by-side)	817-0050	PWW50PS	6CH-940	40	1	6
FC-0360	6	8 1/2"	Handle	1 1/2" Water Stop	Front Access Skin Filter 817-0011 (FC-0360) and 817-0012 (FC-0361) required (attached)	817-0011	PW-W10051-PS	6CH-941	80	1	6
FC-0361	6	8 1/2"	1 1/2" Cross Top	1 1/2" S&E	Front Access Skin Filter 817-0011 (FC-0360) and 817-0012 (FC-0361) required (attached)	817-0012	PWW100STPS	6CH-942	80	1	6
FC-3754	6 1/2"	13 1/2"	2 1/4" open	2 1/4" open	Dyna Flow 8L	817-0018	FWA	C-6375	75	1	1
FC-3755	6 1/2"	17 1/2"	2 1/4" open	2 1/4" open	Dyna Flow 8L	817-0019	FWA	C-6375	100	1	1
FC-806	7	20	3" open	3" open	Crystal Water 325 Four 80 sq. ft. cartridges required	817-0081	PCC80-M/PARA	C-7470	80	4	1
FC-807	7	26 1/2"	3" open	3" open	Crystal Water 425 Four 105 sq. ft. cartridges required	817-0106	PCC105-M/PARA	C-7471	105	4	1
FC-808	7	32 1/2"	3" open	3" open	Crystal Water 525 Four 125 sq. ft. cartridges required	817-0131	PCC125-M/PARA	C-7472	125	4	1
FC-1265	8 1/4"	17 1/2"	4" open	4" open	Clearwater 875L Pro Clean 75	817-0075N, 817-0075F	FWA	C-8411	75	4	1
FC-1283	8 1/4"	17 1/2"	4" open	4" open	Clearwater 875L Pro Clean 100	817-0100N, 817-0100F	RKST100	C-8409	100	4	1
FC-1286	8 1/4"	23 1/2"	4" open	4" open	Pro Clean 150	817-0120N	PWWPC-150B-M/4"	C-8416	150	4	1
FC-1288	8 1/4"	23 1/2"	4" open	4" open	Clearwater 875L	817-0200N	PWWCT200/RKST200-M	C-8418	200	4	1
FC-1293	8 1/4"	23 1/2"	4" open	4" open	Clearwater 875L Pro Clean 125	817-0125N	RA125/M/4	C-8412	125	4	1
N/A	8 1/4"	28 1/2"	4" open	4" open	Pro Clean 125 Verify length of Pro Clean 125 to determine correct FLBUff replacement	817-0125F		C-8413	125	4	1
FC-1211	8 1/4"	28 1/2"	4" open	4" open	Pro Clean 200	817-0200F	RA200/PWWF-C200-M/4	C-8420	200	4	1
FC-1285	8 1/4"	28 1/2"	4" open	4" open	Pro Clean 150 Verify length of Pro Clean 150 to determine correct FLBUff replacement	817-0110F	PWWPC-150B-M/4"	C-8416	150	4	1
FC-1294	8 1/4"	28 1/2"	4" open	4" open	Pro Clean 175	817-0175F	RA175/M/4	C-8417	175	4	1
FC-2968	10	13 1/2"	5 1/2" open	5 1/2" open	Clearwater Pool 2005 and earlier	817-0075	PWW75-4	C-9401	75	4	1
FC-2965	10	19 1/2"	5 1/2" open	5 1/2" open	Clearwater Pool 2005 and earlier	817-0100	PWW100-4/MA	C-9402	100	4	1
FC-2969	10	25 1/2"	5 1/2" open	5 1/2" open	Clearwater Pool 2005 and earlier	817-0150	PWW150-4/MA	C-9403	150	4	1
WATKINS MFG See Caldera Spas, Hot Springs, Tiger River											
WET INSTITUTE											
FC-3045	2 1/2"	14 1/2"	1 1/4" open	1 1/4" open	Wet Institute 6	12050201	PW15W/C	C-3607	6	4	20
FC-9030	7 1/2"	14	3 1/4" open	3 1/4" open	Wet 180 Three 60 sq. ft. cartridges required	17-2812, 4983, 4985, 12050203	FRAB60-M	C-7680	60	4	1
FC-9910	7 1/2"	22 1/2"	3 1/4" open	3 1/4" open	Wet 180 Three 105 sq. ft. cartridges required	17-2812, 4983, 12050204	FRAB105-M	C-7699	105	4	1

FILTER #	D.D.	LENGTH	TOP	BOTTOM	DESCRIPTION	OEM	PLEATED	UNICEL	SQ. FT.	Q2	CASE QTY
WET INSTITUTE (continued)											
FC-128F	8 1/4"	21 1/2"	4" open	4" open	Clearwater II 130	817-0730N	Ple-WCT130/M/ PC1900/M/4	C-8414	190	4	1
FC-128E	8 1/4"	21 1/2"	4" open	4" open	Clearwater II 200	817-0200N	Ple-WCT200/ RST200/M	C-8419	200	4	1
WHITE SPRING SPAS											
FC-032F	4 1/2"	9 1/2"	Handle	1 1/2" MPF	4 1/2" x 9 1/2"		PDS3M4	ACH-24	25	3	6
WILD WATER SPAS											
FC-035D	4"	16 1/2"	Handle	1 1/2" MPF	8 x 16 1/2" Remove fitting or couple to fit cartridge	PFL600W-F	ACH-60	50	3	1	
WIND RIVER SPAS											
FC-238S	4 1/4"	9 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 35		PR835/IN	C-4135	35	3	6
FC-239S	4 1/4"	12 1/2"	2 1/2" open	2 1/2" open	Rainbow Dynamic 50		PR850/J-55N	C-4950	50	3	6



PURE 'N CLEAN™

THE ULTIMATE CARTRIDGE & D.E. FILTER CLEANER

Melts away calcium, minerals, dirt and oils.

Pure 'n Clean multi-purpose cleaner removes dirt, oils and scale. Deep penetrating action renews cartridge and D.E. filter efficiency and flow rate.

PROFESSIONAL GRADE

PROFESSIONAL CLEANING SOLUTION

FILTER #	PER CASE	LB3 / CASE	OZ. / BOTTLE
FC-635D	12	27	32

MICRO-KLEAN™ FILL FILTERS

Filter your water before you fill your pool or spa with the Micro-Klean fill cartridges. Available in both a pleated and disposable version these filters reduce total dissolved solids (TDS) from your water and increase the quality of your pool or spa water.

- Attaches to the end of any garden hose.
- Reduces hard mineral deposits.
- Extends filter life.
- Easier to balance chemicals from the start.
- Removes solids from water.



MICRO-KLEAN™ FILL FILTERS

FILTER #	DESCRIPTION	D.D.	LENGTH	TOP	BOTTOM	SQ. FT.	Q2	CASE
FC-312S	Pleated sediment filter w/hose adapter	2 1/4"	10"	Hose Fitting	Closed	4	4	12
FC-312B	Disposable sediment filter w/hose adapter	2 1/4"	10"	Hose Fitting	Closed	N/A	N/A	12
FC-312F	Big Daddy disposable sediment filter w/hose adapter	4 1/4"	12 1/2"	Hose Fitting	Closed	N/A	N/A	6



FILBUR
POOL AND SPA FILTRATION

DEALER REWARD PROGRAM

Rewards – earn reward vouchers for every \$100 spent!

POP – Point of Purchase Materials give your filter cartridge display a professional look with free shelf talkers, hanging signs... and more!


Support – Exclusive Online Support allows access to resources designed specifically to help you become the expert and sell more filters!



Use the
Professional's Choice
and get rewarded!



DIATOMACEOUS EARTH (D.E.) GRIDS



FILBUR genuine replacement grids are designed for Diatomaceous Earth (D.E.) filter applications. All grids are constructed with a special reinforced center core for added durability. Seams are stitched with heavy duty, chemical resistant string and are sonic welded to prevent fraying. Proprietary grid cloth stands up to more backwashing than the competition.

FILBUR
POOL AND SPA FILTRATION

MODEL #	UNICEL #	DESCRIPTION	LENGTH	WIDTH	QTY
UNIVERSAL-FULL					
FC-9320*	PG-1002	Universal Large 24 NSF/ANSI Standard 50-Health Effects	12	11	10
FC-9330*	PG-1003	Universal Large 36 NSF/ANSI Standard 50-Health Effects	18	11	10
FC-9340*	PG-1004	Universal Large 48 NSF/ANSI Standard 50-Health Effects	24	11	10
FC-9350*	PG-1005	Universal Large 60 NSF/ANSI Standard 50-Health Effects	30	11	10
FC-9360*	PG-1006	Universal Large 72 NSF/ANSI Standard 50-Health Effects	36	11	10
UNIVERSAL-PARTIAL					
FC-9420*	PG-1902	Universal Small 24 NSF/ANSI Standard 50-Health Effects	12	9 1/2	10
FC-9430*	PG-1903	Universal Small 36 NSF/ANSI Standard 50-Health Effects	18	9 1/2	10
FC-9440*	PG-1904	Universal Small 48 NSF/ANSI Standard 50-Health Effects	24	9 1/2	10
FC-9450*	PG-1905	Universal Small 60 NSF/ANSI Standard 50-Health Effects	30	9 1/2	10
FC-9460*	PG-1906	Universal Small 72 NSF/ANSI Standard 50-Health Effects	36	9 1/2	10
UNIVERSAL-KITS (7 Large + 1 Small Grid)					
FC-9520*	PS-2002	Universal Pro Kit 24	12	N/A	1 set
FC-9530*	PS-2003	Universal Pro Kit 36	18	N/A	1 set
FC-9540*	PS-2004	Universal Pro Kit 48	24	N/A	1 set
FC-9550*	PS-2005	Universal Pro Kit 60	30	N/A	1 set
FC-9560*	PS-2006	Universal Pro Kit 72	36	N/A	1 set
PUREX					
FC-9220	PG-1224	Purex 24	18 3/4	10 1/4	8
FC-9230	PG-1234	Purex 36	27 1/4	10 1/4	8
FC-9240	PG-1248	Purex 48	35 3/4	10 1/4	8
FC-9250	PG-1260	Purex 60	43 1/4	10 1/4	8
FC-9260	PG-1272	Purex 72	51 3/4	10 1/4	8
STA-RITE KITS					
FC-9898	PS-3037	Sta-Rite System 3 SD OE grid set 37"			1 set
Note: Set is made of 11 grids: 1 FC-9875, 2 ea. of FC-9880, FC-9825, FC-9830, FC-9840, FC-9845					
FC-9899	PS-3053	Sta-Rite System 1 SD OE grid set 53"			1 set
Note: Set is made of 11 grids: 4 FC-9850, 2 FC-9875, 2 ea. of FC-9825, FC-9840, FC-9880					

All grids are sold in case quantity only. No broken cases.

* See NSF Statement to the Right.

GRID WIDTHS



PUREX NOTCH




UNIVERSAL OPEN SLOT




POLYUR #	UNICEL #	DESCRIPTION	LENGTH	WIDTH	QTY
UNIVERSAL-FULL					
FC-9720	FG-2409	Anthony Flowmaster	24	9	15
FC-9730	FG-2412	Anthony Flowmaster	24	12	15
FC-9740	FG-2413	Anthony Flowmaster	24	13 1/4	15
FC-9750	FG-2417	Anthony Flowmaster	24	17 1/4	15
FC-9760	N/A	VA-38 Grid Set			1 set
Note: Set is made of 8 grids: 4 ea. FC-9740, 2 ea. FC-9750					
FC-9770	N/A	VA-52 Grid Set			1 set
Note: Set is made of 10 grids: 4 ea. FC-9740, 6 ea. FC-9750					
STA-RITE/SWIMQUIP					
FC-9810	FG-3005	Swimquip (center port)	18	5	12
FC-9815	FG-3008	Swimquip (center port)	18	8 1/4	12
FC-9820	FG-3009	Sta-Rite System 3 STD75 (center port)	18	9 1/4	12
FC-9825	FG-3011	Sta-Rite System 3 STD110 (center port)	18	11	12
FC-9830	FG-3012	Sta-Rite System 3 STD75 (center port)	18	12 1/4	12
FC-9835	FG-3013	Swimquip (center port)	18	13 1/4	12
FC-9840	FG-3015	Sta-Rite System 3 STD75 (center port)	18	15 1/4	12
FC-9845	FG-3016	Sta-Rite System 3 STD110 (center port)	18	16 1/4	12
FC-9850	FG-3019	Sta-Rite System 3 STD110 (center port)	18	19 1/4	12
FC-9860	FG-3020	Swimquip (center port)	18	20 1/4	12
FC-9865	FG-3022	Swimquip (center port)	18	22	12
FC-9870	FG-3111	Swimquip (offset port)	18	11	12
FC-9875	FG-3112	Sta-Rite System 3 STD75 (offset port)	18	12 1/4	12
FC-9880	FG-3113	Sta-Rite System 3 STD75 (offset port)	18	13 1/4	12
FC-9885	FG-3116	Sta-Rite System 3 STD110 (offset port)	18	16 1/4	12
FC-9890	FG-3117	Swimquip (offset port)	18	17 1/4	12
FC-9895	FG-3119	Swimquip (offset port)	18	19 1/4	12
FC-9898	FS-1052	Sta-Rite System 3 SD DE grid set 30"			1 set
FC-9899	FS-1053	Sta-Rite System 3 SD DE grid set 53"			1 set
SPIN FILTERS					
FC-9910	S-0100	Circular Spin Grid- 19" x 2 3/4" hub	N/A	19	25
FC-9920	S-0120	Circular Spin Grid- 17" x 2 1/4" hub	N/A	17	25
FC-9930	S-0160	Circular Spin Grid- 16" x 2 1/4" hub	N/A	16	25
FC-9940	S-0140	Circular Spin Grid- 14 1/2" x 2 1/4" hub	N/A	14 1/2	50
FC-9950	S-0130	Circular Spin Grid- 13" x 2 1/4" hub	N/A	13	50
FC-9960	S-0115	Circular Spin Grid- 11 3/8" x 2 1/4" hub	N/A	11 3/8	50

All grids are sold in case quantity only. Not broken cases.



ANTHONY



FLUID #	DESCRIPTION	Sq. ft.	LENGTH	WIDTH	OEM	ureCEL #
VERTICAL DE GRIDS - FULL						
FC-9220	Pures [®]	24	13%	10 1/4"	07-4922	FG-1224
FC-9230	Pures [®]	36	19%	10 1/4"	07-4923	FG-1236
FC-9240	Pures [®]	48	25%	10 1/4"	07-4924	FG-1248
FC-9250	Pures [®]	60	31%	10 1/4"	07-4925	FG-1260
FC-9260	Pures [®]	72	37%	10 1/4"	07-4926	FG-1272
FC-9320†	Universal Large NSF/ANSI Standard 50: Health Effects	24	12"	11"		FG-1002
FC-9330†	Universal Large NSF/ANSI Standard 50: Health Effects	36	18"	11"		FG-1003
FC-9340†	Universal Large NSF/ANSI Standard 50: Health Effects	48	24"	11"		FG-1004
FC-9350†	Universal Large NSF/ANSI Standard 50: Health Effects	60	30"	11"		FG-1005
FC-9360†	Universal Large NSF/ANSI Standard 50: Health Effects	72	36"	11"		FG-1006
VERTICAL DE GRIDS - PARTIAL/SMALL						
FC-9420†	Universal Small NSF/ANSI Standard 50: Health Effects	24	12"	9 1/4"		FG-1902
FC-9430†	Universal Small Certified to NSF/ANSI Standard 50	36	18"	9 1/4"		FG-1903
FC-9440†	Universal Small Certified to NSF/ANSI Standard 50	48	24"	9 1/4"		FG-1904
FC-9450†	Universal Small Certified to NSF/ANSI Standard 50	60	30"	9 1/4"		FG-1905
FC-9460†	Universal Small Certified to NSF/ANSI Standard 50	72	36"	9 1/4"		FG-1906
RECTANGULAR DE GRIDS W/ CENTER HUB PORT						
FC-9720	Anthony Flowmaster	24	8"		25050	FG-2409
FC-9730	Anthony Flowmaster	24	12"		25052	FG-2410
FC-9740	Anthony Flowmaster	24	13 1/2"		017564	FG-2413
FC-9750	Anthony Flowmaster	24	17 1/2"		017565	FG-2417
RECTANGULAR DE GRIDS W/ TOP EXIT PORT						
FC-9810	Sermquip (center port)	18	9"		23900-0031	FG-3005
FC-9815	Sermquip (center port)	18	8 1/4"		23900-0141	FG-3008
FC-9820	Sta-Rite System 3 STD75 (center port)	18	8 1/4"		23900-1173	FG-3009
FC-9825	Sta-Rite System 3 STD110 (center port)	18	11"		23900-0032	FG-3011
FC-9830	Sta-Rite System 3 STD75 (center port)	18	12%		23900-1175	FG-3012
FC-9835	Sermquip (center port)	18	13 1/4"		23900-0052	FG-3013
FC-9840	Sta-Rite System 3 STD75 (center port)	18	15 1/4"		23900-1174	FG-3015
FC-9843	Sta-Rite System 3 STD110 (center port)	18	16 1/4"		23900-0033	FG-3016
FC-9850	Sta-Rite System 3 STD110 (center port)	18	19 1/4"		23900-0144	FG-3019
FC-9860	Sermquip (center port)	18	20 1/4"		23900-0143	FG-3020
FC-9863	Sermquip (center port)	18	22"		23900-0034	FG-3022
FC-9870	Sermquip (offset port)	18	11"		23900-0048	FG-3911
FC-9875	Sta-Rite System 3 STD75 (offset port)	18	12 1/4"		23900-1171	FG-3912
FC-9880	Sta-Rite System 3 STD75 (offset port)	18	13 1/4"		23900-1170	FG-3913
FC-9885	Sta-Rite System 3 STD110 (offset port)	18	16 1/4"		23900-1172	FG-3916
FC-9890	Sermquip (offset port)	18	17 1/4"		23900-0142	FG-3917
FC-9895	Sermquip (offset port)	18	19 1/4"		23900-0145	FG-3919

† Do not substitute or mix Premier/Atlas and Pures grids

‡ See NSF Statement to the right

Vertical D.E. Grids - Full

DESCRIPTION	Sq. ft.	LENGTH	WIDTH	OEM	FILTR #
ASTRAL					
18044 Clarity DE	24	12	11		FC-9120
18045 Clarity DE	36	18	11		FC-9130
18046 Clarity DE	48	24	11		FC-9140
18047 Clarity DE	60	30	11		FC-9150
CANTAR					
Earthworks D.E.	36	18	11	422Y7003	FC-9130
Earthworks D.E.	48	24	11	422Y7005	FC-9140
Earthworks D.E.	60	30	11	422Y7007	FC-9150
Earthworks D.E.	72	36	11	422Y7009	FC-9160
HAYWARD					
Micro-Clear	24	12	11	DEK400DA (full grid)	FC-9120
Micro-Clear	36	18	11	DEK600DA (full grid)	FC-9130
Micro-Clear	48	24	11	DEK800DA (full grid)	FC-9140
Micro-Clear	60	30	11	DEK1000DA (full grid)	FC-9150
Micro-Clear	72	36	11	DEK1200DA (full grid)	FC-9160
JANCOY (WATERPIK)					
DEL 48	48	24	11	40540108	FC-9140
DEL 60	60	30	11	8015F100, 5010F200	FC-9150
PENTAIR POOL PRODUCTS - AMERICAN PRODUCTS REPLACEMENTS					
5000 Series, Titan CM, Titan RPM Titan Stainless Steel	24	12	11	59001100 (full grid)	FC-9120
5000 Series, Titan CM, Titan RPM Titan Stainless Steel	36	18	11	59001800 (full grid)	FC-9130
5000 Series, Titan CM, Titan RPM Titan Stainless Steel	48	24	11	59002400 (full grid)	FC-9140
5000 Series, Titan CM, Titan RPM Titan Stainless Steel	60	30	11	59003000 (full grid)	FC-9150
5000 Series, Titan CM, Titan RPM Titan Stainless Steel	72	36	11	59003600 (full grid)	FC-9160
FNS Plus, FNS 24 (Nautilus FNS Polymers)	24	12	11	59001100 (full grid), 19-2186 (full grid)	FC-9120
NS24 (Nautilus), NSP 24 (Nautilus Plus)					
FNS Plus, FNS 36 (Nautilus FNS Polymers)	36	18	11	59001800 (full grid), 19-2187 (full grid)	FC-9130
NS36 (Nautilus), NSP 36 (Nautilus Plus)					
FNS Plus, FNS 48 (Nautilus FNS Polymers)	48	24	11	59002400 (full grid), 19-2188 (full grid)	FC-9140
NS48 (Nautilus), NSP 48 (Nautilus Plus)					
FNS Plus, FNS 60 (Nautilus FNS Polymers)	60	30	11	59003000 (full grid), 19-2189 (full grid)	FC-9150
NS60 (Nautilus), NSP 60 (Nautilus Plus)					
NS72 (Nautilus), NSP 72 (Nautilus Plus)	72	36	11	19-5058 (full grid)	FC-9160
PENTAIR POOL PRODUCTS - PUREX					
SM/SMW 2024/4024	24	13 1/4	10 1/4	07-4922	FC-9120
SM/SMW 2036/4036	36	19 1/4	10 1/4	07-4921	FC-9130
SM/SMW 2048/4048	48	25 1/4	10 1/4	07-4924	FC-9140
SM/SMW 2060/4060	60	31 1/4	10 1/4	07-4923	FC-9150
SM/SMW 2072	72	37 1/4	10 1/4	07-4926	FC-9160
STA-RITE					
Universal Large 24	24	12	11	WC208-74	FC-9120
Universal 36	36	18	11	WC208-75	FC-9130
Universal 48	48	24	11	WC208-76	FC-9140
Universal 60	60	30	11	WC208-77	FC-9150
Universal 72	72	36	11	WC208-78	FC-9160
WATERWAY PLASTICS					
Crystal Water	36	18	11	418-3950	FC-9130
Crystal Water	48	24	11	418-3910	FC-9140
Crystal Water	60	30	11	418-3930	FC-9150

Vertical D.E. Grids - Partial/Small

DESCRIPTION	Sq. Ft.	LENGTH	WIDTH	OEM	PILBUR #
ASTRAL					
88044 Clarity DE	24	12	9 1/2		PC-9425
88045 Clarity DE	36	18	9 1/2		PC-9430
88046 Clarity DE	48	24	9 1/2		PC-9440
88047 Clarity DE	60	30	9 1/2		PC-9450
HAYWARD					
Micro-Deer	24	12	9 1/2	DEX2900DS (partial/small grid)	PC-9420
Micro-Deer	36	18	9 1/2	DEX3600DS (partial/small grid)	PC-9430
Micro-Deer	48	24	9 1/2	DEX4800DS (partial/small grid)	PC-9440
Micro-Deer	60	30	9 1/2	DEX6000DS (partial/small grid)	PC-9450
Micro-Deer	72	36	9 1/2	DEX7200DS (partial/small grid)	PC-9460
JANDY (WATERPILO)					
DEL 48	48	24	9 1/2	A0540200	PC-9440
DEL 60	60	30	9 1/2	S0109300, R0379300	PC-9450
PENTAIR POOL PRODUCTS - AMERICAN PRODUCTS REPLACEMENTS					
5000 Series, Titan CM, Titan RPM, Titan Stainless Steel	24	12	9 1/2	5900000 (partial/small grid)	PC-9425
5000 Series, Titan CM, Titan RPM, Titan Stainless Steel	36	18	9 1/2	590017 (partial/small grid)	PC-9430
5000 Series, Titan CM, Titan RPM, Titan Stainless Steel	48	24	9 1/2	590023 (partial/small grid)	PC-9440
5000 Series, Titan CM, Titan RPM, Titan Stainless Steel	60	30	9 1/2	59002900 (partial/small grid)	PC-9450
5000 Series, Titan CM, Titan RPM, Titan Stainless Steel	72	36	9 1/2	59003500 (partial/small grid)	PC-9460
PENTAIR POOL PRODUCTS - PAC FAB REPLACEMENTS					
FNS Plus, FNS 24 (Nautilus FNS Polyblend)	24	12	9 1/2	59000000 (partial/small grid)	PC-9425
NS24 (Nautilus), NSF-24 (Nautilus Plus)				19-2330 (partial/small grid)	
FNS Plus, FNS 36 (Nautilus FNS Polyblend)	36	18	9 1/2	59001700 (partial/small grid)	PC-9430
NS36 (Nautilus), NSF-36 (Nautilus Plus)				19-2330 (partial/small grid)	23900-1172
FNS Plus, FNS 48 (Nautilus FNS Polyblend)	48	24	9 1/2	59002300 (partial/small grid)	PC-9440
NS48 (Nautilus), NSF-48 (Nautilus Plus)				19-2332 (partial/small grid)	23900-0143
FNS Plus, FNS 60 (Nautilus FNS Polyblend)	60	30	9 1/2	59002900 (partial/small grid)	PC-9450
NS60 (Nautilus), NSF-60 (Nautilus Plus)				19-2334 (partial/small grid)	
NS72 (Nautilus), NSF-72 (Nautilus Plus)	72	36	9 1/2	19-5059 (partial/small grid)	PC-9460
WATERWAY PLASTICS					
Crystal Water	36	18	9 1/2	818-2940	PC-9430
Crystal Water	48	24	9 1/2	818-2900	PC-9440
Crystal Water	60	30	9 1/2	818-2920	PC-9450

REVERSE CROSS REFERENCE

UNICEL  FILBUR*

*Cross references are based on the best available information at the time of publication. FilBUR does not consider all cross references of equal quality/construction due to media variations from OEM specifications.

UNICEL #	FILBUR #
C-2302	FC-2320
C-2303	FC-2324
C-2304	FC-2027
C-2305	FC-3120
C-2306	FC-3062
C-2308	FC-2308
C-2604	FC-2190
C-2606	FC-2345
C-2606	FC-3066
C-2607	FC-3065
C-2608	FC-2330
C-2610	FC-3067
C-2612	FC-2340
C-2613	FC-2195
C-2618	FC-2360
C-2699	FC-3123
C-2912	FC-2365
C-3302	FC-3751
C-3608	FC-3576
C-3612	FC-3669
C-4301	FC-1610
C-4302	FC-0183
C-4304	FC-3711
C-4305	FC-1617
C-4305	FC-1630
C-4306	FC-3142
C-4307	FC-3144
C-4308	FC-4305
C-4309	FC-3143
C-4310	FC-3073
C-4310RA	FC-3073M
C-4311	FC-2396
C-4312	FC-1210
C-4313	FC-3756
C-4313	FC-3753
C-4316	FC-3130
C-4320	FC-1215
C-4321	FC-2372
C-4324	FC-0187
C-4324	FC-1054
C-4325	FC-0640
C-4325	FC-1828
C-4326	FC-2376
C-4326RA	FC-2376M
C-4328	FC-3650
C-4332	FC-1612
C-4332	FC-1620
C-4335	FC-3385
C-4335RA	FC-2385M

UNICEL #	FILBUR #
C-4339	FC-1811
C-4339	FC-2915
C-4340	FC-3081
C-4345	FC-2660
C-4349	FC-4350
C-4351	FC-0184
C-4360	FC-0179
C-4401	FC-2386
C-4401RA	FC-2386M
C-4402	FC-3075
C-4408	FC-2620
C-4429	FC-3082
C-4431	FC-3078
C-4440	FC-2710
C-4449	FC-2640
C-4600	FC-3830
C-4602	FC-3811
C-4605	FC-3870
C-4606	FC-3709
C-4607	FC-3710
C-4610	FC-2510
C-4611	FC-3730
C-4620	FC-0646
C-4625	FC-2510
C-4637	FC-2500
C-4650	FC-2390
C-4650RA	FC-2390M
C-4770	FC-2930
C-4875	FC-2395
C-4975RA	FC-2395M
C-4995	FC-2990
C-4995RA	FC-2990M
C-4999	FC-2397
C-5100	FC-1120
C-5115	FC-0752
C-5125	FC-3100
C-5126	FC-0107
C-5145	FC-2970
C-5146	FC-3670
C-5149	FC-3105
C-5155	FC-3101
C-5157	FC-2916
C-5171	FC-3018
C-5174	FC-2971
C-5175	FC-3103
C-5196	FC-2975
C-5196RA	FC-2975M
C-5381	FC-2973
C-5398	FC-3110

UNICEL #	FILBUR #
C-5404	FC-3097
C-5406	FC-3090
C-5423	FC-3623
C-5433	FC-2918
C-5434	FC-3634
C-5601	FC-1830
C-5601RA	FC-1830M
C-5615	FC-1415
C-5621	FC-3691
C-5622	FC-3015
C-5624	FC-3305
C-5625	FC-1425
C-5626	FC-3626
C-5627	FC-3078
C-5635	FC-1437
C-5637	FC-3637
C-6310	FC-3753
C-6330	FC-1340
C-6330	FC-2815
C-6334	FC-3725
C-6410	FC-3915
C-6410RA	FC-3915M
C-6413	FC-3528
C-6475	FC-3005
C-6600	FC-2930
C-6601	FC-3085
C-6625	FC-1426
C-6960	FC-1561
C-6960	FC-1562
C-6960	FC-1563
C-7101	FC-4315
C-7102	FC-4320
C-7103	FC-4325
C-7104	FC-1450
C-7106	FC-1455
C-7130	FC-3003
C-7133	FC-3054
C-7150	FC-2963
C-7150RA	FC-2963M
C-7167	FC-3027
C-7170	FC-2760
C-7175	FC-2964
C-7176RA	FC-2964M
C-7600	FC-3098
C-7601	FC-4005
C-7602	FC-4018
C-7603	FC-4015
C-7606	FC-0770
C-7607	FC-0780

UNICEL ➔	FILBUR ➔
C-7408	FC-0770
C-7409	FC-4020
C-7414	FC-3550
C-7418	FC-3540
C-7425	FC-0415
C-7437	FC-5125
C-7432	FC-0483
C-7433	FC-3115
C-7437	FC-0480
C-7440	FC-3130
C-7442	FC-1230
C-7447	FC-1235
C-7448	FC-3155
C-7449	FC-0471
C-7450	FC-0425
C-7451	FC-3084
C-7453	FC-0670
C-7455	FC-1235
C-7458	FC-1220
C-7459	FC-0800
C-7460	FC-2150
C-7463	FC-3112
C-7465	FC-2730
C-746A	FC-2740
C-7467	FC-2170
C-7468	FC-0410
C-7469	FC-1975
C-7470	FC-1974
C-7471	FC-1973
C-7472	FC-1978
C-7474	FC-0470
C-7475	FC-0635
C-7476	FC-0475
C-7477	FC-1240
C-7479	FC-3085
C-7480	FC-2760
C-7481	FC-2165
C-7482	FC-0320
C-7483	FC-1225
C-7487	FC-1270
C-7488	FC-1226
C-7489	FC-1275
C-7490	FC-1267
C-7491	FC-2190
C-7492	FC-2192
C-7493	FC-2194
C-7494	FC-1227
C-7495	FC-1296
C-7496	FC-2180
C-7497	FC-3180

UNICEL ➔	FILBUR ➔
C-7498	FC-0695
C-7499	FC-0650
C-7504	FC-0710
C-7505	FC-0725
C-7506	FC-0730
C-7507	FC-0740
C-7525	FC-0610
C-7526	FC-1230
C-7533	FC-2150
C-7550	FC-0620
C-7551	FC-2140
C-7552	FC-2180
C-7553	FC-0700
C-7560	FC-1930
C-7574	FC-0457
C-7575	FC-0630
C-7576	FC-1250
C-7578	FC-1970
C-7579	FC-1960
C-7580	FC-1940
C-7585	FC-0010 FC-0010 FC-0013 FC-0013
C-7597	FC-0013 FC-0013
C-7600	FC-1091
C-7609	FC-1950
C-8330	FC-3150
C-8311	FC-1265
C-8315	FC-3155
C-8316	FC-1286
C-8320	FC-2750
C-8325	FC-2750
C-8326	FC-2780
C-8341	FC-1007
C-8350	FC-3053
C-8380	FC-2810
C-8398	FC-3150
C-8399EA	FC-3160M
C-8301	FC-1970
C-8409	FC-1292
C-8410	FC-0821
C-8411	FC-1255
C-8412	FC-1263
C-8413	FC-2575
C-8414	FC-0822
C-8415	FC-0903
C-8416	FC-2570
C-8417	FC-1294
C-8418	FC-0823
C-8419	FC-1285
C-8420	FC-1911
C-8425	FC-0824

UNICEL ➔	FILBUR ➔
C-8450	FC-3250
C-8455	FC-3960
C-8475	FC-3320
C-8499	FC-0902
C-8600	FC-1281
C-8610	FC-1290
C-8601	FC-2960
C-7402	FC-2965
C-8603	FC-2969
C-8605	FC-0684
C-8607	FC-0683
C-8610	FC-0686
C-8612	FC-0695
C-8619	FC-0688
C-8620	FC-1496
C-8621	FC-0825
C-8622	FC-0830
C-8675	FC-1480
C-8678	FC-1495
C-8680	FC-1400
C-8687	FC-1401
C-8682	FC-1402
C-8683	FC-1403
C-8685	FC-1298
C-8688	FC-0840
C-8699	FC-1299
C-8693	FC-0255
C-8690	FC-1460
C-8699	FC-1460
C-9999	FC-3106
T-380	FC-3040
T-5808	FC-3061
UHD-SR100	FC-3530
UHD-SR125	FC-3540
UHD-SR125	FC-2570
UHD-SR25	FC-2520
UHD-SR30	FC-2530
UHD-SR70	FC-2540
4CH-19	FC-0122
4CH-20	FC-0125
4CH-20	FC-0145
4CH-21	FC-0121
4CH-22	FC-2399
4CH-23	FC-2400
4CH-24	FC-0131
4CH-24EA	FC-0131M
4CH-30	FC-0141
4CH-30EA	FC-0141M
4CH-35	FC-0161
4CH-50	FC-0151

UNICEL #	FILBUR #
4CH-589A	FC-0157M
4CH-930	FC-0124
4CH-925	FC-0126
4CH-940	FC-0177
4CH-989	FC-0072
4CH-950	FC-0173
5CH-303	FC-0303
5CH-35	FC-0380
5CH-303	FC-0196
5CH-352WA	FC-0196M
5CH-358W	FC-0300M
5CH-402	FC-2011
5CH-45	FC-2401
5CH-502	FC-0195
6CH-25	FC-0385
6CH-26	FC-0310
6CH-30	FC-0320
6CH-352	FC-0312
6CH-40	FC-0330
6CH-47	FC-0315
6CH-478A	FC-0315M
6CH-49	FC-0314
6CH-58	FC-0340

UNICEL #	FILBUR #
6CH-602	FC-0311
6CH-60	FC-0350
6CH-940	FC-0359
6CH-948A	FC-0359M
6CH-941	FC-0360
6CH-942	FC-0361
6CH-940	FC-3800
6CH-948A	FC-2500M
6CH-941	FC-2715
7CH-30	FC-0425
7CH-321	FC-0420
7CH-40	FC-0425
7CH-402	FC-0430
7CH-50	FC-0463
7CH-502	FC-0460
7CH-752	FC-0470
7CH-90	FC-2770
7CH-975	FC-0475
8CH-102	FC-2781
8CH-202	FC-0517

UNICEL ➔ FILBUR | CROSS REFERENCE

D.E. Grids

UNICEL #	FILBUR #
FG-1002	FC-9100
FG-1003	FC-9100
FG-1004	FC-9140
FG-1005	FC-9150
FG-1006	FC-9160
FG-1204	FC-9200
FG-1236	FC-9230
FG-1248	FC-9240
FG-1260	FC-9250
FG-1272	FC-9260
FG-2409	FC-9720
FG-2412	FC-9730
FG-2413	FC-9740
FG-2417	FC-9750
FG-3009	FC-9810
FG-3008	FC-9815
FG-3009	FC-9820

UNICEL #	FILBUR #
FG-3011	FC-9825
FG-3012	FC-9840
FG-3013	FC-9835
FG-3015	FC-9840
FG-3016	FC-9845
FG-3019	FC-9850
FG-3020	FC-9860
FG-3032	FC-9865
FG-3911	FC-9870
FG-3912	FC-9875
FG-3913	FC-9880
FG-3916	FC-9885
FG-3917	FC-9890
FG-3919	FC-9895
FS-2002	FC-9520
FS-2003	FC-9530
FS-2004	FC-9540

UNICEL #	FILBUR #
FS-2005	FC-9550
FS-2006	FC-9560
FS-3007	FC-9898
FS-3053	FC-9899
FG-19102	FC-9420
FG-1903	FC-9430
FG-1904	FC-9440
FG-1905	FC-9450
FG-1906	FC-9460
S-0170	FC-9940
S-0120	FC-9950
S-0160	FC-9940

ENGINEERING DATA & MEASUREMENTS

$$\text{Flow Rate} = \frac{\text{Volume}}{\text{Time}}$$

$$\text{Volume} = L \times W \times H$$

$$\text{Area of a rectangle} = L \times W$$

$$\text{Area of a Circle} = \pi r^2$$

$$\pi \approx 3.141592\dots$$

$$\text{Circumference of a Circle} = 2 \pi r$$

$$\text{Volume of a Cylinder} = \pi r^2 h$$



Understanding Micron Ratings for Fluid Filters

A micron rating for a fluid filter is a generalized way of indicating the ability of the filter to remove contaminants by the size of the particles. **AIR FILTERS ARE NOT RATED BY MICRON SIZE.**

The micron rating does not properly and fully describe either the efficiency or the contaminant-holding capacity of the filter.

What does the word micron mean?

It is a unit of linear measure in the metric system used to measure distance from one point to another. It is used like the inch, foot, centimeter and millimeter to measure the length, width, or diameter of objects.

A filter that is marked "10 microns" has some capability in capturing particles as small as 10 microns. However, there is no one accepted method to measure and describe the size of particles that a filter can capture or the total amount of particles that the filter can hold.

When you see the filter marked "10 microns," you will not know exactly what this means unless you also have a description of the test and standards used to determine the filter rating.

Filter micron ratings are often based on one of these methods, but with possible variations:

- A. Nominal Micron Ratings
- B. Absolute Micron Ratings
- C. Multi-Pass Beta Ratings

- A. **Nominal Micron Rating** usually means the filter can capture a given percentage of particles of the stated size. For example, a filter might be said to have a nominal rating of 90%, 10 micron size.
- B. **Absolute Micron Rating** is a single pass test and is usually obtained by passing fluid containing glass beads through a flat sheet of the filter material. Any beads that pass through are captured and measured.
- C. **Multi-Pass Beta Rating** has been accepted by many machinery manufacturers, as well as filter manufacturers, especially for filters used in fluid power applications; hydraulics, controls, transmissions, power steering and so forth.


The test uses contaminant specially graded by particle sizes added regularly in measured quantities to the fluid which is pumped continuously through the filter.

Measured samples of fluid are taken at timed intervals upstream and downstream of the filter. The contaminant in these samples is measured for particle sizes and the quantity of each size or ranges of sizes.


A ratio is then made for the intended micron rating. An example: Particles upstream 10 microns and larger. Particles downstream 10 microns and larger. The Beta ratio would then be stated as Beta = 20.

The multi-pass Beta ratio is accepted by many machinery manufacturers but not used in a public way by most of them to identify or specify their filters. Some suggestions:

1. Use filters of high quality.
2. Obtain filters by catalog listing, not just by "micron rating". Other important qualities should also be considered.
3. Pay close attention to service intervals and good service practices for the greatest economy of operation.




Estimating Total Gallons in a Pool or Spa




Example
 Pool Length = 40 ft
 Pool Width = 20 ft
 Shallow Depth = 3 ft
 Deep Depth = 8 ft
 Total Depth = 11 ft

Using formula A:


- 1) $40 \times 20 = 800 \text{ sq ft}$
- 2) $800 \times 5.5 = 4400 \text{ cubic ft}$
- 3) $4400 \times 7.5 = 33000 \text{ gallons}$




$$\text{AREA} = A \times B$$



$$\text{AREA} = .45 \times (A + B) \times C$$



$$\text{AREA} = 3.14 \times R \times R$$



$$\text{AREA} = A \times B \div 2$$

The area in square feet for pools and spas can be determined by using one or more of the above formulas.

UNITS OF LENGTH				
UNIT	INCH	FOOT	YARD	METER
INCH	1.0	0.0833	0.0278	0.0254
FOOT	12.0	1.0	0.333	0.305
YARD	36.0	3.0	1.0	0.9144
METER	39.37	3.25	1.094	1.0

UNITS OF AREA				
UNIT	SQUARE INCH	SQUARE FOOT	SQUARE YARD	SQUARE METER
SQUARE INCH	1.0	0.000694	0.000772	0.000645
SQUARE FOOT	144.0	1.0	1.111	0.0929
SQUARE YARD	1296.0	9.0	1.0	0.836
SQUARE METER	1550.0	10.75	1.196	1.0

UNITS OF VOLUME					
UNIT	U.S. GALLON	IMPERIAL GALLON	CUBIC FEET	POUNDS OF WATER	CUBIC METERS
U.S. GALLON	1.0	0.833	0.1337	8.33	0.001338
IMPERIAL GALLON	1.2	1.0	0.1605	10.0	0.001546
CUBIC FEET	7.481	6.232	1.0	62.37	0.0283
POUNDS OF WATER	0.12	0.0996	0.0160	1.0	0.00045
CUBIC METERS	264.2	220.0	35.31	2204.0	1.0

UNITS OF FLOW					
UNIT	U.S. G.P.M.	IMPERIAL G.P.M.	CUBIC FEET/SECOND	CUBIC FEET/HOUR	LITERS/SECOND
U.S. G.P.M.	1.0	0.833	0.00223	0.02	0.0631
IMPERIAL G.P.M.	1.2	1.0	0.00268	0.272	0.0757
CUBIC FT. PER SECOND	448.8	374.9	1.0	3.400	28.32
CUBIC FT. PER HOUR	4.403	3.67	0.00091	1.0	0.2778
LITERS PER SECOND	15.75	13.21	0.0255	3.40	1.0

UNITS OF PRESSURE					
UNIT	INCHES OF WATER	FEET OF WATER	LBS. PER SQUARE INCH	INCHES OF MERCURY	LITERS PER SECOND
U.S. G.P.M.	1.0	0.833	0.00233	0.02	0.0631
IMPERIAL G.P.M.	1.2	1.0	0.00268	0.023	0.0757
CUBIC FT. PER SECOND	448.8	374.0	1.0	3.60	28.32
CUBIC FT. PER HOUR	4.003	3.47	0.00981	1.0	0.2778
LITERS PER SECOND	15.85	13.21	0.0353	3.60	1.0

EQUIVALENT VALUES OF PRESSURE								
INCHES OF MERCURY	FEET OF WATER	LBS. PER SQ. INCH	INCHES OF MERCURY	FEET OF WATER	LBS. PER SQ. INCH	INCHES OF MERCURY	FEET OF WATER	LBS. PER SQ. INCH
1	1.13	0.49	11	12.46	5.39	21	22.76	10.1
2	2.26	0.98	12	13.57	5.87	22	24.82	10.8
3	3.39	1.47	13	14.56	6.37	23	26.86	11.36
4	4.52	1.95	14	15.82	6.86	24	27.15	11.75
5	5.65	2.44	15	16.96	7.35	25	28.28	12.25
6	6.78	2.93	16	18.09	7.84	26	29.40	12.73
7	7.91	3.42	17	19.23	8.33	27	30.52	13.23
8	9.04	3.91	18	20.35	8.82	28	31.65	13.73
9	10.17	4.40	19	21.53	9.31	29	32.90	14.22
10	11.30	4.89	20	22.40	9.80	29.929	33.167	14.6969

PRESSURE AND EQUIVALENT FEET HEAD OF WATER							
LBS. PER SQ. INCH	FEET HEAD	LBS. PER SQ. INCH	FEET HEAD	LBS. PER SQ. INCH	FEET HEAD	LBS. PER SQ. INCH	FEET HEAD
1	2.31	20	46.18	100	277.01	225	519.51
2	4.62	25	57.72	125	288.62	250	577.34
3	6.93	30	69.27	150	300.16	275	640.02
4	9.24	40	92.36	160	323.25	300	697.69
5	11.54	50	115.45	180	344.34	325	750.41
6	13.85	60	138.54	190	369.43	350	808.13
7	16.16	70	161.63	200	392.52	375	865.89
8	18.47	80	184.72	250	415.61	400	922.56
9	20.78	90	207.81	260	438.90	500	1154.48
10	23.09	100	230.90	200	461.78	1000	2309.00
15	34.63	110	253.98				

COMMON PLUMBING ABBREVIATIONS

AGA	American Gas Association	IPS	Iron Pipe Size
Bs	Brass	MGH	Male Garden Hose
CP	Chrome Plated	MHT	Male Hose Thread
CC	Copper & Copper	MP	Male Iron Pipe
CWT	Copper Water Tube	MP	Male Iron Pipe
Da	Diameter	MPS	Male Iron Pipe Size
DC	Die Cast	MPT	Male Pipe Thread
Fc	Faucet	MI	1/1000 inch
FGH	Female Garden Hose	Nom	Nominal
FHT	Female Hose Thread	NPT	Standard Pipe Thread
FP	Female Iron Pipe	Or	Orifice
FIPS	Female Iron Pipe Size	OD	Outside Diameter
FPT	Female Pipe Thread	PSI	Pounds per Square Inch
Gal	Gallon	Rn	Ran
GPM	Gallons Per Minute	Pt	Point
GRM	Gallons Per Minute	RB	Polished Brass
Gz	Gauge	SP	satin Finish
Hd	Handle	SS	Stainless Steel
Hd	Head	SWT	Swear
Hgt	Height	THD	Thread
ID	Inside Diameter		

DEFINITION OF PIPE THREAD ACRONYMS

NPT National Pipe Thread

FPT Female Pipe Thread

MPT Male Pipe Thread

PTF SAE short type pipe thread

NPTF American National taper pipe thread for dry seal pressure-tight joints

NPSM American National straight pipe thread for mechanical joints

STANDARD NIPPLES AND PIPE SIZING

PIPE SIZE	OUTSIDE DIAMETER	CIRCUMFERENCE
1/2"	0.840"	2.639"
3/4"	1.050"	3.299"
1"	1.315"	4.131"
1 1/4"	1.660"	5.215"
1 1/2"	1.900"	5.969"
2"	2.375"	7.461"
2 1/2"	2.875"	9.032"
3"	3.500"	10.995"
4"	4.500"	14.137"
5"	5.563"	17.476"
6"	6.625"	20.812"
8"	8.625"	27.095"
10"	10.750"	33.771"
12"	12.750"	40.049"

Circumference = distance around outside of pipe

$$\text{AMPERAGE} = \text{WATTS} \div \text{VOLTS}$$

$$\text{WATTS} = \text{VOLTS} \times \text{AMPERAGE}$$

FILBUR PRODUCT INDEX



FC-0321	18, 25, 29, 44, 48, 53, 65	FC-0418	22, 43	FC-1210	18, 37, 64
FC-0322	17, 34, 41, 42, 65	FC-0419	22, 39	FC-1211	25, 37, 54, 65
FC-0324	18, 48, 65	FC-0420	22, 32, 66	FC-1215	18, 37, 64
FC-0325	18, 42, 48, 49, 53, 65	FC-0425	22, 32, 51, 53, 66	FC-1220	18, 28, 35, 37, 49, 64
FC-0326	18, 50, 65	FC-0430	22, 32, 66	FC-1223	22, 37, 65
FC-0331	18, 30, 33, 34, 36, 37, 38 39, 41, 43, 44, 48, 55, 65	FC-0435	22, 32, 42, 53, 66	FC-1225	23, 37, 65
FC-0336	18, 34	FC-0440	22, 32, 66	FC-1226	23, 37, 65
FC-0337	18, 33	FC-0443	22, 33, 51, 53, 66	FC-1227	23, 37, 65
FC-0341	18, 30, 31, 34, 35, 42, 44, 48, 50, 65	FC-0450	22, 34, 66	FC-1228	22, 37, 65
FC-0342	19	FC-0453	22, 49, 65	FC-1230	22, 37, 38, 44, 49, 65
FC-0351	18, 32, 38, 34, 35, 41, 44, 65	FC-0456	22	FC-1235	22, 37, 49, 65
FC-0354	38, 50, 65	FC-0459	22, 51, 53, 65	FC-1240	31, 38, 44
FC-0358	18	FC-0515	24, 43, 66	FC-1245	23, 37, 43, 65
FC-0359	18, 53	FC-0516	24, 43	FC-1250	23, 37, 38, 65
FC-0360	18, 53	FC-0517	24, 52, 66	FC-1255	25, 37, 54, 65
FC-0372	19, 47, 66	FC-0518	52, 66	FC-1260	23, 37, 49, 65
FC-0373	18, 34, 48, 66	FC-0536	24, 30, 66	FC-1270	23, 37, 65
FC-0377	18, 34, 48, 66	FC-0610	22, 44, 47, 49, 65	FC-1273	25
FC-0379	17, 38, 64	FC-0615	22, 44, 47, 49, 65	FC-1274	25
FC-0388	17	FC-0620	22, 44, 47, 53, 65	FC-1275	21, 37, 65
FC-0389	17, 33, 48, 64	FC-0627	45	FC-1280	24, 31, 37, 65
FC-0394	17, 38, 64	FC-0629	22, 44, 47, 49	FC-1285	25, 37, 54, 65
FC-0395	18, 48, 49, 65	FC-0630	23, 45, 65	FC-1286	25, 37, 54, 65
FC-0397	18, 38, 42, 47, 49, 64	FC-0635	23, 45, 65	FC-1287	25
FC-0399	18, 48	FC-0640	18, 28, 44, 64	FC-1288	23, 34, 35, 65
FC-0394	18	FC-0645	64	FC-1290	25, 31, 37, 65
FC-0395	25, 31, 42, 66	FC-0638	21, 45, 47, 65	FC-1291	21, 37, 65
FC-0396	20, 42, 66	FC-0670	22, 45, 47, 49	FC-1292	23, 37, 50, 65
FC-0397	18	FC-0675	23, 45, 65	FC-1293	37, 54, 65
FC-0399	20, 31	FC-0680	22, 44, 49	FC-1294	21, 37, 50, 54, 65
FC-0396	19	FC-0684	26, 35, 45, 65	FC-1296	21, 37, 65
FC-0397	18	FC-0685	26, 45, 65	FC-1297	21, 37, 65
FC-0398	19	FC-0686	26, 45, 65	FC-1298	25, 37, 65
FC-0399	19	FC-0688	26, 45, 65	FC-1299	25, 37, 43, 65
FC-0399	19	FC-0690	22, 44, 65	FC-1301	24
FC-0399	20, 32, 33, 42, 66	FC-0695	23, 45, 65	FC-1302	24
FC-0399	20, 41	FC-0696	26, 45, 65	FC-1305	20, 40, 64
FC-0399	20, 41	FC-0710	22, 38, 65	FC-1320	20, 32, 35, 40, 48, 64
FC-0399	19, 41, 66	FC-0720	22, 38, 65	FC-1330	20, 28, 33, 38, 40, 42, 48, 64
FC-0399	20, 49, 51, 66	FC-0730	23, 38, 65	FC-1340	21, 40, 64
FC-0396	20	FC-0740	23, 38, 65	FC-1400	25, 39, 65
FC-0399	20, 28, 29, 40, 52, 66	FC-0750	22, 38, 64	FC-1401	25, 39, 65
FC-0399	21, 29, 66	FC-0780	21, 38, 64	FC-1402	26, 39, 65
FC-0399	20, 29, 66	FC-0790	21, 38, 64	FC-1403	26, 39, 65
FC-0399	21, 29	FC-0800	23, 40, 65	FC-1415	19, 39, 64
FC-0399	21, 31, 66	FC-0810	23, 40, 65	FC-1425	19, 35, 39, 40, 48, 64
FC-0399	21, 27, 38, 41, 44, 66	FC-0820	23, 40, 65	FC-1435	25, 39, 64
FC-0399	20	FC-0821	25, 40, 65	FC-1437	19, 39, 43, 64
FC-0399	21	FC-0822	25, 40, 65	FC-1450	22, 39, 64
FC-0399	21, 29, 66	FC-0823	25, 40, 65	FC-1455	22, 39, 64
FC-0399	21, 38, 42, 66	FC-0824	25, 40, 65	FC-1460	25, 39, 41, 65
FC-0399	21, 29, 30, 31, 35, 41, 66	FC-0825	26, 40, 65	FC-1480	25, 39, 65
FC-0399	21, 41, 50, 66	FC-0830	26, 40, 65	FC-1490	25, 39, 65
FC-0399	21, 21, 28, 29, 30, 31, 32, 33, 34, 38 37, 41, 42, 43, 46, 50, 52, 53, 54, 66	FC-0840	26, 40, 65	FC-1492	24, 39
FC-0399	21, 31, 36, 44, 50, 52, 54, 66	FC-0842	25, 29, 49, 65	FC-1493	24, 39
FC-0399	21, 31, 36, 44, 50, 52, 54, 66	FC-0843	25, 29, 49, 65	FC-1494	24, 39
FC-0399	21	FC-0844	22, 42, 64	FC-1495	25, 39, 65
FC-0399	21	FC-0854	24, 43, 64	FC-1496	25, 39, 65
FC-0399	21	FC-0857	24, 43, 65	FC-1498	19, 21, 44, 52, 54FC-1499
FC-0399	24, 43	FC-0858	24, 43		19, 49, 64

FC-1612	19, 49, 64	FC-2397	19, 29, 32, 46, 49, 64	FC-2978	20, 32, 54, 64
FC-1617	19, 49, 64	FC-2399	18, 35, 65	FC-2978	26
FC-1620	19, 29, 35, 52, 64	FC-2400	18, 35, 65	FC-3027	17, 38, 64
FC-1630	19, 33, 34, 44, 51, 64FC-1920	FC-2401	20, 35, 66	FC-3029	33
24, 45, 63FC-1930	24, 45, 54, 65	FC-2402	20, 39	FC-3052	24, 53, 66
FC-1940	24, 45, 65	FC-2500	17, 49, 64	FC-3053	24, 53, 65
FC-1958	24, 45, 54, 65	FC-2520	25, 50, 68	FC-3054	21
FC-1960	24, 45, 65	FC-2530	25, 50, 65	FC-3058	23, 34, 64
FC-1961	21, 45, 64	FC-2540	25, 50, 65	FC-3059	23, 34, 64
FC-1962	21, 45, 64	FC-2550	25, 50, 65	FC-3060	17, 36, 44, 46, 47, 49, 65
FC-1963	21, 45, 64	FC-2551	25	FC-3061	17, 38, 65
FC-1970	25, 66, 65	FC-2560	25, 50, 65	FC-3062	17, 45, 64
FC-1975	25, 46, 65	FC-2570	25, 50, 65	FC-3063	17, 54, 64
FC-1976	21, 45, 54, 65	FC-2575	25, 50, 65	FC-3066	17, 64
FC-1977	21, 45, 54, 65	FC-2576	25, 50, 65	FC-3067	17, 64
FC-1979	21, 45, 54, 65	FC-2580	22, 49, 65	FC-3068	17, 64
FC-2015	19, 47, 64	FC-2620	19, 48, 64	FC-3070	20, 47, 64
FC-2018	20, 47, 64	FC-2640	64	FC-3071	18, 28, 64
FC-2115	65	FC-2650	19, 48, 64	FC-3076	17, 28, 64
FC-2120	22, 45, 65	FC-2660	19, 48, 64	FC-3077	17, 27, 31, 33, 38, 47, 42
FC-2130	22, 45, 65	FC-2710	18, 50, 64		44, 49, 51, 52, 53, 64
FC-2140	65	FC-2718	21, 40, 66	FC-3078	19, 34, 38, 64
FC-2150	23, 45, 65	FC-2719	21, 40	FC-3081	19, 34, 64
FC-2160	23, 45, 65	FC-2717	21, 40, 51	FC-3082	19, 44, 64
FC-2163	65	FC-2718	21, 51	FC-3083	64
FC-2170	22, 45, 65	FC-2730	23, 51, 65	FC-3084	22, 31, 65
FC-2180	23, 46, 65	FC-2740	23, 60	FC-3085	22, 31, 65
FC-2190	22, 45, 65	FC-2750	25, 33, 51, 65	FC-3089	21, 64
FC-2192	23, 45, 65	FC-2751	25, 51	FC-3090	64
FC-2191	23, 46, 65	FC-2760	23, 51, 64	FC-3091	19, 41, 64
FC-2205	17	FC-2780	18, 50	FC-3094	24, 35
FC-2308	17, 44, 46, 64	FC-2783	20, 51	FC-3097	20, 34, 49, 64
FC-2310	17, 46, 64	FC-2784	21, 51	FC-3098	22, 36, 64
FC-2315	17, 44, 45, 66, 64	FC-2785	21, 51	FC-3100	64
FC-2320	15, 35, 66, 64	FC-2787	18, 50	FC-3101	20, 64
FC-2321	17, 35, 66, 64	FC-2788	20, 34, 50	FC-3103	20, 48, 64
FC-2330	17, 46, 64	FC-2770	22, 51, 66	FC-3104	26, 65
FC-2340	17, 40, 46, 64	FC-2771	24, 58	FC-3107	64
FC-2350	17, 46, 64	FC-2772	24, 58	FC-3108	64
FC-2360	17, 46, 64	FC-2780	25, 53, 65	FC-3110	64
FC-2365	17, 46, 64	FC-2781	24, 40, 66	FC-3112	24, 35, 65
FC-2370	19, 28, 29, 30, 35, 36, 38, 40, 44, 45, 48	FC-2783	25, 53, 65	FC-3116	23, 47
	52, 53, 64	FC-2791	25, 51	FC-3117	23
FC-2372	19, 46, 64	FC-2800	21, 40, 66	FC-3120	17, 49, 64
FC-2375	19, 27, 28, 29, 30, 32, 33, 35, 36, 38, 39	FC-2809	20	FC-3125	12, 17, 26, 55, 64
	41, 42, 43, 44, 45, 47, 48, 50, 52, 53, 54, 64	FC-2810	24, 51, 60	FC-3128	12, 17, 26, 55
FC-2380	19, 27, 35, 41, 43, 46, 64	FC-2811	20, 33, 40, 66	FC-3129	12, 19, 26, 55
FC-2385	18, 27, 30, 32, 33, 36, 38, 41	FC-2812	23, 51	FC-3130	18, 49, 64
	42, 43, 44, 46, 50, 53, 55, 64	FC-2815	20, 52	FC-3135	21, 49, 64
FC-2386	18, 28, 29, 30, 31, 32, 34, 35, 36	FC-2910	18, 53	FC-3130	24, 32, 65
	38, 41, 42, 44, 46, 50, 52, 53, 64	FC-2915	19, 27, 32, 34, 43, 52, 53, 64	FC-3120	24, 32, 65
FC-2387	18, 29, 30, 31, 32, 34, 35, 36, 41	FC-2930	19, 30, 41, 42, 50, 54, 64	FC-3040	23, 47, 65
	42, 43, 46, 48, 50, 51, 52, 53	FC-2940	19, 27, 31, 32, 40, 47, 54, 64	FC-3068	23, 41, 64
FC-2388	18	FC-2960	25, 41, 54, 65	FC-3070	24, 40, 47, 65
FC-2390	9, 23, 28, 29, 30, 31, 32, 33, 34, 35	FC-2965	25, 41, 54, 65	FC-3075	25, 40, 47, 65
	36, 37, 38, 39, 40, 41, 42, 43, 44, 46	FC-2969	26, 41, 54, 65	FC-3623	20, 28, 42, 64
	47, 48, 49, 50, 51, 52, 53, 54, 55, 64	FC-2970	20, 34, 36, 41, 42, 54, 64	FC-3626	20, 28, 42, 64
FC-2392	19, 29, 30	FC-2971	20, 31, 41, 42, 54, 64	FC-3634	20, 28, 42, 64
FC-2394	19, 33, 64	FC-2972	20, 41, 42, 54, 64	FC-3637	20, 28, 42, 64
FC-2395	19, 33, 35, 38, 43, 56, 64	FC-2975	20, 32, 54, 64	FC-3638	20, 42, 64



FC-3709	17, 32, 64	FC-6310	19, 27, 64	FC-9350	58, 66
FC-3710	17, 32, 39, 47, 64	FC-6315	23, 27, 64	FC-9560	58, 66
FC-3711	64	FC-6320	23, 27, 64	FC-9720	59, 60, 66
FC-3730	18, 32, 64	FC-6325	23, 27, 64	FC-9730	59, 60, 66
FC-3742	17, 38, 64	FC-6330	32, 55	FC-9740	59, 60, 66
FC-3743	18, 36, 64	FC-6331	32, 55	FC-9750	59, 60, 66
FC-3744	18, 36, 64	FC-6335	32	FC-9760	59
FC-3748	20, 39	FC-6336	32	FC-9770	59
FC-3750	17, 26, 64	FC-6400	36	FC-9810	59, 60, 66
FC-3751	17, 39, 64	FC-6410	36	FC-9875	59, 60, 66
FC-3752	20, 39, 64	FC-6415	36	FC-9820	58, 59, 60, 66
FC-3753	17, 28, 39, 64	FC-6420	36	FC-9825	58, 59, 60, 66
FC-3754	21, 54	FC-6425	36	FC-9830	58, 59, 60, 66
FC-3755	21, 54, 64	FC-6430	36	FC-9835	59, 60, 66
FC-3810	17, 43, 64	FC-6435	36	FC-9840	58, 59, 60, 66
FC-3811	17, 43, 64	FC-6440	36	FC-9845	58, 59, 60, 66
FC-3850	17, 43, 64	FC-6445	36	FC-9850	58, 59, 60, 66
FC-3870	18, 38, 64	FC-6450	36	FC-9860	59, 60, 66
FC-3875	21, 38, 64	FC-6455	36	FC-9865	59, 60, 66
FC-3920	21, 38, 64	FC-6460	36	FC-9870	59, 60, 66
FC-3929	36	FC-6465	36	FC-9875	58, 59, 60, 66
FC-3930	21, 38, 64	FC-6470	36	FC-9880	58, 59, 60, 66
FC-3960	24, 38, 52, 65	FC-6471	36	FC-9885	58, 59, 60, 66
FC-3963	22, 31, 64	FC-6480	36	FC-9890	59, 60, 66
FC-3964	22, 31, 64	FC-6482	36	FC-9895	59, 60, 66
FC-3965	24, 31, 65	FC-6484	36	FC-9898	58, 59, 66
FC-3966	24, 31	FC-9220	58, 60, 61, 66	FC-9899	58, 59, 66
FC-4005	21, 34, 64	FC-9230	58, 60, 61, 66	FC-9910	59, 66
FC-4010	22, 34, 64	FC-9240	58, 60, 61, 66	FC-9920	59, 66
FC-4015	22, 34, 64	FC-9250	58, 60, 61, 66	FC-9930	59, 66
FC-4020	23, 34, 64	FC-9260	58, 60, 61, 66	FC-9940	59, 66
FC-5125	23, 53, 65	FC-9320	58, 60, 61, 66	FC-9950	59, 66
FC-5135	65	FC-9330	58, 60, 61, 66	FC-9960	59, 66
FC-5180	23, 40, 53, 65	FC-9340	58, 60, 61, 66	FC-0131M	15, 18, 48, 65
FC-5185	23, 53	FC-9350	58, 60, 61, 66	FC-0132M	15, 18, 48
FC-6010	24, 36, 65	FC-9360	58, 60, 61, 66	FC-0133M	15, 18, 48
FC-6015	24, 36, 65	FC-9420	58, 60, 62, 66	FC-0134M	15, 18, 48
FC-6105	23, 36, 65	FC-9430	58, 60, 62, 66	FC-0135M	48
FC-6107	24, 36, 65	FC-9440	58, 60, 62, 66	FC-0141M	15, 18, 65
FC-6110	24, 36, 65	FC-9450	58, 60, 62, 66	FC-0142M	15
FC-6115	24, 36, 65	FC-9460	58, 60, 62, 66	FC-0151M	15, 18, 65
FC-6233	25, 39, 65	FC-9520	58, 66	FC-0170M	15, 18, 43
FC-6305	19, 27, 64	FC-9530	58, 66	FC-0172M	15
		FC-9540	58, 66	FC-0175M	15

FILBUR® Freedom™ Cartridges with Microban®

FC-0189M	15	FC-0502M	15, 32, 66	FC-3715M	15, 31, 40
FC-0195M	15, 30, 31	FC-0536M	15, 26, 30	FC-3800M	15, 31, 40, 66
FC-0196M	15, 28, 31, 66	FC-1001M	15, 17, 42	FC-3810M	19, 24, 51
FC-0302M	15, 19, 29, 31, 32	FC-1003M	15, 22, 43	FC-3940M	15, 18, 54, 66
FC-0303M	15, 30, 31	FC-1004M	15, 24, 43	FC-3971M	15, 20, 31, 42, 51
FC-0304M	15, 30, 31	FC-1007M	15, 24, 43	FC-3975M	15, 20, 32, 66
FC-0310M	15, 20, 32, 66	FC-1265M	15, 25	FC-3029M	15, 17, 33
FC-0314M	15	FC-1386M	25, 37	FC-3052M	16, 24, 33
FC-0315M	15, 21, 29	FC-1330M	15, 20, 40, 64	FC-3077M	16, 17, 64
FC-0315M	15, 21, 66	FC-2371M	15, 19, 46, 64	FC-3130M	16, 24, 32
FC-0317M	15, 20	FC-2395M	15, 18, 46, 64	FC-3320M	16, 24, 32
FC-0359M	15, 21, 66	FC-3386M	15, 18, 64	FC-3915M	15, 21, 35, 64
FC-0360M	15, 31	FC-2387M	15, 18, 46	FC-3960M	16, 24, 38
FC-0361M	15, 31	FC-2390M	15, 19, 30, 46, 64	FC-3963M	16, 22, 31, 64
FC-0413M	15, 27	FC-2395M	15, 19, 46, 64	FC-3968M	16, 22, 31, 64
FC-0421M	15, 22	FC-2715M	15, 31, 40, 51	FC-3969M	16, 24, 31, 65





CAN CUSTOMER LOYALTY SOMETIMES SEEM A LITTLE RADICAL?



There are a lot of reasons that our customers hit the road with FILBUR's DirtMaster filter cartridges. Reasons like stronger, reinforced cores; antimicrobial end caps; wider support bands; and high-quality, dirt-holding polyester media. All of which add up to make DirtMaster cartridges better built, longer lasting, number one with OEMs, and radically superior.



Join our DirtMaster Dealer Program and get rewarded on every pool cartridge sold.


www.dmdealer.com

FILBUR
POOLS AND THE TECHNOLOGY

(888) 424-9185
Lake Oswego, Oregon
www.filburmfg.com

©2020 FILBUR Manufacturing

SALES REPRESENTATIVES



Alpha West

Tim Dougherty – President
Paul Mathews – Vice President
tdougherty@alphawest.com
pmathews@alphawest.com



Mullarky Associates

Marty Mullarkey
marty@mullarkeyassoc.com
mullarkeyassociates.com



Waterlines, Inc.

Damon Bickell
damon@waterlinesinc.com
waterlinesinc.com



WEK & Associates

Charlie Gunter
cgunter@wekreps.com
wekreps.com

USE THE FILTER CARTRIDGES THAT HOLD MORE DIRT.



FILBUR Pool & Spa Cartridges with DirtMaster Technology are number one with OEMs. The professional grade, OEM-specified fabric is heavier and thicker, with more fibers to collect dirt. Better dirt-holding cartridges mean less debris in the water, fewer chemicals, and shorter pump runs. And that means less cartridge cleaning, less energy used, and less money spent – for much happier customers.

Also available: filter media with Microban® antimicrobial protection.



FILBUR
POOL AND SPA FILTRATION

(888) 424-9185
Lake Oswego, Oregon
www.filburmfg.com

©2021 FILBUR Manufacturing, DWT-1-1
Microban® is a registered trademark of Microban International.

FILBUR
POOL AND SPA FILTRATION

(888) 424-9185
Lake Oswego, Oregon
www.filburmfg.com



APSP
The Association of
Pool & Spa Professionals

©2021 FILBUR Manufacturing, FIL-DAT-19020